

20
23

PRODUCT CATALOGUE

SITE PROTECTION
PROFESSIONAL CLOTHING
PERSONAL PROTECTION



2023
CATALOGUE



Protection is our business



OUR SPECIALITY: SITE PROTECTION AND PEOPLE



Ensuring the protection of painters and professionals in the construction and finishing industries has been our business for nearly 50 years.

Protection of your sites with a complete range of plastic films, tarps, masking tapes, packaging, etc. and products **100 % designed and manufactures in our French factory.**

Our state-of-the-art production facility allows us to offer **high quality** films with **incomparable resistance** thanks to the **exclusive tri-layer technology.**

Protecting your teams with a collection of professional clothing and personal protective equipment (PPE) and products that combine **safety, comfort and aesthetics.**


Contributing to environmental protection is a major concern in our development strategy.

At Dulary, we are committed to becoming a player in the **circular economy** by working to **preserve resources** through a **responsible approach.**

We were one of the first to offer **recycled plastic films.**

In 2023, we are breaking new ground by offering a **range of biosourced films** made from **plant-based plastics.**

Our constant challenge is to guarantee you unique quality and resistance while **reducing our carbon impact.**



A COMPREHENSIVE RANGE FOR PAINTERS



01 SITE PROTECTION

Site protection p. 06

CHOOSING YOUR SITE PROTECTION:

Plastic films p. 07

Recycled plastic &

biosourced films p. 08

Special films p. 11

CHOOSING YOUR SITE PROTECTION:

Tarps p. 13

Indoor protection p. 14

Masking / adhesives p. 22

Packaging products p. 23

Bags p. 24

Wipes p. 27

Outdoor protection p. 28

02 PROFESSIONAL CLOTHING

Customisation and sizes p. 30

CHOOSE:

your clothing range p. 31

Evolution Range p. 32

Performance Range p. 34

Expert Range p. 36

Presti-comfort Range p. 40

Classic Range p. 44

Sportswear Range p. 46

Cold Range p. 50

Complementary Range p. 54

Rainwear Range p. 56

03 PERSONAL PROTECTION

Disposable clothing p. 58

CHOOSE:

your safety footwear p. 59

Safety footwear p. 59

CHOOSE:

your gloves p. 65

Hand protection p. 65

CHOOSE:

your single-use mask p. 68

Breathing protection p. 68

Eye protection p. 74

Head protection p. 76

Safety products p. 77

04 MERCHANDISING

Furniture / POS display p. 78



OUR 4 COMMITMENTS TO BETTER PROTECT YOU

01

THE COMMITMENT SUPERIOR QUALITY

Offering you a **constant level of quality** in our products and services is the Dulary commitment to superior quality. Our integrated quality department has implemented a **strict control process** as well as a **continuous improvement approach**. Your peace of mind is our priority.

02

THE COMMITMENT SERVICE PLUS

At Dulary, **customer services is in our genes**. And customer service means first of all listening, availability and proximity. Because each customer is unique, we are committed to always finding the right **turnkey solution**. For a more personalised service.

03

THE COMMITMENT ADDED VALUE

Innovation is a priority for us. Our R&D unit is attentive to needs and trends to offer the most **technical, ergonomic, safe and aesthetic protection solutions**. We also want to provide maximum **added value to our distributors** in terms of sales support: packaging, POS, merchandising, etc.

04

THE COMMITMENT HIGH LOYALTY

The **loyalty of our customers is essential** to us and we do everything to deserve it. Since our inception, we have been committed to the **values of consideration, fairness and respect**, both with our customers, our suppliers and our employees. Highly loyal values that have endured over the years.




**FRENCH COMPANY
WITH NEARLY 50 YEARS
OF EXPERIENCE**



**NATIONWIDE PRESENCE
& INTERNATIONAL
OUTLOOK**



**EVER
HIGHER STANDARDS**



01 SITE PROTECTION

Site protection p. 06

CHOOSING YOUR SITE PROTECTION:

Plastic films p. 07

Recycled plastic & biosourced films .p. 08

Special films p. 11

CHOOSING YOUR SITE PROTECTION:

Tarps p. 13

Indoor protection p. 14

Masking / adhesives p. 22


Packaging products p. 23

Bags p. 24

Wipes p. 27

Outdoor protection p. 28

ALL OUR SOLUTIONS FOR ALL YOUR RENOVATION PROJECTS



HOW TO CHOOSE A PLASTIC FILM:

		RECYCLABLE						
		RECYCLED						BIOSOURCED
		Basic 30 microns	Basic + 40 microns	Standard 50 microns	Standard + 65 microns	Premium 80 microns	Pro 150 150 microns	Expert 200 200 microns
								Dulybio
USE	furniture cover	✓	✓					✓
	vertical	✓	✓	✓	✓	✓		✓
	on the ground		✓	✓	✓	✓	✓	✓
	high-profile sites						✓	✓
	heavy and intensive traffic						✓	✓
RESISTANCE		●	●	●●	●●●	●●●	●●●●	●●●●●
NON-SLIP		●●●	●●●	●●●	●●●	●●●	●●●	●●●
APPLICATION		Indoor	Indoor	Indoor	Indoor	Indoor / outdoor	Indoor / outdoor	Indoor / outdoor





MADE
IN FRANCE



RECYCLED
RECYCLABLE



TRI-LAYER



NON-SLIP



ODOURLESS

DULARY, A PIONEER IN PLASTIC FILM

We were the **first to offer a range of recycled plastic films** to promote the development of the circular economy. Today, **our plastic rolls and reels are made from recycled plastic and are recyclable.**

In order to guarantee high quality films, we are particularly demanding in the selection of recycled raw materials. Thanks to the exclusive process of **tri-layer technology** (the thickness of a film is composed of 3 superimposed layers), our films have **an incomparable resistance to tearing and perforation.**



The **MORE 2022** label, which promotes the use of recycled raw materials, has been awarded to our plastic film production.



DULARY INNOVATION

Dulybio, BIOSOURCED FILM, ANOTHER

As part of our innovation, we are proud to offer you a plastic film **made from plant-based material with a patent pending.**

For the manufacture of this new DULYBIO biosourced range, we have selected a natural material: **sugar cane bagasse.**

With this new biosourced range, Dulary enriches its film offering, still as resistant, and contributes to the reduction in CO₂.

Why sugar cane bagasse?

Bagasse is the fibrous residue from the crushing of sugar cane. It is **one of the best natural alternatives** to virgin plastic. An **ideal eco-friendly material** that contributes to the development of the circular economy, guaranteeing a film that is as strong as virgin or recycled plastic film.

SITE PROTECTION PLASTIC FILMS RECYCLED / BIOSOURCED

01

RECYCLED AND RECYCLABLE



A handy format:
film that can be unrolled,
is easy to lay and easy to
transport

Reels

QUALITY	DIMENSIONS	M²	COLOUR	FOLDED IN	QTY / PALLET	REF.
Basic	3 m x 25 m	75	neutral	4	202	10 05 10
Basic +	3 m x 25 m	75	neutral	4	200	10 05 20
Standard	3 m x 25 m	75	neutral	4	150	10 05 30
Premium	3 m x 25 m	75	neutral	4	105	10 05 40
Pro 150	3 m x 25 m	75	neutral	4	60	10 05 70

75 m²

of protection
coverage
per reel



STEP IN OUR ENVIRONMENTALLY RESPONSIBLE APPROACH



CIRCULAR
ECONOMY



LESS CO₂
EMISSIONS

Biosourced reel

	DIMENSIONS	M²	COLOUR	FOLDED IN	QTY / PALLET	REF.
Dulybio.B4	3 m x 25 m	75	neutral	4	203	10 40 20

MADE
IN FRANCERECYCLED
RECYCLABLE

TRI-LAYER



NON-SLIP



ODOURLESS

Rolls

QUALITY	DIMENSIONS	M ²	COLOUR	FOLDED IN	QTY / PALLET	REF.
Standard	3 m x 50 m	150	neutral	4	86	10 10 30
Standard	3 m x 50 m	150	tinted	4	86	10 10 35
Premium	3 m x 50 m	150	neutral	4	60	10 10 50
Standard	3 m x 100 m	300	neutral	2	39	10 10 70
Basic	6 m x 50 m	300	neutral	4	52	10 15 10
Standard	6 m x 25 m	150	neutral	4	53	10 15 30
Standard	6 m x 40 m	240	tinted	4	52	10 15 35
Standard +	6 m x 27.50 m	165	tinted	4	52	10 15 65



Construction rolls

QUALITY	DIMENSIONS	M ²	COLOUR	FOLDED IN	QTY / PALLET	REF.
Pro 150	3 m x 25 m	75	neutral	2	59	10 20 10
Pro 150	3 m x 50 m	150	neutral	2	44	10 20 20
Pro 150	3 m x 50 m	150	tinted	2	44	10 20 30
Pro 150	3 m x 50 m	150	neutral	4	33	10 20 40
Pro 150	3 m x 50 m	150	tinted	4	44	10 20 50
Pro 150	6 m x 25 m	150	neutral	4	44	10 20 60
Expert 200	3 m x 41 m	123	neutral	2	44	10 25 20
Expert 200	6 m x 20.5 m	123	neutral	4	44	10 25 30
Pro 150	3 m x 50 m	150	black	2	44	10 30 20
Pro 150	6 m x 25 m	150	black	4	44	10 30 25



SITE PROTECTION PLASTIC FILMS RECYCLED / BIOSOURCED



MADE
IN FRANCE



RECYCLED
RECYCLABLE



TRI-LAYER



NON-SLIP



ODOURLESS

FURNITURE COVERINGS AND FLOOR PROTECTION

Folded polyethylene tarps

QUALITY	THICKNESS	DIMENSIONS	QTY / BOX	REF.
Thin*	10 microns	5 m x 4 m	40	10 65 10
Standard	40 microns	5 m x 4 m	15	10 65 15
Premium	80 microns	4 m x 3 m	10	10 65 20
		5 m x 4 m	10	10 65 25

* virgin plastic

DULARY INNOVATION

Folded biosourced polyethylene tarps

	THICKNESS	DIMENSIONS	QTY / BOX	REF.
NEW 2023 Dulybio.P2	Thin	4 m x 3 m	60	10 40 05

In individual hangable packets



Laminated parquet underlay

Ref. **10 60 30**

Dimensions: 4 x 10 m



- › 200 microns thickness.
- › Sold individually or in a pallet of 39 rolls.

Carpet packaging

QUALITY	DIMENSIONS	COLOUR	FOLDED IN	QTY / PALLET	NEW REF.
Pro 150	1.5 x 230 m	neutral	1	20	10 60 10



M1 CLASSIFIED FILMS

POLYETHYLENE FILMS TO STOP

FLAMES spreading for occupied sites or PUBLIC BUILDINGS

NF P92-512:1986 standard
Reaction to fire: non-flammable fuel



Fire-retardant PE film 114 black

Ref. **10 50 10**

Dimensions: 6 m x 40 m

Flame-retardant polyethylene film, M1 classified.
Opaque black.

Thickness: 114 microns

- › Prevents the spread of flames in the event of a fire
- › Resistant
- › Area covered: approximately 240 m²



114 microns
Covers
approximately
240 m²

200 white fire-retardant PE film

Ref. **10 50 11**

Dimensions: 6 m x 43 m

Flame-retardant polyethylene film, M1 classified.
Opaque white.

Thickness: 200 microns

- › Prevents the spread of flames in the event of a fire
- › Resistant
- › Area covered: approximately 258 m²



200 microns
Covers
approximately
258 m²

Protective zip door

DIMENSIONS	SALES UNIT	REF.
2.2 m x 1.2 m	Individually or box of 11 doors	10 62 10

PE protective tarp with zipped door

- › Prevents the transfer of dust from one room to another while providing quick access
- › Stitched closure
- › Reclosable
- › L-shaped opening: easy access without stepping over
- › Durable and reusable
- › Sold without adhesive



ANTI-DUST



THICK AND
EXTREMELY
DURABLE



QUICK AND EASY
TO INSTALL



REUSABLE







CHOOSING YOUR PROTECTIVE TARP:

		FELT DULYCOVER			COTTON			ADHESIVE AND WATERPROOF DULYFIX				CARDBOARD	HONEYCOMB PP
		Airtight	Airtight and shock- proof	Not airtight	Eco plasticised cotton	Cotton	Plasticised cotton	Plasti- cised	Premium plasti- cised	Absorbent	Breathable	Protecsol	DulyPlak
USE	Floors	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Stairs							✓	✓	✓	✓		✓
	Risk of splashes, liquid spillages	✓	✓	✓	✓		✓	✓	✓	✓		✓	✓
	Impacts, frequent and/or intensive traffic			✓					✓	✓		✓	✓
	Moisture- sensitive coverings					✓					✓		
ADVANTAGES		absorbent airtight reusable	absorbent airtight shockproof reusable	absorbent resistant cushions falling objects not airtight reusable	absorbent airtight non- slip reusable	highly resistant non airtight reusable	absorbent highly resistant airtight reusable	self- adhesive waterproof repositio- nable	self- adhesive waterproof repositio- nable	self- adhesive waterproof repositio- nable absorbent	self- adhesive waterproof repositio- nable breathable	highly resistant airtight	resistant waterproof modular reusable
WEIGHT (APPROX.)		200 g/m²	300 g/m²	300 g/m²	230 g/m²	300 g/m²	280 g/m²	120 g/m²	180 g/m²	205 g/m²	160 g/m²	280 g/m²	thickness : 3 mm
APPLICATION		Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor / outdoor



CHOOSING YOUR SELF-ADHESIVE WATERPROOF TARP: Dulyfix

A range adapted to the protection requirements

FLOOR TYPE	MECHANICAL LOADS (TRAFFIC)	SELF-ADHESIVE TARP SOLUTION	WEIGHT	DIMENSIONS	UPSELL
Specific floors: porous, freshly laid	 Moderate to heavy	Dulyfix RESPIRANTE	160 g/m ²	1 m x 25 m	★★★
Non-porous floors	 Heavy to very heavy	Dulyfix ABSORBANTE	205 g/m ²	1 m x 12 m 1 m x 25 m	★★★★
Delicate floors (parquet, laminate, etc.)	 Heavy to very heavy	Dulyfix PLASTIFIÉE PREMIUM	180 g/m ²	1 m x 25 m	★★★★
Non-porous hard floors (tiling, carpet)	 Moderate	Dulyfix PLASTIFIÉE	120 g/m ²	0.65 m x 25 m 1 m x 25 m 1 m x 50 m 2 m x 25 m	★★



A RANGE OF SELF-ADHESIVE AND WATERPROOF TARPS

Dulyfix PLASTIFIÉE

Perfect for traditional sites on non-porous hard floors


With moderate mechanical loads

Non-woven PET synthetic fibre

› 1 plasticised top side.

› 1 self-adhesive underside.

	DIMENSIONS	SALES UNIT	USE	WEIGHT	REF.
NEW 2023	0.65 m x 25 m	Individually or box of 15 rolls	Small spaces	120 g/m ²	14 40 05
	1 m x 25 m	Individually or box of 15 rolls	Stairs, hallways, standard rooms	120 g/m ²	14 40 11
	1 m x 50 m	Individually or pallet of 15 rolls	Stairs, hallways, long areas	120 g/m ²	14 40 15
NEW 2023	2 m x 25 m	unit	Large rooms	120 g/m ²	14 40 20



Dulyfix PLASTIFIÉE PREMIUM

Perfect for delicate floors (laminated parquets, etc.)



with heavy to very heavy mechanical loads

Non-woven PET synthetic fibre

› 1 plasticised top side.

› 1 self-adhesive underside.

	DIMENSIONS	SALES UNIT	USE	WEIGHT	REF.
NEW 2023	1 m x 25 m	Individually or box of 14 rolls	Stairs, hallways, standard rooms	180 g/m ²	14 40 40



A RANGE OF SELF-ADHESIVE AND WATERPROOF TARPS

Dulyfix

ABSORBANTE

Highly absorbent - Impact special For non-porous floors

With heavy to very heavy mechanical loads


Non-woven synthetic - 2.2 mm thickness.

› 1 absorbent top side.

› 1 self-adhesive underside.

› Weight: Approx. 205 g/m².

DIMENSIONS	SALES UNIT	REF.
1 m x 12 m	Individually or box of 16 rolls	14 35 10
1 m x 25 m	Individually or pallet of 20 rolls	14 35 15



A RANGE OF SELF-ADHESIVE AND WATERPROOF TARPS


Dulyfix

RESPIRANTE

Encourages the evaporation of vapours and solvents
Perfect for freshly laid floors, moisture-sensitive coverings for specific floors: Porous, freshly laid
 With moderate to heavy mechanical loads
 Provides site protection after only 72 hours of drying.

Non-woven PET synthetic fibre – Thickness: 1.8 mm.
 › 1 breathable and plasticised top side
 › 1 self-adhesive underside. Colour: Blue.
 › Weight: Approx. 160 g/m².

DIMENSIONS	SALES UNIT	REF.
1 m x 25 m	Individually or box of 12 rolls	14 43 11





**NEW
2023**

Dulycover

Absorbent airtight felt tarp

DIMENSIONS	WEIGHT	SALES UNIT	REF.
10 m x 1 m	200 g/m ²	individually or box of 12 rolls	14 10 10
25 m x 1 m	200 g/m ²	individually or box of 20 rolls	14 10 15
<small>NEW 2023</small> 50 m x 1 m	200 g/m ²	individually or box of 24 rolls	14 10 30

Absorbent airtight shockproof felt tarp

DIMENSIONS	WEIGHT	SALES UNIT	REF.
<small>NEW 2023</small> 25 m x 1 m	300 g/m ²	individually or box of 12 rolls	14 10 50

Made from a 2 mm thick non-woven synthetic material.
 › 1 absorbent top side.
 › 1 airtight polyethylene underside of 50 microns thickness.

ADVANTAGES

Efficient liquid absorption.

Waterproof.

Indoor use: floor, hallway, furniture protection



ABSORBENT



WATERPROOF



REUSABLE

Airtight felt tarp

DIMENSIONS	WEIGHT	SALES UNIT	REF.
10 m x 1 m	300 g/m ²	Individually or pallet of 24 rolls	14 13 10

Made from a 4 mm thick non-woven synthetic material.


ADVANTAGES

Thick material that protects against impacts.

Indoor use: floors, hallway, furniture protection



ABSORBENT



SHOCK
RESISTANT



HEAVY TRAFFIC



REUSABLE




A NEW RANGE OF FELT TARPS

Absorbent
top side

Plasticised
underside



Absorbent
top side



DulyPlak

Protective PP honeycomb panel

DIMENSIONS	SALES UNIT	REF.
Unfolded: 220 x 75 cm Folded: 76 x 75 cm	Box of 10 panels	14 60 10

The multi-surface, shockproof and waterproof protective panel. Made from black honeycomb polypropylene. Thickness: 3 mm, folds/unfolds in 3 parts.

- › **Excellent protection:** protects against impact, heavy traffic, dust and paint spillages.
- › **Suitable for high-traffic areas.**
- › **Modular:** can be folded and easily cut to the desired size.
- › **Washable and reusable.**
- › **Waterproof.**
- › **Multi-surface.**



SHOCK
RESISTANT



MODULAR,
EASY TO CUT



HEAVY TRAFFIC



REUSABLE



INDOOR AND
OUTDOOR USE

CARDBOARD TARPS

Protecsol CARDBOARD tarp

DIMENSIONS	SALES UNIT	REF.
25 m ² ≈ 1 m x 25 m	Individually or box of 12 rolls	14 50 11




"Upcycled" product: product made from cardboard off-cuts, recovered and recycled

Smooth, double-sided plasticised cardboard: 1 white side / 1 brown side

The product colour may vary depending on the available off-cuts (white or brown).

Weight: approximately 280 g/m².

- › **Highly resistant to scratches,** tearing and puncturing.
- › **Withstands heavy traffic** and the use of heavy equipment (scaffolding, work platforms).
- › **Waterproof and reusable**



RESISTANT
TO SCRATCHES
AND TEARS



WATERPROOF



REUSABLE



COTTON TARPS



Unbleached cotton tarp

DIMENSIONS	SALES UNIT	REF.
5 m x 4 m	unit	14 26 10
4 m x 3 m	unit	14 26 20
5 m x 1.50 m	unit	14 26 30

PERMEABLE TARP

- › 2 mm thick plasticised cotton.
- › Weight: Approx. 300 g/m².

ADVANTAGES

Highly resistant
Reusable



Plasticised cotton tarp

DIMENSIONS	SALES UNIT	REF.
5 m x 4 m	unit	14 30 10
4 m x 3 m	unit	14 30 20
5 m x 1.50 m	unit	14 30 30

2 mm thick plasticised cotton.

- › 1 absorbent top side.
- › 1 non-slip PVC underside.
- › Weight: Approx. 280 g/m².

ADVANTAGES

Highly resistant
Airtight
Reusable



“Eco” plasticised cotton tarp

DIMENSIONS	SALES UNIT	REF.
4 m x 3 m	Individually or box of 10 rolls	14 20 10
5 m x 4 m	Individually or box of 6 rolls	14 20 15

1 mm thick plasticised cotton.

- › 1 absorbent top side.
- › 1 polyethylene underside + 45 microns thick airtight EVA foam.
- › Weight: Approx. 230 g/m².

ADVANTAGES

Non-slip tarp
Airtight
Reusable



MASKING / ADHESIVES





Hand rails,
switches,
electrical
outlets

Radiators,
windowsills

Kraft masking tape

Protection against paint splashes, dirt and dust.
Fully adhesive backing paper for indoor renovation jobs.

	DIMENSIONS	SALES UNIT	REF.
	75 mm x 50 m	Individually or box of 24 rolls	10 61 01
	150 mm x 50 m	Individually or box of 12 rolls	10 61 02


For use on different types of surfaces, and particularly sensitive surfaces: wallpaper, varnish, wood, etc.

ADVANTAGES

Fully adhesive on the back
Multi-surface protection
Adapts to many materials
Quick and easy to apply
Repositionable and adjustable



SELF-ADHESIVE



LEAVES
NO MARKS



TIME-SAVING



REPOSITIONABLE



ECO-FRIENDLY
WATER-BASED
ADHESIVE WITHOUT
SOLVENT

MASKING / ADHESIVES




DULYTAPÉ®

Ref. **10 60 61**Box of
36 rollsDimensions:
50 mm x 25 m

Adhesive tape made from a fabric-reinforced backing in flexible polyethylene (PE), coated with a layer of special acrylic adhesive.

ADVANTAGES

The benchmark adhesive tape for indoor applications and flat surfaces. Easy to cut.



PP adhesive tape

Ref. **10 60 55**

Dimensions: 5 cm x 100 m

Sold in packs of 6 rolls

ADVANTAGES

Suitable for use at low temperature.



PACKAGING PRODUCTS

Bubble-wrap roll

DIMENSIONS	REF.
25 x 1 m	10 75 10
100 x 1 m	10 75 15



Stretch film for pallets

6 rolls per box

QUALITY	DIMENSIONS	REF.
Transparent 17 microns	0.45 x 270 m	10 70 10
Transparent 30 microns	0.45 x 200 m	10 70 15
Black 20 microns	0.45 x 270 m	10 70 20



Sorting and managing waste on construction sites is becoming a major concern. To easily identify the contents of each bag, Dulary now offers **transparent refuse and rubble bags**. **Waste that is properly sorted, visible and identified in a transparent bag = an easy trip to the waste disposal centre!**



DIFFERENT TYPES OF LDPE REFUSE BAGS

THICKNESS \ CAPACITY	100 LITRES	110 LITRES	130 LITRES	150 LITRES
40 microns		basic +		
45 microns	standard		standard	
50 microns		standard		
60 microns	standard +	standard +		
65 microns				standard +
80 microns		premium		



LDPE transparent refuse bags

CAPACITY	QUALITY	NO. OF ROLLS PER BOX	NO. OF BAGS PER ROLL	REF.
110 litres	standard	8	25	11 06 22

ADVANTAGES

- Resistance
- Transparent



LDPE BLACK refuse bags

CAPACITY	QUALITY	NO. OF ROLLS PER BOX	NO. OF BAGS PER ROLL	REF.
100 litres	standard	10	25	11 05 15
	standard +	10	20	11 05 30
110 litres	basic +	10	25	11 06 10
	standard	8	25	11 06 20
	standard +	8	25	11 06 30
	premium	5	20	11 06 40
130 litres	standard	5	20	11 08 15
150 litres	standard +	5	20	11 10 35



Transparent woven polypropylene rubble bag

DIMENSIONS	REF.
L56 x H96 cm	11 31 10

Capacity: 60 litres - 50kg
Material: White woven polypropylene
Resealable packet of 10 bags

ADVANTAGES

Highly resistant to tearing and puncturing.
Transparent to facilitate waste sorting.
Reusable.



White woven polypropylene rubble bag

Dimensions: W56 x H96 cm

PACKAGING	REF.
Resealable packet of 10 bags	11 30 10
Box of 250 bags 25 rolls of 10 bags	11 30 15
Bale of 1000 bags	11 30 30
Polypropylene bag with inner bag	11 30 35



Capacity: 60 litres - 50kg
Material: White woven polypropylene

ADVANTAGES

Highly resistant to tearing and puncturing.
Reusable.

Woven rubble bag with handles

CAPACITY	DIMENSIONS	MATERIAL	PACKAGING	REF.
60 litres 50 kg	L40 x H50 x D30 cm	White woven polypropylene	Pack of 2 bags	11 35 10

ADVANTAGES

Easy to fill and transport.
Highly resistant to tearing and puncturing.
Square bottom.
Reusable.



LDPE black rubble bag

CAPACITY	DIMENSIONS	MATERIAL	NO. OF ROLLS / BOX	NO. OF BAGS / ROLL	REF.
60 litres 50 kg	L56 x H96 cm	Polyethylene 130 microns	10	10	11 20 10

ADVANTAGES

Highly resistant to tearing.



Big Bag Container

Ref. **11 40 10**

Dimensions: L90 x D90 x H110 cm

- › Fully opening.
- › Flat bottom, 4 straps.

ADVANTAGES

Maximum resistance for a payload of 1,500 kg.





RECYCLED FABRIC

Coloured cloths

Ref. **12 10 15**

- › Coloured cloths made from knitted fabrics and t-shirts.
- › 10 kg box.

White cloths

Ref. **12 15 15**

- › Cloths made from knitted fabrics and t-shirts.
- › 10 kg box.

White cloths (1 kg bag)

Ref. **12 15 10**

- › Cloths made from knitted fabrics and t-shirts.
- › Box of 10 x 1 kg bags.



Roll of buffing wipes

Ref. **12 30 10**

Dimensions: 21 x 23 cm

- › Two-ply cellulose wadding
- › 800 sheets per roll.
- › Sold in 2-roll packs.

ADVANTAGES

Absorbent material.



Roll of white wipes

Ref. **12 25 10**

Dimensions: 21 x 23 cm

- › Two-ply cellulose wadding
- › 800 sheets per roll.
- › Sold in 2-roll packs.

ADVANTAGES

Absorbent material, no colour seepage, very resistant.

MULTI-USE, SUITABLE FOR PAINTING WORK

Non-woven cloths

Ref. **12 35 35**

Dimensions:
35 cm x 50 cm

Box of 100 cloths

- › Cleaning & wiping
- › All types of surface
- › Dry or wet surface

ADVANTAGES

- 1 box = 1 pack of 10kg
- Resistant, thick and flexible
- Liquid absorption (water, paint)
- Does not tear, does not fall apart, lint-free
- Solvent, oil and heat resistant
- Washable and reusable



NEW
2023



1 BOX
100 WIPES

=

1 BOX
10 KG



MADE
IN FRANCE

Heavy-duty polyethylene tarp

DIMENSIONS	WHITE/CLEAR	GREEN
6 m x 4 m	13 10 20	-
8 m x 6 m	13 10 30	13 15 30
20 m x 3.10 m	13 10 50	-

› 150 g/m² with metal anchor points every metre, eyelets on 4 sides.

ADVANTAGES

Highly resistant weave.
Structure enables cutting.



Reinforced polyethylene tarp

Ref. 13 20 10

› 130 g/m² with pre-perforated eyelet reinforcement strips every 20 cm.
› Dimensions: 20 m x 3.20 m.
› See-through with white grid.

ADVANTAGES

Ideal for use with plaster-like splashes.
Airtight.



Scaffold mesh

White: ref. 13 30 15 – green: ref. 13 30 10

Dimensions: 20 m x 3 m
55 g/m². Non anti-UV treated.

ADVANTAGES

Run-resistant mesh.

Fasteners

	DIMENSIONS	REF.
For meshes:	Small model L. 290 mm x W 4.8 mm	13 40 10
For tarps:	Large model L. 365 mm x W 7.8 mm	13 40 15

Plastic fastener links.
Packs of 100.



OUR PLASTIC
FILMS
CAN ALSO
BE USED
OUTDOORS
see p.7



PROFESSIONAL CLOTHING

Customisation and sizes..... p. 30

CHOOSE:
your clothing range p. 31

Evolution Range p. 32

Performance Range p. 34

Expert Range p. 36

Presti-comfort Range..... p. 40

Classic Range..... p. 44

Sportswear Range p. 46

Cold Range..... p. 50


Complementary Range p. 54

Rainwear Range..... p. 56

SIZE GUIDE

UPPER BODY

SIZES	A CHEST CIRCUMFERENCE (CM)
XS - 0	76-84
S - 1	85-92
M - 2	93-100
L - 3	101-108
XL - 4	109-116
XXL - 5	117-124
XXXL - 6	125-132



LOWER BODY

SIZES	STANDARD SIZES	DOUBLE SIZES	B WAIST CIRCUMFERENCE (CM)	C INSIDE LEG (CM)
34*			68	82
36	S	0	72	82
38			76	82
40			80	82
42	M	1	84	82
44			88	82
46	L	2	92	82
48			96	82
50	XL	3	100	82
52			104	82
54	XXL	4	108	82
56			112	82
58		5	116	82
60			120	82

* women's trousers

MAKE YOUR MARK ON YOUR CLOTHING

- › Clothing customisation available from 10 items upwards.
- › Available for products in the following ranges: Evolution, Classic, Complementary, Cold, Presti-Comfort, Expert, Sportswear.



Chest version 9 x 5 cm




Back version 18 x 25 cm

Please
get
in touch!



CHOOSING YOUR CLOTHING RANGE:



EVOLUTION RANGE

› Technicity and design
for a premium range _____ 32-33



PERFORMANCE RANGE

› Comfort, ergonomics and freedom of
movement _____ 34-35



EXPERT RANGE

› Technicity and functionality
for intensive use _____ 36-39



PRESTI-COMFORT RANGE

› Stylish and practical _____ 40-43



CLASSIC RANGE

› Tradition and value for money _____ 44-45



SPORTSWEAR RANGE

› Comfort and a resolutely
modern style _____ 46-49



COLD RANGE

› Comfortable even outdoors _____ 50-53



COMPLEMENTARY RANGE

› To complete your outfit _____ 54-55



RAINWEAR RANGE

› Dedicated protection _____ 56

DISCOVER
OUR RANGE
OF DISPOSABLE
CLOTHING
see p.58

EVOLUTION


RANGE



Technicality and design for durable, comfortable clothing that can withstand demanding working conditions, without compromising on style.



ADVANTAGES



**EXTREME
COMFORT**



**MODERN
STYLE**



LIGHTWEIGHT



DURABILITY



Stretch trousers offering unparalleled freedom of movement thanks to their ultimate stretch fabric, with Cordura reinforcements for resistance to rubbing and tears.



Elasticated fibre that stretches in all directions. For maximum comfort and freedom of movement at work.

CORDURA®

Textile fibre 20 times more resistant to abrasion than cotton.



Triple stitching

Lightweight sleeveless jacket

— EVOLUTION

White/black:
ref. **48 10**

Available sizes: **from M to XXL**

A lightweight and durable sleeveless jacket

High neck

Zip fastening with windproof flap and concealed, covered press studs.

Elasticated armholes under flap

2 breast pockets with hidden press studs under flap + key ring

2 side pockets - 2 inside pockets

Adjustable sides using press studs

Triple stitched seams on the sides

Longer back - Retro-reflective effects

Composition:
Twill Fabric
65% polyester,
35% cotton,
270 g/m²



Central zip

Black fleece-lined jacket

— EVOLUTION

Black: ref. **48 20**

Available sizes: **from M to XXL**

A flexible, slim-fit jacket

High neck

Central zip fastening and windproof flap on the inside

Zippered breast pocket

2 zippered side pockets

Cuffs and jacket hem in elasticated bias cut

Retro-reflective effects

Composition:
94% polyester,
6% elastane
Fleece
260 g/m²



ULTIMATE STRETCH

ULTIMATE STRETCH

Reinforcements

CORDURA

Stretch trousers

— EVOLUTION

White/black:
ref. **48 01**

Available sizes: **from 36 to 54**

Flexibility, lightness and durability guaranteed

Low rise

Elasticated waistband with 7 belt loops

Zip fly

Ergonomic fit

Stretch zones in prime contact areas:

- front (above the knees and bottom of the leg)

- back (top and knees)

2 Italian pockets, 2 back pockets, 1 zipped thigh pocket including a phone pocket with press stud flap, 1 Cordura® ruler pocket

Reinforced Cordura® knee pockets for inserting protective knee patches (not supplied)

Double stitched seams on legs and crotch

Composition:
65% polyester,
35% cotton,
270 g/m²

CORDURA

ULTIMATE STRETCH



Mascot knee pads

Ref. **49 49**

Dimensions: **150 x 270 mm**

Essential for work in a kneeling position

Pair of foam pads for knee protection compatible with the Evolution trousers

100% Ethylene vinyl acetate

PERFORMANCE

RANGE

Our Performance range combines comfort and ergonomics with fluidity of movement.

With their fitted cut and new fabrics, these garments are now more comfortable to wear, without compromising on durability.

The use of Cordura® gives these clothes optimal resistance to friction and tearing.



ADVANTAGES



COMFORT



ERGONOMICS



FLUID
MATERIAL



RESISTANCE

CORDURA®

Textile fibre 20 times more resistant to abrasion than cotton.

PROFESSIONAL CLOTHING

PERFORMANCE RANGE



Multi-pocket trousers

— PERFORMANCE —

Grey / black: ref. **38 15**
White / black: ref. **37 15**

Available sizes: **from 0 to 5**

Belt with 6 loops and elasticated waistband.
1 back pocket with flap. 2 front patch pockets. 1 front pocket with zip on the right. 1 phone pocket on the right thigh. 1 large bellows pocket on the left thigh. Nylon zip fly 1 ruler pocket + 1 tool pocket. Knee patches in **CORDURA** for inserting DULARY protective pads (not supplied). Reinforced hem.

Composition:
60% Cotton
40% Polyester
250 g/m²

CORDURA

Fleece jacket

— PERFORMANCE —

Grey / black: ref. **38 50**
White / black: ref. **37 50**

Available sizes: **from S to XXL**

Injected mesh zip up to the top of the collar.
1 chest pocket with zip.
2 side pockets with zip.
Elasticated cuffs.
2 low inside pockets

Composition:
100% Polyester
300 g/m²

TO
COMPLETE
YOUR KIT,
SEE
OUR RANGE
OF SAFETY
FOOTWEAR
ON P.53



DULARY foam pads

Ref. **30 30**

Dimensions: **165 x 240 mm**

Pair of 100% polyethylene
knee protection foam pads.
Thickness: 18 mm



EXPERT

RANGE



Our Expert range combines technicality and functionality.

It supports you daily, in intensive use. The use of Cordura® gives these clothes optimal resistance to friction and tearing.



ADVANTAGES



RESISTANCE AND COMFORT



ERGONOMICS



YKK ZIP

CORDURA®

Textile fibre 20 times more resistant to abrasion than cotton.

COMPLIES WITH STANDARD EN14404: 2004 + A1 : 2010



DULARY is committed to combating disorders linked to the kneeling position (bursitis of the knee) with the standard EN14404: 2004 + A1: 2010.

This standard guarantees users that they are wearing equipment that will protect them and prove entirely suitable to working in a kneeling position. The standard involves the wearing of Expert trousers exclusively fitted with DULARY foam pads.



Multi-pocket trousers

--- **EXPERT**

Grey / black:ref. **33 15**
Beige / black:ref. **32 15**
White / black:ref. **30 15**

Available sizes: **from 36 to 54**

Belt with 7 loops and elasticated waistband and 1 key ring. 2 back pockets with rip-tab flap, 2 front patch pockets that can hold 2 double holster pockets, nylon fly, 1 ruler pocket, 1 side tool pocket, 2 bellows pockets and 1 phone pocket. Knee patches in **CORDURA** for inserting DULARY protective pads (not supplied). Triple stitched seams at the crotch.

Composition (white, grey):
60% Cotton
40% Polyester
310 g/m²

Composition (beige):
65% Polyester
35% Cotton
310 g/m²

CORDURA



DULARY foam pads

Ref. **30 30**

Dimensions: 165 x 240 mm

Pair of foam pads for knee protection compatible with DULARY trousers. 100% polyethylene.
Thickness: 18 mm



EN14404: 2004
+ A1: 2010

Adjustable,
Elasticated.



Elastane waistband

Ref. **30 32**

Dimensions: 120 x 4 cm

Outer material: 50% polypropylene, 50% elastane. Metal buckle.
Waist size adjustment for trousers and shorts
Colour: black

**Expert stretch jeans**

— EXPERT

Ref. 34 15

Available sizes: from 36 to 54

The modern working jean with stretch for maximum comfort

Belt with 5 loops.
2 back pockets,
2 front Italian pockets.
YKK zip fly,
1 key ring,
1 ruler pocket,
1 tool pocket,
1 zipped bellows pocket,
2 small rip-tab flap pockets.
Reinforced polyester knees

Composition:
89% cotton,
9% elastic
polyester,
2% elastane,
+/- 320 g/m²



Stretch



Material

EXTENSIBLE

Triple stitched
seams
at the crotch

Reinforced
knee patches

CORDURA

Blue/black jeans

— EXPERT

Ref. 34 10

Available sizes:
from 36 to 54

Belt with 5 loops. Elasticated waistband.
2 back pockets, 2 front patch pockets. Button
fly. 1 ruler pocket,
1 tool pocket on the side, 1 bellows pocket and 1
phone pocket. Knee patches
CORDURA with compartments for DULARY
protective foam pads (not included).

Composition:
91% cotton
8% polyester
1% Lycra
370 g/m²

CORDURA



♀
Exclusive
WOMEN

Reinforced
knee patches

CORDURA

**Women's trousers**

— EXPERT

White/black: ref. 30 20

Available sizes:
from 34 to 48

Belt with 7 loops and elasticated waistband.
2 piped back pockets, 2 slanted front pockets,
nylon fly, 1 ruler pocket, 1 tool pocket on the side,
2 bellows pockets
and 1 phone pocket.

Knee patches CORDURA with compartments for DULARY
protective foam pads (not included).

Composition:
60% Cotton
40% Polyester
310 g/m²

Reinforced
shoulders

CORPURA

Inside
zipped
pockets

Cotton/polyester sleeveless jacket

— EXPERT

White/black:
ref. **30 71**

Available sizes: **from M to XXL**

Black micro-fleece inside collar
Reinforced shoulders + hem in **CORPURA**
2 bias-cut zip pockets
1 inside wallet zip pocket
1 inside smartphone pocket with rip-tab flap
1 lower inside zip pocket
Two-way zip under flap with press studs.

Composition:
60% Cotton
40% Polyester
Padded lining
100% polyester
280 g/m²

CORPURA

Elasticated
inner sleeves

Reinforced
black inserts

CORPURA

Cotton/polyester jacket

— EXPERT

White/black:
ref. **30 76**

Available sizes: **from M to XXL**

Black micro-fleece lining.
Black micro-fleece inner standing collar.
1 pen pocket on left sleeve. 2 bias-cut
pockets with zip. 1 inside wallet pocket.
1 inside smartphone pocket with velcro flap.
1 lower inside zip pocket.
Two-way zip under flap with press studs.

Composition:
60% Cotton
40% Polyester

CORPURA



Light and
breathable

Polo shirt

— EXPERT

Black/grey: ref. **30 60**

Available sizes: **from S to XXL**

Quick drying to help
wick away perspiration, classic collar,
3 buttons, velour neck band.
Collar and sleeves with contrasting edging.

Composition:
100% Polyester
140 g/m²



GREY



YKK zip.

2 large
patch
pockets.

WHITE

Shorts

— EXPERT

White: ref. **30 35**

Grey: ref. **33 35**

Available sizes: **from 36 to 54**

7 belt loops with elasticated waistband
and key ring, 2 back pockets with rip-tab
flap, 2 front patch pockets, nylon YKK fly.
1 ruler pocket, 1 tool pocket on the side,
2 bellows pockets and 1 phone pocket.

Composition:
60% Cotton
40% Polyester
310 g/m²

PRESTI-COMFORT

RANGE



The Presti-Comfort range combines style and practicality.

Suitable for summer and winter alike, comfortable and coordinated clothing with a quality finish.



ADVANTAGES



**QUALITY
MANUFACTURING**



**PROTECTIVE
KNEE PATCHES**



RESISTANT ZIP

PROFESSIONAL CLOTHING

PRESTI-COMFORT RANGE



Knee patch reinforcement with ergonomic gusset

Functional with multiple pockets.

Perfect for summer: lighter fabric 245 g/m²

Trousers

— PRESTI-COMFORT

White/grey:
ref. **28 11**

Available sizes: **from T0 (36/38) to T5 (56/58)**

Stock halved:
6 double sizes
= 12 sizes!

2 two-colour bias-cut patch pockets.
2 back pockets, one with a Velcro® flap.
1 ruler pocket + 1 tool pocket on the right side.
1 Velcro® pocket on the side. YKK nylon zip fly.
5 belt loops. Knee reinforcements with compartments for protective pads (not supplied). Ergonomic gusset on the knees and height-adjustable foam pads.

Composition:
60% Cotton
40% Polyester
310 g/m²

Multi-pocket trousers

— PRESTI-COMFORT

White/grey:
ref. **28 15**


Available sizes: **from 36 to 54**

2 back pockets with rip-tab flap,
1 large bellows pocket with rip-tab flap on each side, nylon fly,
7 belt loops, elasticated waistband,
2 two-colour bias-cut patch pockets,
1 key ring, right side: 1 tool pocket + 1 phone pocket + 1 pen pocket.
YKK zip.
Height adjustable.

Composition:
65% Polyester
35% Cotton
245 g/m²

**CUSTOMISE
YOUR CLOTHING!**

SEE
OUR RANGE
P. 30



Dulary foam pads

Ref. **30 30**

Dimensions: 165 x 240 mm

Pair of 100% polyethylene
knee protection foam pads.
Thickness: 18 mm





Jacket

PRESTI-COMFORT

White/grey: ref. **28 75**

Available sizes: **from M to XXL**

Black micro-fleece lined collar, 1 outer pocket, 2 lower zipped pockets, elasticated cuffs, adjustable rip-tab waistband, 1 inside wallet pocket with zip, 1 phone pocket with rip-tab flap (for smartphone).

Composition:
65% Polyester
35% Cotton
310 g/m²
Lining
100% polyester
250 g/m²



Fleece-lined sleeveless jacket

PRESTI-COMFORT

White/grey:
ref. **28 70**

Available sizes: **from M to XXL**

Grey collar. White fleece lining. 1 large breast pocket + 1 phone pocket. 1 inside pocket. 4 large lower pockets, 2 of which have flaps. Nylon zip + press studs.

Composition:
65% Polyester
35% Cotton
240 g/m²
Lining
100% Polyester
250 g/m²



Shorts

PRESTI-COMFORT

White / grey:
ref. **28 35**

Available sizes: **from 36 to 58**

2 two-colour bias-cut patch pockets, 2 back pockets with rip-tab flap, 1 ruler pocket / 1 tool pocket on the side / 1 side rip-tab pocket. Nylon YKK fly, 5 belt loops.

Composition:
60% Cotton
40% Polyester
310 g/m²



Polo shirt

PRESTI-COMFORT

White/grey: ref. **28 60**

Available sizes: **from S to XXL**

Quick drying to help wick away perspiration. Collar and sleeves with contrasting edging. Classic collar. 3 buttons. Velour neck band.

Composition:
100% Polyester
140 g/m²



CLASSIC

RANGE

Simple and discreet tradition: the hallmark of our Classic range.



ADVANTAGES



QUALITY
MANUFACTURING



ERGONOMICS
FOR COMFORT



Overalls

— CLASSIC

White:
ref. **22 55**

Available sizes:
from 0 to 6

2 zipped chest pockets,
2 bias-cut patch
pockets, 1 back pocket
+ 1 ruler pocket,
double zip, elasticated
waistband + back
gussets, buttoned cuffs.

Composition:
100% Cotton
320 g/m²



Bib and brace overalls

— CLASSIC

White:
ref. **22 45**

Available sizes:
from 0 to 6

2 bias-cut side pockets,
1 back pocket + 1 ruler
pocket, 1 large bib pocket
with zip + pen holder,
adjustable elasticated
straps.

Composition:
100% Cotton
320 g/m²



Straight coat


— CLASSIC

White:
ref. **22 56**

Available sizes:
from 0 to 6

2 patch pockets,
1 chest pocket,
1 inside pocket,
tailored collar,
buttoned cuffs.

Composition:
100% Cotton
320 g/m²



Jacket

— CLASSIC

White: ref. **22 50**

Available sizes: **from 0 to 6**

3 patch pockets, 1 inside pocket,
tailored collar, buttoned cuffs.

Composition:
100% Cotton
320 g/m²



Jeans

— CLASSIC

White: ref. **24 25**

Available sizes: **from 36 to 60**

5 belt loops
Button fly
2 bias-cut patch pockets.
1 small front pocket with rivets
1 ruler pocket
2 back pockets

Composition:
60% Cotton
40% Polyester
300 g/m²



Trousers

— CLASSIC

Available sizes: **from 36 to 60 except: ref. 2610 up to 54**

2 bias-cut patch pockets,
1 back pocket,
1 ruler pocket,
belt loops, button fly.

For added comfort, our trouser range comes in 3 types of fabric:

White: ref. **22 10**

- › Comfortable, absorbs perspiration.
- › Resists welding sparks.
- › Washable at high temperature.

Composition:
100% Cotton
320 g/m²

White: ref. **24 10**

- › Reinforced cotton.
- › Comfortable, absorbs perspiration.
- › Washable at high temperature.
- › Easy care, resistant to tearing, garment lifespan of more than 50 washes.

Composition:
60% Cotton
40% Polyester
300 g/m²

White: ref. **26 10**

- › Polyester/Cotton.
- › Entry price.

Composition:
65% Polyester
35% Cotton
250 g/m²

SPORTSWEAR

RANGE

When work clothing gets a sportswear look!

Comfortable, ergonomic clothing that offers great freedom of movement.



ADVANTAGES



COMFORTABLE FLEECE



PROTECTIVE KNEE PATCHES



ERGONOMICS



FIT CUT

OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100





Mouv hooded sweatshirt

— SPORTSWEAR

White ref **47 20**

Navy ref **47 21**

Available sizes: **from S to XXL**

A comfortable fleece work sweatshirt for a stylish look

Hood with drawcord

Hood lining in contrasting jersey

Raglan sleeves

Reinforced ribbing on body and cuffs

Composition:
Fleece
65% Cotton
35% Polyester
300 g/m²



Mouv work joggers

— SPORTSWEAR

White ref **47 30**

Navy ref **47 31**

Available sizes: **from S to XXL**

A fleece work sweatshirt for maximum comfort

Elasticated drawcord waistband

2 slant pockets

1 mesh pocket with flap

1 reinforced ruler pocket

Fitted cut with elastic cuffs

Knee reinforcements with compartments for protective pads (not supplied)

Composition:
Fleece
65% Cotton
35% Polyester
300 g/m²



Craft black Ripstop sleeveless jacket

— SPORTSWEAR

Black: ref. **47 01**

Available sizes: **from S to XXL**

A light and durable sleeveless jacket

Anti-cold zip fastening

2 zipped bias-cut pockets

1 inside pocket

Bias cut cuffs

Composition:
PU-coated
Ripstop polyamide fabric
Polyester
taffeta
lining

NEW
2023





Mouv sleeveless jacket

SPORTSWEAR

White: ref. **47 50**

Available sizes:
from S to XXL

A light and lightweight zippered sleeveless jacket

2 zipped low pockets,
1 Napoleon chest pocket,
Lower body reinforced rib edging 450 g²

Composition:
Non-brushed
fleece 65%
cotton
35% polyester
280 g/m²



Mouv shorts

SPORTSWEAR

White:
Navy:

ref. **47 40**
ref. **47 41**

Available sizes:
from S to XXL

Lightweight and comfortable work shorts

Adjustable elasticated drawcord waistband
2 Italian pockets
1 mesh pocket with rip-tab flap
on the left leg, 1 reinforced fabric ruler pocket
on the right leg

Composition:
Non-brushed
fleece 65%
cotton
35% polyester
280 g/m²



Reinforced
elbows

Energy Sweatshirt

SPORTSWEAR

Grey ref. **47 10**

Available sizes: from S to XXL

Comfy and practical: the sweatshirt you can take anywhere

Ribbed crew neck
Reinforced elbows in Oxford cloth
Ribbed hem
1 double zip kangaroo pocket
Contrasting strips and overstitching

Composition:

Material 1: Fleece 70% Cotton
30% Polyester
300 g/m²

Material 2:

Oxford: 100% Polyester 300D

Material 3:

Ribbing:
94% polyester
6% elastane





COLD

RANGE

The Cold range perfectly complements our range of work clothing.

Style and comfort for the outdoors, or in the coldest seasons!



PERFECT FOR PAINTERS,
COMPATIBLE WITH ALL
BLACK TROUSERS
IN OUR RANGES

NEW
2023



Area sleeveless jacket

— COLD

White: ref. **40 18**

Available sizes: **from S to XXL**

The stretch sleeveless jacket.

High collar
Central zip
Elasticated bias-cut cuffs and hem
2 vertical low pockets with
zip flap, 2 inside patch pockets with rip-tab
fastening
5,000 mm waterproofing
400 g/m² / 24hr breathability

Composition:
Exterior: 100% mechanical stretch polyester
+ TPU 100 g/m² membrane

Main lining: 100% polyester 220 g/m²

Lining 2: 100 % polyester taffeta lining

ADVANTAGES

Comfortable
Waterproof
Functional: 4 pockets

Elasticated
bias-cut cuffs





Ripstop Challenge Jacket

— COLD

Blue/orange: ref. **40 24** | Available sizes: **S - XXL**

A dual-material ripstop jacket for better durability

Fixed hood – Anti-cold zip fastening

Ribbed cuffs

2 breast pockets 2 side pockets

1 inside zipped pocket

Reflective piping on front and back

Badge holder included

Composition:
Quilted ripstop polyamide fabric with PU coating
Inserts: Laminated 2-layer polyester fabric
Polyester taffeta lining



Urban sleeveless jacket

— COLD

Blue: ref. **40 16** | Available sizes: **from S to XXL**

A practical and functional lightweight sleeveless jacket

Retro-reflective central zip

High collar, chin guard, elasticated bias-cut cuffs and waist

2 inside patch pockets with rip-tab fastening

Composition:
Exterior: 100% polyester 65 g/m²
Main lining: Quilted 100 % polyester 160 g/m²
Second lining: taffeta lining 100 % polyester 60 g/m²



Rocket Softshell Jacket

— COLD

Black/orange: ref. **40 37** | Available sizes: **from S to XXL**

A lightweight jacket that's ideal for outdoor use

3 layer softshell

Anti-cold zip fastening

Fixed hood

2 breast pockets 2 side pockets

Reflective piping on front and back

Removable badge holder included

Composition:
Softshell fabric
96% polyester
4% elastane
3 laminated layers

Stylish
Lightweight
2 side
pockets



Black city sleeveless jacket

— COLD

Black: ref. **40 15** | Available sizes: **from M to XXL**

A stylish urban sleeveless jacket. Water-repellent and windproof. Waistband drawcord.

Composition:
100% polyester
pongee exterior
100% Polyester taffeta
padded interior



Free Grey softshell jacket

COLD

Grey ref. **40 28**

Available sizes: **S - XXL**

Essential, easy-to-wear jacket.

3-layer Softshell jacket

High collar

Central zip + chin guard

1 left chest pocket with zip

2 lower zipped pockets in the seam

Raglan sleeves

Elasticated bias cuffs

Composition:
94% Polyester
6% elastane,
with a TPU membrane,
100% polyester
inner
microfleece.
290 g/m².
Breathability:
600g/m²/24h



Heather Grey Fleece Street Jacket

COLD

Heather grey: ref. **40 19**

Available sizes: **S - XXL**

Warm and comfortable jacket

High collar

Central zip

1 ripstop patch pocket with zip

2 vertical lower pockets

2 lower bottom pockets

Ribbed cuffs and hem

Anti-abrasion

Ripstop inserts on the elbows

Composition:
Fleece: 80% cotton,
20 % polyester
Ribbing: 100%
Polyester
Ripstop (5mm): 100%
PVC coated polyester.
300 g/m²



Black fleece jacket

COLD

Black:
ref. **40 25**

Available sizes:
from **S to XXL**

Nylon zip.

Set-in sleeves

with elasticated cuffs.

Elasticated drawstring at the
bottom.

2 lower
zip pockets.

Composition:
100% Polyester
340 g/m²



Fleece snood

COLD

Black:
ref. **40 53**

Size: **one size**

An accessory suited to all cold environments.

Light and comfortable

Multifunctional

Adaptable to several
positions

Composition:
100% fleece.
300 g/m²
Drawstring



Black fleece hat

COLD

Black:
ref. **40 50**

Size: **one size**

Fleece hat (280 g/m²)

COMPLEMENTARY

RANGE

Items delivered in individual packaging



PROFESSIONAL CLOTHING COMPLEMENTARY RANGE

OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100



T-shirt

COMPLEMENTARY

White: ref. **42 10**

Sizes:
from M to XXL

Double stitched crew neck.

Composition:
100% Combed
cotton
145 g/m²

OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100



Crew neck long-sleeved t-shirt

COMPLEMENTARY

White: ref. **42 13**

Sizes:
from M to XXL

Crew neck. Double
stitched neck, cuffs and
hem on the garment.

Composition:
100% Combed
cotton
160 g/m²

Ribbed edging
on neck,
cuffs and hem.



White sweatshirt

COMPLEMENTARY

White: ref. **42 25**

Sizes:
from M to XXL

Back collar panel.
Straight sleeves.
Double stitched neck,
shoulders, sleeves
and waist.

Composition:
80% Combed
cotton
20% Polyester
300 g/m²



Polo shirt

COMPLEMENTARY

White: ref. **42 20**

Grey: ref. **42 21**

Sizes: from M to XXL

Piqué knit.
Standard collar. 3 buttons.

Composition
(grey):
85% Cotton
15% Viscose
220 g/m²

Composition
(white):
100% Cotton
Piqué knit
190 g/m²



Zip-neck sweatshirt

COMPLEMENTARY

White: ref. **42 30**

Grey: ref. **42 35**

Sizes: from M to XXL

High collar, sleeves and inner edges ribbed
with elastane. Covered placket
with matching zip.

Composition:
80% Cotton
20% Polyester
280 g/m²

RAINWEAR

RANGE



Entry price outfit

RAINWEAR

Yellow: ref. **46 10**

Sizes: **from L to XXL**

Double PVC-coated cotton/polyester lining.
Waterproof, sewn and bonded.
Drawcords: hood, windproof sleeves and waist.
Back ventilation.
2 trouser pockets/2 side pockets with flap.



Flexible outfit

RAINWEAR

Green: ref. **46 26**

Sizes: **from L to XXL**

Flexible PVC-coated polyester 200 g/m². Waterproof.
Airtight seams, integrated hood, zipped collar. Adjustment/tightening at openings.
Back ventilation. Elasticated waistband. Hand slits
Adjustable legs using press studs.
2 jacket pockets.



Green overalls

RAINWEAR

Green: Ref. **46 30**

Sizes: **from M/L to XL/XXL**

Polyester coated
PVC on the inside and outside.
Double zip from collar to feet.
Removable hood.
2 chest pockets and 2 side pockets.

DISCOVER
OUR RANGE
OF DISPOSABLE
CLOTHING
see p.58





PERSONAL PROTECTION

Disposable clothing p. 58

CHOOSE:
your safety footwear p. 59

Safety footwear p. 59

CHOOSE:
your gloves p. 65

Hand protection p. 65

CHOOSE:
your single-use mask p. 68

Breathing protection p. 68

Eye protection p. 74

Head protection p. 76

Safety products p. 77



MAKE THE RIGHT CHOICE

Overalls	Level of protection	Risk	Use
Polypro	Category 1	Minor	Protection against minor risks, dirty work in non-hazardous environments.
Weepro Tyvek®	Category 3 Type 5 and 6	Serious or irreversible	Protection against irreversible risks, disinfection.



Polypro overalls

DISPOSABLE

Ref. **44 10**

Sizes: **XL and XXL**

Sold in
batches of 10 per size.

Disposable overalls in non-woven polypropylene (40 g/m²).
Zip fastening.
Elasticated cuffs, waist, ankles and hood.



WEEPRO overalls

DISPOSABLE

Ref. **44 20**

Sizes: **from M to XXL**

Sold in
batches of 10 per size.

Microporous non-woven film (60 g/m²) disposable overalls.
Hooded design.
Zip with self-adhesive flap on closure.
Elasticated cuffs, hood and ankles.



TYVEK® overalls

DISPOSABLE

Ref. **44 30**

Sizes: **from M to XXL**

Sold in
batches of 25 per size.

100% polypropylene non-woven Tyvek® disposable overalls (41 g/m²).
Hooded design.
Zip with close flap.
Elasticated hood, cuffs, waist and ankles.



Disposable polypropylene overboots

DISPOSABLE

Ref. **44 40**

Size: **one size**

Sold by the pair

100% polypropylene non-woven overboots.
Single-use for protecting floors in controlled areas.
Height: 49 cm. 2 holding ties.



SOCKS



Sizes:
XS (36-38) - S (39-41)
M (42-44) - L (45-47)

THE HEAVY-DUTY
WINTER SOCK
TO KEEP YOUR FEET
WARM AND DRY.

- › High quality winter sock, made of SANITIZED® anti-bacterial and anti-odour treated cotton and COOLMAX yarn
- › Entirely made of terry cloth to ensure good thermal insulation
- › Elasticated band designed for better adherence to the foot and to prevent blistering.
- › Reinforced toe and heel



Ref. **60 01**
Composition:
60% cotton
27% COOLMAX® polyester
8% nylon
5% LYCRA® elastane

THE SUMMER SOCK THAT
LETS YOUR FEET BREATHE IN
OPTIMAL COMFORT.

- › High quality summer sock made entirely of nylon-reinforced mercerised cotton
- › Zone with anti-perspiration mesh on the back to increase breathability
- › Optimal adherence to the foot thanks to an elasticated strip that prevents blistering



Ref. **60 02**
Composition:
78% mercerised cotton
17% nylon
3% LYCRA® elastane
2% cotton

THE PRACTICAL,
COMFORTABLE AND
BREATHABLE
SHORT
SUMMER SOCK



Ref. **60 03**
Composition:
78% mercerised cotton
17% nylon
3% LYCRA® elastane
2% cotton

CHOOSING YOUR SAFETY FOOTWEAR

Good safety footwear
should be light, flexible and resistant -
not to mention stylish!

4 ranges to cater to your needs:

TECHNICAL RANGE

SPORT RANGE

CASUAL RANGE

THE ESSENTIALS

SAFETY FOOTWEAR AS PER THE EN ISO 20345:2011
STANDARD

SLIP RESISTANCE STANDARD:

SRA = ceramic surface + detergent solution

SRB = steel surface + glycerine

SRC = SRA + SRB

	SB	S1	S1P	S2	S3
Non-slip properties (SRA/SRB/SRC)	✓	✓	✓	✓	✓
Protective toe cap	✓	✓	✓	✓	✓
Perforation resistance (P)			✓		✓
Closed heel zone	open heel possible	✓	✓	✓	✓
Hydrocarbon resistance of the sole (FO)		✓	✓	✓	✓
Antistatic properties (A)		✓	✓	✓	✓
Shock absorbing heel (J)		✓	✓	✓	✓
Waterproof (WRU)				✓	✓
Contoured sole					✓
Suitable for use		in dry conditions		in wet conditions	

ADDITIONAL STANDARDS:

HRO = outsole resistance to heat contact (60 secs to 300°)

ESD = shoes with electrostatic overload dissipation

CI = shoe insulation against the cold (30 mins to -20°)

HI = shoe insulation against the heat (30 mins to 150°)

TECHNICAL RANGE



Greenfit Reconverted Trainer S1P unisex

Ref. **66 00**

Sizes: from 35 to 47

Eco-friendly low-top shoe

- › Upper: 100% PET ecological fabric
- › Lining: 100% polyester, breathable, antibacterial, anti-abrasion
- › Sole: Made of virgin and recycled PU. Anti-perforation, non-slip (SRC), anatomical, antistatic, flexible and comfortable
- › Toe cap: aluminium + anti-abrasion leather covering

Weight: 592g - Standardised S1P SRC shoe

ADVANTAGES

Eco-friendly: made from 9 PET bottles

Anti-abrasion leather toecap cover

Grey non-marking outsole.



Puma Speed Trainer S1P unisex

Ref. **66 30**

Sizes: from 36 to 47

Low-top shoe: the technical features of a trainer in a safety shoe

- › Upper: a blend of high quality synthetic fibres that provide flexibility for a perfect fit
- › Lining: BreathActive multi-functional
- › Sole: optimises energy recovery and ensures maximum comfort, highly breathable foam, excellent cushioning, non-slip, anti-perforation and heat-resistant
- › Toe cap: fibreglass

Weight: 569g - Standardised S1P ESD HRO SRC shoe

ADVANTAGES

Unparalleled comfort: maximum energy recovery and cushioning. The quality and expertise of a recognised brand. Metal-free.



Mugello S1P Trainer

Ref. **66 10**

Sizes: from 38 to 47

Black low-top Safety-Tex shoe

- › Upper: Safety-Tex
- › Lining: 100% honeycomb polyamide
- › Sole: high density for greater resistance to wear, abrasion and oil; non-slip, anti-static and anti-perforation. Insole: breathable
- › Toe cap: composite

Weight 466g - Standardised shoe: S1P SRC

ADVANTAGES

Technicality, comfort.



Assen S3 Trainer

Ref. **66 11**

Sizes: from 38 to 47

High-top shoe in black oiled full grain leather

- › Upper: Safety-Tex
- › Lining: 100% honeycomb polyamide
- › Sole: high density for greater resistance to wear, abrasion and oil; non-slip, anti-static and anti-perforation. Insole: breathable
- › Toe cap: composite

Weight 526 kg - Standardised shoe: S3 SRC

ADVANTAGES

Technicality, comfort, good ankle support.



SPORT RANGE



Ultratrail S3 Unisex Trainer



Ref. **65 60**

Sizes: from 37 to 47

A low-top leather trainer combining sporty style and absolute comfort

- › Upper: leather with non-slip and anti-abrasion textile inserts
- › Lining: breathable
- › Rubber sole, heat-resistant and non-slip, stable support
- › Toe cap: fibreglass

Weight: 581 g - Standardised S3 ESD HRO SRC shoe

ADVANTAGES

Maximum shock absorption, excellent stability, long-lasting comfort thanks to Anti-Fatigue technology: ImpulseFoam® midsole and comfitAir® insole.



Impulse Lift S1P Trainer

Ref. **65 50**

Sizes: from 38 to 47

Lightweight trainer for incomparable comfort

- › Upper: Seamless durable Mesh fabric
- › Lining: breathable
- › Sole: refined non-slip, anti-perforation and heat-resistant rubber
- › Toe cap: fibreglass

Weight: 533g - Standardised S1P ESD HRO SRA shoe



Hallo black/orange S1P Trainer

Ref. **61 00**

Sizes: from 37 to 47

Light and breathable low-top trainer

- › Upper: 100% fly-knit polyester
- › Sole: anti-perforation and non-slip (SRA) PU, oil resistant
- › Toe cap: metal

Weight: 473g - Standardised S1P SRA shoe

ADVANTAGES

Lightweight trainer
Combining essential protection and a sporty look



Alice S3 Trainer - women's model

Ref. **62 30**

Sizes: from 35 to 41

Low-top trainer for both comfort and femininity

- › Upper: water-repellent nubuck
- › Lining: 100% polyester, breathable, antibacterial, absorbent, anti-abrasion
- › Sole: anti-perforation PU, non-slip (SRC)
- › Toe cap: aluminium

Weight: 557g - Standardised S3 SRC shoe

ADVANTAGES

Flexible and comfortable
Transparent
non-marking outsole.

SPORT RANGE



Monti S3 Trainer

BLACK
Ref. 65 40

WHITE
Ref. 65 39

Sizes: from 38 to 47

Low-top shoe in innovative Techshell fabric

- › Upper: seamless, breathable, abrasion and tear-resistant
- › Lining: Sandy-Dryr fabric
- › Sole: Anatomical, antistatic and flexible PU, shock absorbing, non-marking, non-slip, anti-perforation, resistant to abrasion, mineral oils and weak acids
- › Toe cap: aluminium

Weight: 520g - Standardised S3 SRC shoe

ADVANTAGES

Seamless, flexible, technical and comfortable, with non-marking white outsole.



Sport S3 Trainer

Ref. 65 10

Sizes: from 38 to 47

Black and white low-top shoe

- › Upper: water-repellent leather
- › Lining: breathable perforated fabric
- › Sole: antistatic, resistant to abrasion, mineral oils and weak acids, non-slip, anti-perforation
- › Toe cap: composite

Weight: 530g - Standardised S3 SRC shoe

ADVANTAGES

Flexible, light and airtight.



Running S1P Trainer

Ref. 65 11

Sizes: from 39 to 47

White low-top shoe

- › Upper: highly breathable BreaTEX fabric
- › Lining: fabric. Gusseted tongue to repel foreign bodies
- › Sole: in soft and comfortable PU, resistant to abrasion, mineral oils and weak acids, non-slip, anti-static and anti-perforation
- › Toe cap: aluminium

Weight: 460g - Standardised S1P SRC shoe

ADVANTAGES

Very flexible and light, with non-marking white outsole.



Nuvolari S3 Trainer

Ref. 65 13

Sizes: from 37 to 47

White low-top shoe

- › Upper: water-repellent leather
- › Lining: breathable blue fabric. Gusseted tongue to repel foreign bodies
- › Sole: in soft and comfortable PU, resistant to abrasion, mineral oils and weak acids, non-slip, anti-static and anti-perforation
- › Toe cap: aluminium

Weight: 520 kg - Standardised S3 SRC shoe

ADVANTAGES

Very flexible and light, with non-marking white outsole.



CASUAL RANGE



Buffalo S3 high-top shoe

Ref. **68 00**

Sizes: from 40 to 47

A timeless work shoe that never goes out of style

- › Upper: water-repellent nubuck, sealed seams
- › Lining: 100% polyamide inside, breathable, absorbent, anti-abrasion. Protection against the cold
- › Sole: anatomical, antistatic, insulating against high temperature, heat-resistant (SRC) and non-slip (SRC)
- › Insulation against cold and heat (HI and CI)
- › Toe cap: non-metallic

Weight: 755 g - Standardised S3 WR CI HI HRO SRC shoe

ADVANTAGES

Insulation against cold and heat, waterproof, metal-free



Tennis Blues S1P

Ref. **62 10**

Sizes: from 35 to 47

Low-top shoe in royal blue

- › Lining: non-woven fabric
- › Sole: anti-perforation PU, anti-static, anti-abrasion and non-slip
- › Toe cap: steel

Weight: 460g - Standardised S1P SRC shoe

ADVANTAGES

Trendy style, very light (canvas), comfortable and flexible.



THE ESSENTIALS



Black leather shoe S1P

LOW-TOP Ref. **60 13** HIGH-TOP Ref. **60 12** Sizes: from 38 to 47

- › Upper: pigmented croupon leather
- › Lining: polyamide mesh
- › Sole: non-metallic, anti-perforation, anti-static, non-slip, hydrocarbon-resistant PU
- › Toe cap: stainless steel

Weight (low): 630g - (high): 640g
Standardised S1P SRC shoe



Grey velour low-top S1P shoe

Ref. **60 16** Sizes: from 38 to 47

- › Upper: split velour leather
- › Lining: polyamide
- › Sole: non-metallic, anti-perforation, anti-static, non-slip, hydrocarbon-resistant PU
- › Toe cap: stainless steel

Weight: 610 g - Standardised S1P SRC shoe



Green safety boot S5

Ref. **69 10** Sizes: from 39 to 46

- › Upper: PVC/green nitrile rubber
- › Lining: polyester
- › Sole: in anti-perforation PVC/nitrile rubber, resistant to acid, chemicals and hydrocarbons
- › Toe cap: stainless steel

Weight: 990g - Standardised S5 SRC boot

CHOOSING YOUR GLOVES

4 ranges depending on use:

Dulytek
HANDLING

Dulytek
PRECISION

SINGLE USE
CLEANING

Protective glove standards:

EN420 and EN ISO 21420:


General standard for glove design

- › safe (pH, chromium content)
- › size
- › dexterity
- › water vapour transmission

EN388:

Protective gloves against mechanical risks

The standard is evolving: its revision concerns the cut resistance test and the addition of an impact test (optional).



EN ISO 374-1: 2016

Protection against chemical risks

(permeation of hazardous non-gaseous chemicals)

the standard is evolving: a single pictogram and three types of gloves

Type A ≥ 30 mins for at least 6 products

Type B ≥ 30 mins for at least 3 products

Type C ≥ 10 mins for at least 1 product

EN ISO 374-1 / TYPE A



EN ISO 374-1 / TYPE B



EN ISO 374-1 / TYPE C



ALL OUR GLOVES
COMPLY
WITH STANDARDS
EN 420 AND
EN ISO 21420

PERSONAL PROTECTION HAND PROTECTION

Dulytek

HANDLING

EN388: 3121X

Nitrilight

Ref. 50 80

(Sold in packs of 5)

Sizes: 9, 10

Seamless knitted nylon.
Smooth nitrile coating

Excellent adhesion on dry surfaces. No absorption of liquids on the inside. Dexterity and breathability



EN388: 3131X

Grip & Flex

Ref. 50 81

(Sold in packs of 5)

Sizes: 9, 10

Seamless knitted nylon. Crepe latex coating.
Ventilated back to wick away perspiration

Superior grip in dry and wet weather, very high elasticity, compatibility with coatings such as: water/alcohols and ketones/diluted acids/biological proteins.



EN388: 4X43D

Protect Cut Polykor

Ref. 50 83

(Sold in packs of 5)

Sizes: 9, 10

Made of light and seamless Polykor knit
PU coated gloves

Cut and abrasion resistance
Exceptional dexterity on dry and wet surfaces
Comfort and breathability



Dulytek

PRECISION

BECAUSE RESPECT FOR THE ENVIRONMENT IS IMPORTANT TO DULURY, the brand has innovated and expanded its range to include **G3RX gloves made from recycled plastic bottles.**



Seamless knitted lining made from 90% recycled PET and 10% elastane for comfort, dexterity and breathability

1 60 cl bottle = 1 pair



EN388: 4121X

G3RX Resist & Confort

Ref. **50 90** | Sizes: **9, 10**
(Sold in packs of 5)

Nitrile foam coating
Excellent dexterity and protection against abrasion
Excellent adhesion to dry, wet surfaces and oil resistance
Very comfortable in contact with the skin



EN388: 2131X

G3RX Grip Confort

Ref. **50 91** | Sizes: **9, 10**
(Sold in packs of 5)

Micro-surface latex coating, a revolutionary new surface treatment for superior adhesion
Excellent adhesion to dry, slightly damp and non-oily surfaces
Flexible and hard-wearing
Very comfortable in contact with the skin



EN388: 3X41B

Preci Polykor

Ref. **50 84** | Sizes: **9, 10**
(Sold in packs of 5)

Made of light and seamless Polykor knit
PU coated gloves

Exceptional dexterity on dry and wet surfaces
Resistance to cuts
Compatible with touchscreens



EN388: 3121X

Slim Touch

Ref. **50 82** | Sizes: **9, 10**
(Sold in packs of 5)

Made of 18-gauge seamless knitted nylon
Smooth nitrile coating

Dexterity
Breathability.
Compatible with touchscreens
Particularly suitable for jobs requiring extreme attention to detail



EN388: 3131X

PU gloves

White: **5069** (pack of 10)
Grey: **5072** (pack of 10)

Sizes
White: **8, 9, 10 and 11**
Grey: **9, 10**

Knitted glove with polyamide structure, polyurethane coating. Seamless.

Fine handling requiring great dexterity and excellent touch. Breathable.
Extremely good precision for painting work.



GREY

PERSONAL PROTECTION HAND PROTECTION



SINGLE USE

	Nitrile glove	Latex glove	Vinyl glove
Puncture resistant	★★★★	★★	★
Stretch / Dexterity	★★★★	★★★★	★
Allergy risk		★	

PROTECTION AGAINST CHEMICAL RISKS

EN 374-1 type C

Nitrile (non-powdered)



Ref. 50 40

Sizes: S/7 - M/8
L/9 - XL/10

Reduces allergy risk for complete comfort and optimal sensitivity
Single use.
Box of 100 gloves.
Economical gloves.

Latex (powdered)



Ref. 50 30

Sizes: S/6 - M/8
L/10 - XL/12

Single use.
Box of 100 gloves.
Economical gloves.

Vinyl (powdered)



Ref. 50 35

Sizes: S/7 - M/8
L/9 - XL/10

Single use.
Box of 100 gloves.
Economical gloves.



CLEANING

EN 388 (1010) - EN 374-1 type B

Yellow household glove

Ref. 50 53

(Sold in packs of 5)

One
size: 9.5

Natural latex, cotton flocking.
Outer pattern finish.
Long. 30 cm.
General purpose, flexible.



EN 388 (3121) EN 374-1 type B

Black neoprene

Ref. 50 12 (Pack of 10 pairs)

Ref. 50 52 (Batches of 5)

Sizes:
9, 10

Polychloroprene and latex, flocked cotton lining. Outer pattern finish.
Length 31 cm.
Comfortable, flexible and non-adhesive.
Versatile chemical resistance.





BREATHING PROTECTION

We offer 3 ranges of masks and associated accessories to cater for different types of use:

- single-use disposable masks
- reusable half-masks or full face masks with their corresponding filters in the Classic and Comfort ranges

CHOOSING YOUR SINGLE-USE MASK



3 LEVELS OF PROTECTION

MASK TYPE		
FFP1 ANTI-AEROSOLS	FFP2 ANTI-AEROSOLS WITH VALVES	FFP3 ANTI-AEROSOLS WITH VALVES
LEVELS OF PROTECTION		
80%	94%	99%
POLLUTANT CLASS		
FFP1 SL NR	FFP2 SL NR	FFP3 SL NR
EXAMPLES OF PROTECTION		
Non-toxic dusts for concentrations up to 4 times the AEV (stops at least 80% of aerosols). Protects against particles of soft wood, cellulose, plaster, etc.	Low toxicity fine dust, fumes and mist for concentrations up to 10 times the AEV (stops at least 94% of aerosols). Same as FFP1 + hard wood, fibre glass, paint, hard metals, etc.	Highly toxic dust, toxic fumes and toxic mists, for concentrations up to 50 times the AEV (stops at least 99% of aerosols). Same as FFP1 + same as FFP2 + chromium, manganese, nickel, platinum, metal dusts and fumes, viruses and enzymes.

AEV: Average Exposure Value. This is the concentration measured over a reference period. (e.g. an 8-hour day).

The AEV is indicated on the toxicity sheet of the products handled.

NR: non reusable - use is limited to one working day.

R: reusable

SL: filtration capacity for solid dusts (S) and liquid aerosols (S/L).

PERSONAL PROTECTION BREATHING PROTECTION

SINGLE-USE



FFP1 anti-aerosol masks

Ref. **54 10 21** (pack of 3 masks)

Ref. **54 10 10** (box of 20 masks)

FFP1 SL protective mask.



FFP2 anti-aerosol masks with valve

Ref. **54 15 21** (bag of 3 masks)

Ref. **54 15 15** (box of 10 masks)

FFP2 SL protective mask
with exhalation valve



FFP3 anti-aerosol masks with valve

Ref. **54 20 21** (bag of 3 masks)

Ref. **54 20 20** (box of 5 masks)

FFP3 SL protective mask
with exhalation valve.

**FREE
DISPLAY BOX**
FOR 24 BOXES
PURCHASED

To be stated on the order form





CHOOSING YOUR FILTRATION INSERTS

The Classic and Comfort ranges are reusable and can be used with filters (inserts or cartridges).

FILTER CODES

FIELD OF USE OF ANTI-GAS FILTERS	CATEGORY OF ANTI-PARTICULATE FILTERS ACCORDING TO FILTRATION EFFICIENCY	CATEGORY OF ANTI-GAS FILTERS ACCORDING TO THEIR AUTONOMY
Type A (brown) organic gases and vapours: benzene, diesel fuel, petrol. Type B (grey) organic gases and vapours: chlorine, hydrogen sulphide, hydrocyanic acid, sulphuric acid. Type E (yellow) sulphur dioxide, hydrochloric acid, acetic acid. Type K (green) ammonia and derivatives	P1 low efficiency, non-toxic dust P2 Medium efficiency, toxic dust (wood, polyester resin, etc.), metal fumes P3 High efficiency, very toxic dust (asbestos, arsenic, etc.) lead, welding fumes	class 1 low capacity (insert) class 2 medium capacity (cartridge) class 3 large capacity (canister)

EXAMPLES OF USE

RANGE	FILTER TYPE	BRICK OR PLASTER DUST	LEAD DUST	FIBREGLASS ROCKWOOL	WHITE SPIRIT	ASBESTOS	ORGANIC GAS AND VAPOURS	INORGANIC GAS AND VAPOURS	AMMONIA	ACID GAS AND VAPOURS
Classic	A2P3R	✓	✓	✓	✓	✓	✓			
Comfort	P3	✓	✓	✓						
	A2P3R	✓	✓	✓	✓	✓	✓			
	ABEK2P3	✓	✓	✓	✓	✓	✓	✓	✓	✓



BREATHING PROTECTION

PROTECTION AGAINST DUST, FUMES AND VAPOURS

ECONOMICAL AND ECO-FRIENDLY COMPARED TO A SINGLE-USE DISPOSABLE MASK, LONG-LIFE FILTERS



NEW
2023

Half-mask, built-in P3 filters

Ref. **54 35 10**
(filters sold separately)

Compatible filters:
P3 (543510)

Made from odourless and hypoallergenic soft thermoplastic elastomer (no latex or silicon) with an easily adjustable harness. Net weight: 132 g. Made in Europe
Product particularly suited to sandpapering work
Compact, lightweight and flexible to fit the face perfectly.

ADVANTAGES

Better filtration than a disposable mask: 99.95%
Long-lasting filters
Full field of vision with no fogging
Very airtight: 2% versus 5% for a disposable
Soft, adapts to the face



LIGHT
132 G.



COMFORTABLE



MADE
IN EUROPE



REUSABLE



P3 filters for P3 half-mask

Ref. **54 35 20** (packaging: 2 filters)

› Replacement filters for the half-mask built-in P3 filters
› Made in Europe
Complies with standard EN 140:1998
Filters comply with standard EN 143: 2000 + A1:2006
CE certified masks and filters.





BREATHING PROTECTION

CLASSIC RANGE



Half-mask with cartridges

Ref. **54 25 10** (box containing a half-mask, filters sold separately)

Compatible filters: **A2P3R (542521)**

Half-mask with cartridges for 2 screw-in filters. Made of thermoplastic rubber. Soft silicone exhalation valve. Simple, intuitive and ergonomic adjustment loop combined with a comfortable harness. **Complies with standard EN140:1998**



A2P3R Cartridges

Ref. **54 25 21** (pack of 2 cartridges)

USE: GAS, ORGANIC VAPOURS, DUST AND VERY FINE TOXIC PARTICLES

HDPE cartridge, activated carbon and PP non-woven filter materials.

Complies with standard EN143:2000+A1:2006, EN14387:2004+A1:2008

COMFORT RANGE



Comfort half-mask kit

Ref. **54 30 14**

Compatible filters: **A2P3R (543019)**

Ready-to-use half-mask kit: includes a half-mask + 2 A2P3R cartridges

- › Very lightweight
- › Quick and safe to apply with locking action
- › Adjustable harness
- › good visibility

Complies with standard EN140:1998

ADVANTAGES

Very light

Easy to place on the face

Easy to clean: can be disassembled in less than a minute



A2P3R Cartridges

Ref. **54 30 19** (pack of 2 cartridges)

USE: ORGANIC GASES AND VAPOURS, DUST AND VERY FINE TOXIC PARTICLES

- › Filtration material for gases: activated carbon; For dust: Pleated fibre
 - › Non-deformable ABS container
 - › Class 2 gas filter; Class P3 particulate filter
- Complies with standard EN143:2000+A1:2006, EN14387:2004+A1:2008**



Comfort full face mask

Ref. **54 30 49**
(filters sold separately)

Compatible filters:
A2P3R (543019) - ABEK2P3R (543024)

Reusable full face mask with 2 filters and silicone seal.
 › Quick and safe to apply with locking action
 › Optical class 1 (EN166) polycarbonate visor and polyamide filter holder
 › Panoramic field of vision
 › Anti-fog and scratch resistant mask
 › 6-point fixed harness

ADVANTAGES

Comfortable: good weight distribution,
 leaves no marks on the face
 Panoramic field of view with no optical distortion



ABEK2P3R Cartridges

Ref. **54 30 24** (pack of 2 cartridges)

USE: ORGANIC AND INORGANIC GASES AND VAPOURS, ACID GASES, AMMONIA AND DERIVATIVES, DUST AND VERY FINE TOXIC PARTICLES

› Filtration material for gases: activated carbon;
 For dust: Pleated fibre
 › Non-deformable ABS container
 › Class 2 gas filter; Class P3 particulate filter
Complies with standard EN143:2000+A1:2006, EN14387:2004+A1:2008




A2P3 half-mask integrated filters

Ref. **54 30 58**

Ready to use, maintenance-free half-mask
 › Mask: resistant, durable and holds its shape
 › Perfectly airtight
 › Easy to lower the mask without having to remove the helmet
 › Excellent filtration performance
Complies with standard EN 405 2001+A1:2009

ADVANTAGES

As simple as a disposable, protects like a reusable
 No maintenance required
 High visibility



Visor protection

Ref. **54 30 55**

Polyethylene visor protection
 for Comfort full face mask.
 Pack of 5 visors.

EYE PROTECTION

PROTECTION FROM MECHANICAL HAZARDS (CONSTRUCTION AND INDUSTRY)

STANDARD EN 166:2001

specifies optical quality, resistance to common risks,
mechanical risks, resistance to shocks/impacts.

OTHER STANDARDS FOR PROTECTIVE EYEWEAR

EN 170: Ultraviolet filter.

EN 172: Sun protection filter for industrial use.

EN 1836: Sun protection filter for leisure and sport.

**ALL OUR MODELS COMPLY WITH EN 166:2001 AND
EN 170 (CLEAR LENS) OR EN 172 (TINTED LENS) STANDARDS**



Wilco

Clear
ref. **52 14**

Tinted
ref. **52 15**

AFFORDABLE GOGGLES COMBINING COMFORT AND LIGHTNESS.

- › Polycarbonate lenses (99.99% absorption of UVA and UVB rays).
- › Wraparound lens offering an unobstructed panoramic view.
- › Lightweight and frameless for permanent comfort.
- › Length-adjustable arms for better support.
- › Adjustable nose bridge. Scratch resistant
- › Weight: 28.7 g

ADVANTAGES

Comfort - lightweight - frameless



Squadron

Clear
ref. **52 17**

Tinted
ref. **52 18**

THE COMBINATION OF STYLE AND COMFORT FOR ALL TYPES OF WORKING ENVIRONMENT.

- › Polycarbonate lenses (99.99% absorption of UVA and UVB rays).
- › Frameless. Thin, flat, flexible arms that fit under any PPE.
- › Goggles with no metal parts
- › Reinforced K (certified) anti-scratch treatment and reinforced N (certified) anti-fogging treatment.
- › Weight: 28 g

ADVANTAGES

Style - comfort - flexibility



Atlas

Ref. **52 16**

THE ULTIMATE IN PROTECTIVE EYEWEAR WITH PANORAMIC VISION.

- › Polycarbonate lenses (99.99% absorption of UVA and UVB rays).
- › Polyamide frame.
- › Adjustable and inclinable arms with flexible tips
- › Flexible nose bridge
- › Anti-scratch and anti-fogging.
- › Weight: 29.3 g

ADVANTAGES

Panoramic vision - comfortable



PERSONAL PROTECTION

EYE PROTECTION



PROTECTION AGAINST MECHANICAL, DUST AND CHEMICAL RISKS



Aegean over goggles

Ref. 52 20

COMFORTABLE AND LIGHTWEIGHT OVER GOGGLES WITH AN ACTIVE LOOK.

- › Sporty design
- › Polycarbonate lenses (99.99% absorption of UVA and UVB rays)
- › Lens curvature 3
- › Polycarbonate frame
- › Anti-scratch / Anti-fogging
- › Flexible and adjustable nose bridge and arms
- › Weight: 39.8 g

ADVANTAGES

Active look – lightweight – fully adjustable



Sigma protective mask

Ref. 52 25

EXTREMELY COMFORTABLE MASK DESIGNED TO FIT YOUR FACE PERFECTLY.

- › Polycarbonate lenses (99.99% absorption of UVA and UVB rays).
- › Lens curvature 5.5. Non-P PVC frame
- › Adjustable headband + quick-release headband for a better fit over prescription glasses or hard hat. Designed with 2 openings to be worn with protective glasses.
- › Anti-scratch / Anti-fogging
- › Weight: 133 g

ADVANTAGES

Extreme comfort – ventilated



Flylux 60950

Ref. 52 13

Eye skirt lined with EVA foam / UV400 mirror
Black nylon frame, EVA foam lining
CAT 1: light absorption between 20 and 57 %.

ADVANTAGES

Fits securely on the face / Full eye protection.
2-in-1 goggles: supplied with elasticated headband and arms (interchangeable).
Indoor/outdoor. Compliant with EN 172 and EN 1836.



Vented mask

Ref. 52 05

Polycarbonate lens. Flexible goggle frame made of PVC with air vents. Adjustable tightening elastic.

HEAD PROTECTION

2 LEVELS OF PROTECTION

PROTECTION AGAINST STATIONARY OBJECTS

WHITE



BLACK

Shock-resistant safety cap

white
ref. **71 05 15**

Black
ref. **71 05 16**

Shock-resistant baseball-type cap.
Protects the wearer when their head is
hit by hard and still objects.
Composed of a moulded ABS
shell with comfort foam.
Rip-tab strip adjustment.
side vents
Standard EN 812: 2012



PROTECTION AGAINST FALLING OBJECTS



MADE
IN FRANCE

White hard hat

Ref. **71 05 10**

Protects the wearer against falling objects and head injuries and subsequent brain
trauma.
> 30 °C: shockproof and resistant to extremely low temperatures
> 440 V: electric isolation (protection against brief contact with a maximum 440 V
conductor)

EC standards EN 397:2012+A1:2012 + EN50365:2002.

HD PE shell
Serrated wheel (excellent hold between
the fingers) - 6 attachment points
370 g



Baseball-type white hard hat

Ref. **71 05 11**

8 attachment points = comfortable to use
retro-reflective strip
Chinstrap
Adjustable size, innovative tightening
system.

Badge holder

Ref. **71 05 12**

Compatible with the baseball-type
white hard hat 710511

Noise-cancelling ear-plugs with steel ball

Ref. **71 05 05**

Moderate hearing protection
Washable and reusable
Practical with the drawcord
to keep the plugs around the neck
Standard: EN 352-2:2022
Sold in bags of 10.



ADVANTAGES

Washable and reusable

Noise-cancelling headphones 32.1dB SNR

Ref. **71 05 21**

Increased hearing protection
Standard: EN 352-1: 2002.
Shell in yellow ABS, adjustable and
foldable hoop. Pocket model, PVC pad
with leather feel. Weight: 25 g.



ADVANTAGES

Folds into the pocket
Reusable



Slots
easily
into the glove
box



First aid kit

Ref. 71 15 06	2 person	L11.5 x H6.5 x D5 cm
Ref. 71 15 08	4 person	L15 x H12 x D5 cm

Practical and flexible first aid kit.

Special construction industry first aid kit

Ref. **71 15 10**

For 5 people.



High-vis vest

Ref. **71 07 10**

One size: XL.
Class 2.



Warning sign tape

Ref. **71 10 10** | Dimensions:
5 cm x 100 m

Sold in packs
of 12 rolls.



Fall prevention kit

Ref. **71 20 01**

1 full harness with sub-pelvic strap, three attachment points:
1 dorsal steel D-ring and 2 textile sternal loops.
EC standard EN361 1. Polyamide work positioning lanyard
measuring 2 m long and 14 mm in diameter, supplied with two
steel carabiners with zinc-plated screws.
EC standards EN 358 and EN 362
1 temporary 1 m polyester anchor strap with 2 steel
D-buckles (horizontal work)
EC standard EN 795. Weight: 2,320 g.
Capacity: 100 kg user

ADVANTAGES

Complete kit packed in a carry bag.



Carabiner

Ref. **71 22 10**

Steel carabiner.
Automatic
1/4 turn closure.
EC type 1503. Issue 5
Extension 1.
Standard EN 362:2004.

ADVANTAGES

Robustness.
Easy opening and closing.



A COMPLETE MERCHANDISING RANGE FOR YOUR SALES OUTLET

To help you promote your product offering and resell the products, DULARY provides a range of merchandising materials.



MERCHANDISING FURNITURE / POS DISPLAY

04



D
Back panel for pallet of rolls

Ref. **FRONTONBOBINEAU**

L81 cm - D37 cm - H160 cm



A
Rack

Ref. **PORTANTDULARY**

L 60 cm - D 60 cm - H 161 cm
Capacity: holds around 20 garments on hangers



B
Multi-product counter presentation box

Ref. **PRESENTOIRMULTI**

L 23 cm - D 34 cm - H 35 cm



C
Counter stand

Ref. **CHEVALETDULARY**

L 25 cm - H 40 cm



E
Counter display 2 shoes

Ref. **PRESCPTOIR2CHAUS**

L. 26 cm - H. 46.5 cm
D. 32 cm
2 shoes



F
Counter display 6 shoes

Ref. **PRESSOL6CHAUS**

L. 54.3 cm - H. 171.7 cm
D. 30.3 cm
6 shoes



G
Shop mannequin

Ref. **BUSTE**



H
Metal gondola 1 m

Ref. **40 10 11**

L. 100 cm - H. 215 cm - D. 50 cm
Capacity: approx. 100 garments

Ref. **BARRE1M** | Display rail

Hooks to a
1 m wide gondola

2 configurations:
with pegs,
or with
a rail





Protection is our business

DULARY supports you in France and throughout Europe

2 SITES IN FRANCE



SUCY-EN-BRIE

ZAC de la Sablière
11 avenue de la Sablière
94370 SUCY-EN-BRIE
dulary-idf@dulary.com

SAINTE-SIGOLÈNE

ZI Les Taillas
Allée Louis Pasteur
43600 SAINTE-SIGOLÈNE
dulary-sud@dulary.com

YOUR CONTACTS

Ile de France sales:	+33 (0)6 24 38 38 46
North region sales:	+33 (0)6 60 18 18 92
South-West region sales:	+33 (0)7 71 72 99 98
South-East region sales:	+33 (0)6 21 84 32 31
Dulary Head Office:	+33 (0)1 49 82 04 04
Outside France:	international@multiplast-dulary.com

ORDERS DEPARTMENT

SUCY-EN-BRIE

Tel. +33 (0)1 49 82 04 04
Fax: +33 (0)1 49 82 04 05
appro-idf@dulary.com

SAINTE-SIGOLÈNE

Tel. +33 (0)4 71 75 14 39
Fax: +33 (0)4 71 75 68 10
appro-sud@dulary.com

dulary.fr