

20
22

PRODUCT CATALOGUE

SITE PROTECTION
PROFESSIONAL CLOTHING
PERSONAL PROTECTION



2022
CATALOGUE



Protection is our business



THE SPECIALIST FOR THE PROTECTION OF SITES AND PEOPLE



Originally a family-owned business, DULARY has been helping builders, labourers and painters to protect themselves and their work sites for almost 50 years.

For professionals, protecting their sites and their teams is key to achieving quality, professional work. And Dulary is here to help, with a global, high-quality product offering for the protection of building sites, with films, protective tarps, bags and more, and keeping people safe, with personal protective equipment (PPE) and a professional clothing range.

Kitting you out from head to toe.

Quality, performance and durability are the key words behind Dulary's research and development of new products, to better meet the requirements and work constraints of the end user. Whether for protecting building sites or for the personal safety of teams, our products have evolved to include the latest innovations.



**FRENCH COMPANY
WITH NEARLY 50 YEARS'
EXPERIENCE.**



**NATIONWIDE PRESENCE
& INTERNATIONAL
OUTLOOK**



**EVER
HIGHER STANDARDS**



A FRESH NEW LOOK FOR THE DULARY WEBSITE

2022 is the year our website gets brand new look, creating a modern and user-friendly place to find information on all our products

Come and take a look at: dulary.fr



A COMPRE- HENSIVE RANGE FOR PAINT- TERS

SERVICES YOU CAN RELY ON

DEDICATED CUSTOMER SERVICE

with a technical and sales team at your service

PROXIMITY

thanks to our nationwide presence, with an office in the Paris region and another in the Haute-Loire.

REACTIVITY

thanks to our extensive stock, we deliver to you asap; from 24 hours depending on the region.

EXPERTISE

with nearly 50 years in the PPE and site protection market.

PRODUCTION FACILITIES

at the cutting-edge of technology, with a capacity of 500 million m², for a high-quality range of plastic films and sheets. Made in France from recycled raw materials, using 3-layer technology. A 100% recyclable

QUALITY CONTROL

on a permanent basis.

01

SITE PROTECTION

Choosing your site protection	p. 07
Recycled plastic films	p. 08
Special films	p. 10
Indoor protection	p. 13
Masking / adhesives	p. 20
Packaging products	p. 20
Cleaning - Bags	p. 22
Cleaning - Wipes	p. 25
Outdoor protection	p. 26

02

PROFESSIONAL CLOTHING

Customisation and sizes.	p. 28
Choosing your clothing range	p. 29
Evolution Range	p. 30
Performance Range	p. 32
Expert Range	p. 34
Presti-Comfort range	p. 38
Classic Range	p. 42
Sportswear Range	p. 44
Cold Range	p. 46
Complementary Range	p. 49
Disposable/Rainwear Range	p. 50

03

PERSONAL PROTECTION

Safety footwear	p. 52
Hand protection	p. 58
Breathing protection.	p. 61
Eye protection	p. 66
Head protection	p. 68
Safety products	p. 69

04

MERCHANDISING

Furniture/POS display	p. 70
---------------------------------	-------



INNOVATIVE AND ECO-FRIENDLY EXPERTISE

Site protection



As a leading manufacturer of films and tarps, we make a wide range of **high quality plastic films at our factory in France.**

Our state-of-the-art production facility is largely automated and has particularly high capacity, making it possible to manufacture resistant films from recycled raw materials.

The three-layer technology (the thickness of a single film is made up of three superimposed layers), is unique to Dulary and **guarantees optimum durability**, so the film is more resistant to tearing or perforation.

Professional clothing and Personal Protective Equipment (PPE)

As well as protecting the site, it's important to safeguard workers to ensure they are working in the best possible conditions.

We offer **work clothing that combines protection, comfort and practicality** to meet the requirements of construction workers and the demands of the job. Proper work gear that doesn't compromise on style.

The same goes for safety shoes: **safety and compliance are paramount**, but not at the expense of fashion. We offer a wide range of footwear in a variety of styles.



Innovative and Eco Friendly

We care about the people who use our products, and are always keen to hear their feedback to offer **ever more efficient products**, in a continuous improvement approach.

At Dulary, innovation and eco-design go hand in hand, so we can offer products with the lowest possible environmental impact.

Dulary has been committed to protecting the planet and **conserving natural resources** ever since its creation. Now, more than ever, this eco-responsible approach is part and parcel of the challenges facing a manufacturing company like ours.

The use of recycled raw materials does not stop at the manufacture of our plastic films; our other product ranges now also feature more eco-friendly products.





01

SITE PROTECTION

Choosing your site protection	p. 07
Recycled plastic films	p. 08
Special films	p. 10
Indoor protection	p. 13
Masking / adhesives	p. 20
Cleaning - Bags	p. 22
Outdoor protection	p. 26

01 SITE PROTECTION

WORKING ON A BUILDING SITE? DULARY HAS WHAT YOU NEED!



**STAIR
PROTECTION**

p. 14



WIPES

p. 25



MASKING

p. 21



**REMOVING
RUBBLE**

p. 23



**FURNITURE AND FLOOR
PROTECTION:
plastic films or tarps**

p. 10



OUTDOOR PROTECTION

p. 26

CHOOSING YOUR SITE PROTECTION:

PLASTIC FILM: p. 8 to 10

		Basic 30 microns	Basic + 40 microns	Standard 50 microns	Standard + 65 microns	Premium 80 microns	Pro 150 150 microns	Expert 200 200 microns
USE	furniture covering	✓	✓					
	vertical	✓	✓	✓	✓	✓		
	on the ground		✓	✓	✓	✓	✓	✓
	high-profile sites						✓	✓
	frequent and intensive traffic						✓	✓
	RESISTANCE	●	●	●●	●●●	●●●	●●●●	●●●●●
	NON-SLIP	●●●	●●●	●●●	●●●	●●●	●●●	●●●
	APPLICATION	Indoor	Indoor	Indoor	Indoor	Indoor/outdoor	Indoor/outdoor	Indoor/outdoor

TARP: p. 13 to 19

		FLEECE		COTTON			ADHESIVE AND WATERPROOF			CARD	HONEYCOMB PP
		"Eco" fleece	fleece	"Eco" plasticised cotton	cotton	plasticised cotton	Dulyfix absorbent	Dulyfix plasticised	Dulyfix breathable	PROTECSOL card	DulyPlak
USE	Floors	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	Staircases	✓					✓	✓	✓		✓
	Risk of splashes, liquid spillages	✓	✓	✓	✓	✓	✓				✓
	Impacts, frequent and/or intensive traffic		✓				✓			✓	✓
	Moisture-sensitive coverings								✓		
	PLUS POINTS	absorbent airtight non-slip reusable	absorbent resistant cushions falling objects non-airtight reusable	absorbent airtight non-slip reusable	absorbent highly resistant non airtight reusable	absorbent highly resistant airtight reusable	self-adhesive waterproof repositionable absorbent	self-adhesive waterproof repositionable	self-adhesive waterproof repositionable breathable	highly resistant airtight	resistant waterproof modular reusable
	WEIGHT (APPROX.)	200 g/m ²	300 g/m ²	230 g/m ²	300 g/m ²	280 g/m ²	205 g/m ²	120 g/m ²	160 g/m ²	280 g/m ²	th.:3mm
	APPLICATION	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor	Indoor/outdoor

RECYCLED PLASTIC FILMS



**MADE
IN FRANCE**



**RECYCLED
PLASTIC**



THREE LAYERS



NON-SLIP



ODOURLESS

Bobineau rolls

QUALITY	DIMENSIONS	M ²	COLOUR	PLY	QTY / PALLET	REF.
Basic	3 m x 25 m	75	neutral	4	150	10 05 10
Basic +	3 m x 25 m	75	neutral	4	200	10 05 20
Standard	3 m x 25 m	75	neutral	4	150	10 05 30
Premium	3 m x 25 m	75	neutral	4	105	10 05 40
Pro 150	3 m x 25 m	75	neutral	4	60	10 05 70

75 m²

of protection
coverage
per roll



INSTALLING THE PROTECTION

1



Unroll with your foot

2



Cut

3



Separate the two layers

4



Unfold

5



Spread the sheet and finish installing

A HANDY FORMAT:

FILM THAT CAN BE
UNROLLED, IS EASY TO LAY
AND EASY TO TRANSPORT



3-layer film
for maximum
resistance

Ideal size for
easy handling



RECYCLED PLASTIC FILMS

SITE PROTECTION

01



**MADE
IN FRANCE**



**RECYCLED
PLASTIC**



THREE LAYERS



NON-SLIP



ODOURLESS

Rolls

QUALITY	DIMENSIONS	M ²	COLOUR	PLY	QTY / PALLET	REF.
Standard	3 m x 50 m	150	neutral	4	67	10 10 30
Standard	3 m x 50 m	150	tinted	4	67	10 10 35
Premium	3 m x 50 m	150	neutral	4	60	10 10 50
Standard	3 m x 100 m	300	neutral	2	39	10 10 70
Basic	6 m x 50 m	300	neutral	4	52	10 15 10
Standard	6 m x 25 m	150	neutral	4	53	10 15 30
Standard	6 m x 40 m	240	tinted	4	52	10 15 35
Standard +	6 m x 27.50 m	165	tinted	4	52	10 15 65



Construction rolls

QUALITY	DIMENSIONS	M ²	COLOUR	PLY	QTY / PALLET	REF.
Pro 150	3 m x 25 m	75	neutral	2	68	10 20 10
Pro 150	3 m x 50 m	150	neutral	2	44	10 20 20
Pro 150	3 m x 50 m	150	tinted	2	44	10 20 30
Pro 150	3 m x 50 m	150	neutral	4	28	10 20 40
Pro 150	3 m x 50 m	150	tinted	4	44	10 20 50
Pro 150	6 m x 25 m	150	neutral	4	44	10 20 60
Expert 200	3 m x 41 m	123	neutral	2	44	10 25 20
Expert 200	6 m x 20.5 m	123	neutral	4	44	10 25 30
Pro 150	3 m x 50 m	150	black	2	44	10 30 20
Pro 150	6 m x 25 m	150	black	4	44	10 30 25



FURNITURE COVERINGS AND FLOOR PROTECTION

Folded polyethylene tarps

QUALITY	THICKNESS	DIMENSIONS	QTY / BOX	REF.
Fine	10 microns	5 m x 4 m	40	10 65 10
Standard	40 microns	5 m x 4 m	15	10 65 15
Premium	80 microns	4 m x 3 m	10	10 65 20
		5 m x 4 m	10	10 65 25

In individual hangable bags



Laminated parquet underlay



Ref. **10 60 30**

Dimensions: 4 x 10 m

- › Thickness: 200 microns.
- › Sold individually or in a pallet of 39 rolls.



Carpet packaging

QUALITY	DIMENSIONS	COLOUR	PLY	QTY / PALLET	NEW REF.
Pro 150	1.5 x 230 m	neutral	1	20	10 60 10



FILMS CLASSIFIED M1

POLYETHYLENE FILM THAT PREVENTS THE SPREAD OF FLAMES IN THE EVENT OF FIRE

for occupied sites or public buildings



M1 CLASS

NF P92-512:1986 standard
Reaction to fire: non-flammable combustible



SAFE

FIRE-RETARDANT FILM




COVERS A LARGE SURFACE AREA


240 M²



HIGH RESISTANCE OPAQUE FILM



114 microns
Covers
approximately
240 m²



114 black fire-retardant PE film

Ref. **10 50 10**

Dimensions: 6 m x 40 m

M1 flame-retardant polyethylene film.
Opaque black
Thickness: 114 microns

- › Prevents the spread of flames in the event of a fire
- › Resistant
- › Area covered: approximately 240 m²

200 microns
Covers approximately
258 m²



200 white fire-retardant PE film

Ref. **10 50 11**

Dimensions: 6 m x 43 m

M1 flame-retardant polyethylene film.
Opaque white
Thickness: 200 microns

- › Prevents the spread of flames in the event of a fire
- › Resistant
- › Area covered: approximately 258 m²

NEW
2022

Protective zip door

DIMENSIONS	SALE UNIT	REF.
2.2 m x 1.2 m	Per unit or by box of 11 doors	10 62 10

PE protective cover with zipped door

- › Prevents the transfer of dust from one room to another while providing quick and easy access
- › Stitched closure
- › Reclosable
- › L-shaped opening:
Easy access without stepping over
- › Durable and reusable
- › Sold without adhesive

PLUS POINTS

Anti-dust

Thick and extremely durable

Quick and easy to install

Reusable.



ANTI-DUST



THICK AND
EXTREMELY
DURABLE



QUICK AND EASY
TO INSTALL



REUSABLE



CHOOSING YOUR **SELF-ADHESIVE** **WATERPROOF TARP:** **Dulyfix**

	ABSORBENT	PLASTICISED	BREATHABLE
Self-adhesive	✓	✓	✓
Anti-slip	✓	✓	✓
Waterproof	✓	✓	✓
Absorbent	✓		
Breathable			✓
Reusable	✓	✓	✓
Shock resistance	●●●	●	●●
Strong points	Waterproof floor protection Highly absorbent Designed to resist shocks	Waterproof floor protection Ideal for traditional sites on dry floors	Waterproof floor protection Facilitates the evaporation of vapours and solvents Ideal for freshly laid floors and floor coverings that are sensitive to moisture

FLOORS

Parquet	✓	✓	✓
Laminate	✓	✓	✓
LVT	✓	✓	✓
Carpet	✓	✓	✓
Tiling	✓	✓	✓
Cast flooring			✓
Floor/stairway application	✓	✓	✓
Thickness	2.2 mm	1.3 mm	1.8 mm
Weight	205 g/m ²	120 g/m ²	160 g/m ²

DIMENSIONS

1 m x 12 m	✓		
1 m x 25 m	✓	✓	✓
1 m x 50 m		✓	

Dulyfix A RANGE OF SELF-ADHESIVE

DULYFIX TARP

ABSORBENT


DIMENSIONS	SALE UNIT	REF.
1 m x 12 m	Per unit or box of 16 rolls	14 35 10
1 m x 25 m	Per unit or pallet of 20 rolls	14 35 15

Non-woven synthetic fabric, 2.2 mm thick.

- › Absorbent top side.
- › Self-adhesive underside.
- › Weight: approx. 205 g/m².

PLUS POINTS

Absorbent and self-adhesive.



DULYFIX TARP

PLASTICISED


DIMENSIONS	SALE UNIT	REF.
1 m x 25 m	Per unit or box of 15 rolls	14 40 11
1 m x 50 m	Per unit or pallet of 15 rolls	14 40 15

Non-woven synthetic fabric, 1.3 mm thick.

- › Plasticised top side.
- › Self-adhesive underside.
- › Weight: approx. 120 g/m².

PLUS POINTS

Plasticised and self-adhesive.



DULYFIX TARP

BREATHABLE

Ref. **14 43 11**


DIMENSIONS	SALE UNIT	REF.
1 m x 25 m	Per unit or box of 12 rolls	14 43 11

Non-woven 100% PET-fibre fabric - Thickness: 1.8 mm.

- › Breathable and plasticised top side
- › Self-adhesive underside. Colour: Blue.
- › Weight: approx. 160 g/m².

PLUS POINTS

Plasticised, self-adhesive and breathable.
Provides site protection after (only)
72 hours of drying (70 g/24 hr/m²).



VE AND WATERPROOF TARPS



Highly absorbent
Designed to resist shocks

FOR USE ON:
parquet, laminate, LVT,
carpet, tiling



Ideal for traditional
sites on dry floors

FOR USE ON:
parquet, laminate, LVT,
carpet, tiling



Facilitates the evaporation
of vapours and solvents
Ideal for freshly laid floors
and floor coverings that are
sensitive to moisture

FOR USE ON:
parquet, LVT, carpet, tiles, stone
floors, laminate floors

Provides site protection after only
72 hours of drying.



INDOOR PROTECTION

DulyPlak

Protective PP honeycomb panel

DIMENSIONS	SALE UNIT	REF.
Unfolded: 220 x 75 cm Folded: 76 x 75 cm	Box of 10 panels	14 60 10

The multi-surface protective panel, shockproof and waterproof
Made of black polypropylene honeycomb.
Thickness: 3 mm, folds/unfolds in 3 parts.

- › **Excellent protection:** resistant to shocks, heavy traffic, dust and paint spillages.
- › **Suitable for high-traffic areas.**
- › **Modular:** can be folded and easily cut to the desired size
- › **Washable and reusable.**
- › **Waterproof.**
- › **Multi-surface.**

EASY INSTALLATION

SHOCK
RESISTANTMODULAR,
EASY TO CUT TO SIZE

HEAVY TRAFFIC



REUSABLE

INDOOR AND
OUTDOOR USE

CARD TARPS

PROTECSOL card tarp

DIMENSIONS	SALE UNIT	REF.
1 m x 25 m	Per unit or box of 12 rolls	14 50 10

Double-sided smooth card: 1 white side/1 brown side.
Weight: approximately 280 g/m².

- › **Highly resistant to scratches, tears and punctures**
- › **Withstands heavy traffic** and the use of heavy equipment (scaffolding, work platforms).
- › **Waterproof and reusable**

RESISTANT TO
SCRATCHES AND
TEARS

WATERPROOF



REUSABLE



COTTON TARPS



Raw cotton tarp

DIMENSIONS	SALE UNIT	REF.
5 m x 4 m	Per unit	14 26 10
4 m x 3 m	Per unit	14 26 20
5 m x 1.50 m	Per unit	14 26 30

NON-AIRTIGHT TARP

- › 2 mm-thick cotton.
- › Weight: approx. 300 g/m².

PLUS POINTS

Highly resistant
Reusable.



Plasticised cotton tarp

DIMENSIONS	SALE UNIT	REF.
5 m x 4 m	Per unit	14 30 10
4 m x 3 m	Per unit	14 30 20
5 m x 1.50 m	Per unit	14 30 30

2 mm-thick plasticised cotton.

- › Absorbent top side.
- › Non-slip PVC underside.
- › Weight: approx. 280 g/m².

PLUS POINTS

Highly resistant
Airtight
Reusable.



"Eco" plasticised cotton tarp

DIMENSIONS	SALE UNIT	REF.
4 m x 3 m	Per unit or pallet of 10	14 20 10
5 m x 4 m	Per unit or pallet of 6	14 20 15

1 mm-thick plasticised cotton.

- › Absorbent top side.
- › Underside in airtight polyethylene + EVA, 45 microns thick.
- › Weight: approx. 230 g/m².

PLUS POINTS

Non-slip tarp
Airtight
Reusable.



FLEECE MATTING

"Eco" absorbent fleece matting

DIMENSIONS	SALE UNIT	REF.
10 m x 1 m	Per unit or box of 12 rolls	14 10 10
25 m x 1 m	Per unit or box of 20 rolls	14 10 15
25 m x 2 m	Per unit or palette of 24 rolls	14 10 20

Non-woven synthetic fabric, 2 mm thick.

- › Absorbent top side.
- › Underside in airtight non-slip polyethylene, 50 microns thick.
- › Weight: approx. 200 g/m².

PLUS POINTS

Efficient liquid absorption.

Non-slip and waterproof.

Indoor use: floor, corridor, stairs.



ABSORBENT



WATERPROOF




NON-SLIP



REUSABLE



Airtight side



Absorbent side

Absorbent fleece matting

DIMENSIONS	SALE UNIT	REF.
6 m x 2 m	Per unit or palette of 40 rolls	14 15 10
10 m x 1 m	Per unit or palette of 24 rolls	14 13 10
25 m x 2 m	Per unit or palette of 10 rolls	14 15 20

NON-AIRTIGHT MATTING

Non-woven synthetic fabric, 4 mm thick.

- › Absorbent needlepunch top side.
- › Polyethylene underside, 50 microns thick.
- › Weight: approx. 300 g/m².

PLUS POINTS

Thick material protecting against impacts.

Indoor use: floors, corridor.



ABSORBENT



SHOCK RESISTANT



HEAVY TRAFFIC



REUSABLE





MASKING / ADHESIVES


DULYTAPÉ®

Ref. **10 60 61**Box of
36 rollsDimensions:
50 mm x 25 m

Adhesive tape made of a fabric-reinforced backing in flexible polyethylene (PE), coated with a layer of special acrylic adhesive.

PLUS POINTS

The standard adhesive tape for indoor applications and flat surfaces.
Easy to cut to size.



PP adhesive tape

Ref. **10 60 55**

Dimensions: 5 cm x 100 m

Sold in packs of 6 rolls

PLUS POINTS

Suitable for use at low temperature.



PACKAGING PRODUCTS

Bubble-wrap roll

DIMENSIONS	REF.
25 x 1 m	10 75 10
100 x 1 m	10 75 15



Stretch film for pallets

6 rolls per box

QUALITY	DIMENSIONS	REF.
Transparent 17 microns	0.45 x 270 m	10 70 10
Transparent 30 microns	0.45 x 200 m	10 70 15
Black 20 microns	0.45 x 270 m	10 70 20



KRAFT MASKING TAPE

**PROTECTION AGAINST PAINT SPLASHES,
DIRT AND DUST**



Fully adhesive backing paper for indoor renovation jobs.



For use on different types of surfaces, especially sensitive surfaces: wallpaper, varnish, wood, etc.

PLUS POINTS

- Fully adhesive on the back
- Multi-surface protection
- Adapts to many materials
- Quick and easy to apply
- Repositionable and adjustable

DIMENSIONS	SALE UNIT	REF.
 75 mm x 50 m	Per unit or by box of 24 rolls	10 61 01
 150 mm x 50 m	Per unit or by box of 12 rolls	10 61 02



SELF-ADHESIVE



LEAVES NO MARKS



TIME-SAVING



REPOSITIONABLE



ECO-FRIENDLY
WATER-BASED ADHESIVE
WITHOUT SOLVENT



Hand rails,
switches,
electrical
outlets

Radiators,
windowsills









WIPES - BAGS

Sorting and managing waste on construction sites is becoming a major issue. To easily identify the content of each bag, Dulary now offers **transparent refuse and rubble bags**. Waste that is properly sorted, visible and identified in a transparent bag = an easy trip to the waste disposal centre!



**RECYCLED
PLASTIC**

DIFFERENT TYPES OF LDPE REFUSE BAGS


THICKNESS \ CAPACITY	100 LITRES	110 LITRES	130 LITRES	150 LITRES
40 microns		 basic +		
45 microns	 standard		 standard	
50 microns		 standard		
60 microns	 standard +	 standard +		
65 microns				 standard +
80 microns		 premium		

**NEW
2022**



REINFORCED
SEAM

Transparent LDPE refuse bags









CAPACITY	QUALITY	QTY OF ROLLS PER BOX	QTY OF BAGS PER ROLL	REF.
110 litres	 standard	8	25	11 06 22

PLUS POINTS

Resistant
Transparent



Black LDPE refuse bags

CAPACITY	QUALITY	QTY OF ROLLS PER BOX	QTY OF BAGS PER ROLL	REF.
100 litres	 standard	10	25	11 05 15
	 standard +	10	20	11 05 30
110 litres	 basic +	10	25	11 06 10
	 standard	8	25	11 06 20
	 standard +	8	25	11 06 30
	 premium	5	20	11 06 40
130 litres	 standard	5	20	11 08 15
150 litres	 standard +	5	20	11 10 35



Transparent woven polypropylene rubble bag

DIMENSIONS	REF.
L56 x H96 cm	11 31 10

Capacity: 60 litres - 50kg
Material: White woven polypropylene
Hangable sachet of 10 bags

PLUS POINTS

Highly resistant to tearing and puncturing.
Transparent to facilitate waste sorting.
Reusable.



White woven polypropylene rubble bag

Dimensions: L56 x h96 cm

PACKAGING	REF.
Hangable sachet of 10 bags	11 30 10
Box of 250 bags 25 rolls of 10 bags	11 30 15
Bale of 1000 bags	11 30 30
Polypropylene bag with inner bag	11 30 35



Capacity: 60 litres - 50 kg
Material: White woven polypropylene

PLUS POINTS

Highly resistant to tearing and puncturing.
Reusable.

CLEANING - BAGS

Woven rubble bag with handles

CAPACITY	DIMENSIONS	MATERIAL	PACKAGING	REF.
60 litres 50 kg	L40 x H50 x D30 cm	White woven polypropylene	Pack of 2 bags	11 35 10

PLUS POINTS

Easy to fill and transport.
Highly resistant to tearing and puncturing. Square bottom.
Reusable.



Black LDPE rubble bag

CAPACITY	DIMENSIONS	MATERIAL	QTY OF ROLLS PER BOX	QTY OF BAGS PER ROLL	REF.
60 litres 50 kg	L56 x H96 cm	Polyethylene 130 microns	10	10	11 20 10

PLUS POINTS

Highly resistant to tearing.



Big Bag Container

Ref. **11 40 10**

Dimensions: L90 x D90 x H110 cm

- › Fully opening.
- › Flat bottom, 4 straps.

PLUS POINTS

Maximum resistance for a payload of 1500 kg.





**RECYCLED
FABRIC**



Coloured cloths

Ref. **12 10 15**

- › Coloured cloths made from vests and T-shirts.
- › 10 kg box.



White cloths

Ref. **12 15 15**

- › Cloths made from vests and T-shirts.
- › 10 kg box.

White cloths (1 kg bag)

Ref. **12 15 10**

- › Cloths made from vests and T-shirts.
- › Box of 10 x 1 kg bags.



Roll of buff wipes

Ref. **12 30 10**

Dimensions: 21 x 23 cm

- › Two-ply cellulose wadding
- › 800 sheets per roll.
- › Sold in 2-roll packs.

PLUS POINTS

Absorbent material.



Roll of white wipes

Ref. **12 25 10**

Dimensions: 21 x 23 cm

- › Two-ply cellulose wadding
- › 800 sheets per roll.
- › Sold in 2-roll packs.

PLUS POINTS

Absorbent material, no colour seepage, very resistant.

Heavy-duty polyethylene tarp

DIMENSIONS	WHITE/CLEAR	GREEN
6 m x 4 m	13 10 20	-
8 m x 6 m	13 10 30	13 15 30
20 m x 3.10 m	13 10 50	-

› 150 g/m² with metal anchor points every metre, eyelets on 4 sides.

PLUS POINTS

Highly resistant weave.
Structure enabling cutting.



Reinforced polyethylene tarp

Ref. 13 20 10

› 130 g/m² with pre-perforated eyelet reinforcement strips every 20 cm.
› Dimensions: 20 m x 3.20 m.
› See-through with white mesh grid.

PLUS POINTS

Ideal for use with plaster-like spatter and splashes. Waterproof



Scaffold mesh

White: ref. 13 30 15- green: ref. 13 30 10

Dimensions: 20 m x 3 m
55 g/m². Non anti-UV treated.

PLUS POINTS

Tear-proof mesh.

Fasteners

	DIMENSIONS	REF.
For meshes:	Small model L. 290 mm x W. 4.8 mm	13 40 10
For tarps:	Large model L. 365 mm x W. 7.8 mm	13 40 15

Plastic fastener links.
Packs of 100.



OUR PLASTIC FILMS
CAN ALSO BE USED
OUTDOORS
SEE P.7



02


PROFESSIONAL CLOTHING

Customisation and sizes.....	p. 28
Choosing your clothing range	p. 29
Evolution Range	p. 30
Performance Range	p. 32
Expert Range	p. 34
Presti-comfort Range	p. 38
Classic Range	p. 42
Sportswear Range	p. 44
Cold Range	p. 46
Complementary Range	p. 49
Disposable/Rainwear Range	p. 50

SIZE INFORMATION

UPPER BODY

SIZES	A CHEST CIRCUMFERENCE (CM)
XS - 0	76-84
S - 1	85-92
M - 2	93-100
L - 3	101-108
XL - 4	109-116
XXL - 5	117-124
XXXL - 6	125-132



LOWER BODY

SIZES	STANDARD SIZES	DOUBLE SIZES	B WAIST SIZE (CM)	C INSIDE LEG (CM)
34			68	82
36	S	0	72	82
38			76	82
40			80	82
42	M	1	84	82
44			88	82
46	L	2	92	82
48			96	82
50	XL	3	100	82
52			104	82
54	XXL	4	108	82
56			112	82
58		5	116	82
60			120	82

* women's trousers

MAKE YOUR MARK ON YOUR CLOTHING

- › Customisation available from 10 items upwards.
- › Available for products in the following ranges: Evolution, Classic, Complementary, Cold, Presti-Comfort, Expert, Sportswear.



Chest placement 9 x 5 cm



Back placement
18 x 25 cm

**Please
get in
touch!**



CHOOSING YOUR CLOTHING RANGE



› Danish technology and design for a premium range _____ 30-31



› Comfort, ergonomics and freedom of movement _____ 32-33



› Technicality and functionality for intensive use _____ 34-37



› Stylish and practical _____ 38-41




› Tradition and value for money _____ 42-43



› Comfort and a resolutely modern style _____ 44-45



› Comfortable even outdoors _____ 46-48



› To complete your outfit _____ 49



› Maximum protection _____ 50

NEW
2022

EVOLUTION RANGE



by
MASCOT®
WORKWEAR




Dulary and Mascot, two expert brands recognised in their field, are joining forces to create an exclusive new range, Evolution Dulary by Mascot

Danish technology and design for durable, comfortable clothing that can withstand demanding working conditions, without compromising on style.



PLUS POINTS



**EXTREME
COMFORT**



**MODERN
STYLE**



LIGHTWEIGHT



DURABILITY



Stretch trousers offering unparalleled freedom of movement thanks to their ultimate stretch fabric, with Cordura reinforcements for resistance to rubbing and tears.



Elasticated fibre that stretches in all directions. For maximum comfort and freedom of movement at work.

CORDURA®

Textile fibre 20 times more resistant to abrasion than cotton.



Triple stitching

Lightweight sleeveless jacket

— EVOLUTION

White/black:
ref. **48 10**

Available sizes: **M - XXL**

A lightweight and durable sleeveless jacket

High collar

Zip fastening with windproof flap and concealed, covered press studs.

Elasticated armholes under flap

2 breast pockets with hidden press studs under flap + key ring

2 side pockets - 2 inside pockets

Adjustable sides using press studs

Triple stitched seams on the sides

Longer back - Reflective details

Composition:
Twill Fabric
65% polyester,
35% cotton,
270 g/m²



Central zip

Black fleece-lined jacket

— EVOLUTION

Black: ref. **48 20**

Available sizes: **M - XXL**

A soft, slim-fit jacket

High collar

Central zip fastening and windproof flap on the inside

Zippered breast pocket

2 zippered side pockets

Cuffs and jacket hem in elasticated bias cut

Reflective details

Composition:
Fabric
94% polyester,
6% elastane
Fleece
260 g/m²



ULTIMATE STRETCH

ULTIMATE STRETCH

Reinforcement

CORDURA

Stretch trousers

— EVOLUTION

White/black:
ref. **48 01**

Available sizes: **36 - 54**

Flexibility, lightness and durability guaranteed

Low waist

Elasticated waistband with 7 belt loops

Zip fly

Ergonomic fit

Stretch zones in prime contact areas:

- front (above the knees and bottom of the leg)

- Back (top and knees)

2 front pockets, 2 back pockets, 1 zipped thigh pocket including a phone pocket with press stud flap, 1 Cordura® ruler pocket

Reinforced Cordura® knee pockets for inserting protective knee patches (not supplied)

Double stitched seams on legs and crotch

Composition:
65% polyester,
35% cotton,
270g/m²

CORDURA

ULTIMATE STRETCH

Mascot knee pads



Ref. **49 49**

Dimensions: **150 x 270 mm**

Essential for work in a kneeling position

Pair of foam pads for knee protection compatible with the Evolution trouser
100% Ethylene vinyl acetate

PERFORMANCE

RANGE

Our Performance range combines comfort and ergonomics with fluidity of movement.

With their fitted cut and new fabrics, these garments are now more comfortable to wear, without compromising on durability.

The use of Cordura® gives these clothes optimal resistance to friction and tearing.



PLUS POINTS



COMFORT



ERGONOMICS



FLUID MATERIALS



RESISTANCE

CORDURA®

Textile fibre 20 times more resistant to abrasion than cotton.

PROFESSIONAL CLOTHING

PERFORMANCE RANGE



Multi-pocket trousers

— PERFORMANCE

Grey/black: ref. **38 15**

White/black: ref. **37 15**

Available sizes: **0 - 5**

6 belt loops + elasticated waistband. 1 back pocket with flap. 2 front patch pockets. 1 front pocket with zip on the right. 1 phone pocket on the right thigh. 1 large bellows pocket on the left thigh. Nylon zip fly 1 ruler pocket + 1 tool pocket. Knee patches in **CORDURA** for inserting DULARY protective pads (not supplied). Reinforced hems.

Composition:
60% Cotton
40 % Polyester
250 g/m²

CORDURA



Fleece jacket

— PERFORMANCE

Grey/black: ref. **38 50**

White/black: ref. **37 50**

Available sizes: **S - XXL**

Injected mesh zip up to the top of the collar. 1 breast pocket with zip. 2 side pockets with zip. Elasticated cuffs. 2 low inside pockets

Composition:
100% Polyester
300 g/m²

TO COMPLETE YOUR
KIT, SEE OUR RANGE OF
SAFETY FOOTWEAR
ON P.53



Dulary foam pads

Ref. **30 30**

Dimensions: **165 x 240 mm**

Pair of knee protection foam pads for DULARY trousers. 100% polyethylene. Thickness: 18 mm



EXPERT

RANGE

Our Expert range combines technicality and functionality..

It supports you daily, in intensive use.

The use of Cordura® gives these clothes optimal resistance to friction and tearing.




PLUS POINTS



**RESISTANCE
AND COMFORT**



ERGONOMICS



YKK ZIP

CORDURA®

Textile fibre 20 times more resistant to abrasion than cotton.

**COMPLIES WITH
STANDARD EN14404:
2004 + A1: 2010**



DULARY is committed to combating disorders linked to the kneeling position (bursitis of the knee) with the standard EN14404: 2004 + A1: 2010.

This standard guarantees users that they are wearing equipment that will protect them and prove entirely suitable to working in a kneeling position. The standard involves the wearing of Expert trousers exclusively fitted with DULARY foam pads.



Multi-pocket trousers

— EXPERT

Grey/black: ref. **33 15**
Beige/black: ref. **32 15**
White/black: ref. **30 15**

Available sizes: **36 - 54**

7 belt loops with elasticated waistband and key ring 2 back pockets with velcro flap, 2 front patch pockets that can accommodate 2 double holster pockets, nylon fly, 1 ruler pocket, 1 tool pocket on the side, 2 bellows pockets and 1 phone pocket. Knee patches in **CORDURA** for inserting DULARY protective pads (not supplied).

Triple stitched seams at the crotch

Composition (white, grey):
60% Cotton
40% Polyester
310 g/m²

Composition (beige):
65% Polyester
35% Cotton
310 g/m²

CORDURA



Dulary foam pads

Ref. **30 30** | Dimensions: **165 x 240 mm**

Pair of protective foam knee pads for DULARY trousers. 100% polyethylene. Thickness: 18 mm



EN14404: 2004
+ A1: 2010



Blue/black jeans

— EXPERT

Ref. **34 10** | Available sizes: **36 - 54**

5 belt loops. Elasticated waistband. 2 back pockets, 2 front patch pockets. Button fly. 1 ruler pocket, 1 tool pocket on the side, 1 bellows pocket and 1 phone pocket. Knee patches in **CORDURA** for inserting DULARY protective pads (not supplied).

Composition:
91% Cotton
8% polyester
1% Lycra
370 g/m²

CORDURA

Adjustable,
Elasticated.




Elastane belt

Ref. **30 32** | Dimensions: **120 x 4 cm**

Outer material: 50% polypropylene, 50% elastane. Metal buckle. Waist size adjustment for trousers and shorts
Colour: Black

EXPERT RANGE



Women's trousers

— EXPERT

White/black:
ref. **30 20**

Available sizes: **34 - 48**

7 belt loops with elasticated waistband.
2 back welt pockets,
2 front bias-cut pockets, nylon fly,
1 ruler pocket, 1 tool pocket on the side,
2 bellows pockets and 1 phone pocket.
Knee patches in **CORDURA** for
inserting DULARY protective pads
(not supplied).

Composition:
60% Cotton
40% Polyester
310 g/m²



Light and
breathable

Polo shirt

— EXPERT

Black/grey: ref. **30 60**

Available sizes: **S - XXL**

Quick drying to help
wick away perspiration, classic collar,
3 buttons, velour neck strip.
Collar and sleeves with contrasting piping.

Composition:
100% Polyester
140 g/m²



Shorts

— EXPERT

White: ref. **30 35**

Grey: ref. **33 35**

Available sizes: **36 - 54**

7 belt loops with elasticated waistband and
key ring, 2 back pockets with velcro flap,
2 front patch pockets, nylon fly.
1 ruler pocket, 1 tool pocket on the side,
2 bellows pockets and 1 phone pocket.

Composition:
60% Cotton
40% Polyester
310 g/m²

Reinforced
shoulders

CORPURA



Inside
zipped
pockets

Cotton/polyester sleeveless jacket

— EXPERT

White/black:
ref. **30 71**


Available sizes: **M - XXL**

Inside collar in black micro-fleece
Reinforced shoulders + hem in **CORPURA**
2 bias-cut pockets with zip
1 inside wallet pocket with zip
1 inside smartphone pocket with velcro flap
1 lower inside zip pocket
Two-way zip under flap with press studs.

Composition:
60% Cotton
40% Polyester
Padded lining
100% polyester
280gr/m²

CORPURA

Elasticated
inner sleeves



Reinforced
black inserts

CORPURA

Cotton/polyester jacket

— EXPERT

White/black:ref.
30 76

Available sizes: **M - XXL**

Black micro-fleece lining.
Inner officer collar in black micro-fleece.
1 pen pocket on left sleeve. 2 bias-cut pockets
with zip. 1 inside wallet pocket. 1 inside
smartphone pocket with velcro flap.
1 lower inside zip pocket.
Two-way zip under flap with press studs.

Composition:
60% Cotton
40% Polyester

CORPURA



PRESTI-COMFORT

RANGE

The Presti-Comfort range combines aesthetics and practicality.

Suitable for summer and winter alike, comfortable and coordinated clothing with a quality finish.



PLUS POINTS



QUALITY
MANUFACTURING



PROTECTIVE
KNEE PATCHES



RESISTANT ZIP

PROFESSIONAL CLOTHING

PRESTI-COMFORT RANGE



Practical design with multiple pockets.

Ideal for summer: lighter fabric 245 g/m²

Knee pad reinforcement with ergonomic gusset

Trousers

— PRESTI-COMFORT

White/grey:
ref. **28 11**

Available sizes: **T0 (36/38) to T5 (56/58)**

Stock halved: 6 double sizes = 12 sizes!

2 two-colour bias-cut patch pockets. 2 back pockets, one with a Velcro® flap. 1 ruler pocket + 1 tool pocket on the right side. 1 Velcro® pocket on the side. YKK nylon zip fly. 5 belt loops. Knee reinforcements with compartments for protective pads (not supplied). Ergonomic gusset on the knees and height-adjustable foam pads.

Composition:
60% Cotton
40% Polyester
310 g/m²

Multi-pocket trousers

— PRESTI-COMFORT

White/grey:
ref. **28 15**

Available sizes: **36 - 60**

2 back pockets with velcro flap, 1 large bellows pocket with velcro flap on each side, nylon fly, 7 belt loops, elasticated waistband, 2 two-colour bias-cut patch pockets, 1 key ring, right side: 1 tool pocket + 1 phone pocket + 1 pen pocket. YKK Zip.

Height adjustable.

Composition:
65% Polyester
35% Cotton
245 g/m²

**CUSTOMISE
YOUR CLOTHING!**

SEE
OUR RANGE
P. 28



Dulary foam pads

Ref. **30 30**

Dimensions: 165 x 240 mm

Pair of knee protection foam pads for DULARY trousers. 100% polyethylene. Thickness: 18 mm

PRESTI-COMFORT RANGE



Jacket

PRESTI-COMFORT

White/grey: ref. **28 75**

Available sizes:
M - XXL

Collar lined with black micro-fleece, 1 outer pocket, 2 lower zipped pockets, elasticated cuffs, adjustable velcro waistband, 1 inside wallet pocket with zip, 1 smartphone pocket with velcro flap.

Composition:
65% Polyester
35% Cotton
310 g/m²
Lining
100 % polyester
250 g/m²



Fleece-lined sleeveless jacket

PRESTI-COMFORT

White/grey:
ref. **28 70**

Available sizes: **M - XXL**

Grey collar. White fleece lining 1 large breast pocket + 1 phone pocket. 1 inside pocket. 4 large lower pockets, 2 of which have flaps. Nylon zip + press stud.

Composition:
65% Polyester
35% Cotton
240 g/m²
Lining
100 % Polyester
250 g/m²



Shorts

PRESTI-COMFORT

White/grey:
ref. **28 35**

Available sizes: **36 - 60**

2 two-colour bias-cut patch pockets, 2 back pockets with velcro flap, 1 ruler pocket/1 tool pocket on the side/ 1 side velcro pocket. Nylon YKK fly, 5 belt loops.

Composition:
60% Cotton
40 % Polyester
310 g/m²



Polo shirt

PRESTI-COMFORT

White/grey: ref. **28 60**

Available sizes: **S - XXL**

Quick drying to help wick away perspiration. Collar and sleeves with contrasting piping. Classic collar. 3 buttons. Velour neck strip.

Composition:
100 % Polyester
140 g/m²



CLASSIC RANGE

Simple and discreet
tradition: the
hallmark of our
Classic range.



PLUS POINTS



QUALITY
MANUFACTURING



ERGONOMICS
FOR COMFORT



Overallalls

CLASSIC

White:
ref. **22 55**

Available sizes:
0 - 6

2 zipped breast pockets,
2 bias-cut patch pockets,
1 back pocket
+ 1 ruler pocket, double
zip, elasticated waistband
+ gussets on the back,
buttoned cuffs.

Composition:
100% Cotton
320 g/m²



Bib and brace overalls

CLASSIC

White:
ref. **22 45**

Available sizes: **0 - 6**

2 bias-cut side pockets,
1 back pocket + 1 ruler
pocket, 1 large bib pocket
with zip + pen holder,
adjustable elasticated
straps

Composition:
100% Cotton
320 g/m²



Straight coat


CLASSIC

White:
ref. **22 56**

Available sizes: **0 - 6**

2 patch pockets,
1 breast pocket,
1 inside pocket,
tailored collar,
buttoned cuffs.

Composition:
100% Cotton
320 g/m²



Jacket

— CLASSIC

White: ref. **22 50**

Available sizes: **0 - 6**

3 patch pockets, 1 inside pocket,
tailored collar, buttoned cuffs.

Composition:
100% Cotton
320 g/m²



Jeans
with
rivets

Jeans

— CLASSIC

White: ref. **24 25**

Available sizes: **36 - 60**

5 belt loops
Button fly
2 bias-cut patch pockets.
1 small front pocket with rivets
1 ruler pocket
2 back pockets

Composition:
60% Cotton
40 % Polyester
300 g/m²



Trousers

— CLASSIC

Available sizes: **36 - 66** except:

ref. **2410** up to **60**
ref. **2610** up to **54**

2 bias-cut patch pockets,
1 back pocket,
1 ruler pocket,
belt loops, button fly.

For added comfort, our trouser range comes in
3 types of fabric:

White: ref. **22 10**

- › Comfortable, absorbs perspiration.
- › Resists welding sparks.
- › Washable at high temperature.

Composition:
100% Cotton
320 g/m²

White: ref. **24 10**

- › Reinforced cotton.
- › Comfortable, absorbs perspiration.
- › Washable at high temperature.
- › Easy care, resistant to tearing, garment
lifespan of more than 50 washes.

Composition:
60% Cotton
40% Polyester
300 g/m²

White: ref. **26 10**

- › Polyester/Cotton.
- › Entry price

Composition:
65% Polyester
35 % Cotton
250 g/m²

Please get in touch for availability of sizes over
60 or 6 (25% increase).



SPORTSWEAR

RANGE

When work clothing gets a sportswear look!

Comfortable, ergonomic clothing that offers great freedom of movement.



PLUS POINTS



COMFORTABLE FLEECE



PROTECTIVE KNEE PATCHES



ERGONOMIC DESIGN



FITTED CUT



Mouv Hoodie

SPORTSWEAR

White ref **47 20**
Navy ref **47 21** | Available sizes: **S - XXL**

A comfortable fleece work sweatshirt for a stylish look

Hood with drawstring
Hood lining in contrasting jersey
Raglan sleeves
Reinforced ribbing on body and cuffs

Composition:
Fleece
65% Cotton
35% Polyester
300 g/m²



Craft black ripstop body warmer

SPORTSWEAR

Black: ref. **47 01** | Available sizes: **S - XXL**

A light and durable sleeveless jacket

Anti-cold zip fastening
2 zipped bias-cut pockets
1 inside pocket
Cuffs with bias cut

Composition:
PU-coated ripstop
polyamide fabric
Polyester taffeta
lining



Mouv work joggers

SPORTSWEAR

White ref **47 30**
Navy ref **47 31** | Available sizes: **S - XXL**

Fleece jogging bottoms for maximum comfort

Elasticated drawstring waistband
2 slant pockets
1 mesh pocket with flap
1 reinforced ruler pocket
Fitted cut with elastic cuffs
Knee reinforcement with compartments for protective pads (not supplied)

Composition:
Fleece
65% Cotton
35% Polyester
300 g/m²



Energy Sweatshirt

SPORTSWEAR

Grey ref. **47 10** | Available sizes: **S - XXL**

Comfy and practical: the sweatshirt you can take anywhere

Ribbed crew neck
Reinforced elbows in Oxford cloth
Ribbed hem
1 double zip kangaroo pocket
Contrasting strips and stitching

Composition:
Material 1: Fleece
70% Cotton
30% Polyester
300 g/m²
Material 2:
Oxford: 100% Polyester 300D
Material 3:
Ribbing: 94% polyester
6% elastane



COLD

RANGE

The Cold range perfectly complements our range of work clothing.

Style and comfort for the outdoors, or in the coldest seasons!





NEW
2022



Ripstop Challenge Jacket

— COLD

Blue/orange: ref. **40 24** | Available sizes: **S - XXL**

A dual-material ripstop jacket for better durability

Fixed hood - Anti-cold zip fastening

Ribbed cuffs

2 breast pockets 2 side pockets

1 inside zipped pocket

Reflective piping on front and back

Badge holder included

Composition:
Quilted ripstop polyamide
fabric with PU coating
Inserts: Laminated 2-layer
polyester fabric
Polyester taffeta lining

Rocket Softshell Jacket

— COLD

Black/orange:
ref. **40 37** | Available sizes: **S - XXL**

A lightweight jacket that's ideal for outdoor use

3 layer softshell

Anti-cold zip fastening

Fixed hood

2 breast pockets, 2 side pockets

Reflective piping on front and back

Removable badge holder included

Composition:
Softshell fabric
96% polyester
4% elastane
3 laminated layers



Urban body warmer

— COLD

Blue: ref. **40 16** | Available sizes: **S - XXL**

A practical and functional lightweight sleeveless jacket

Reflective central zip

High collar, chin guard,

Elasticated bias-cut armholes and waist

2 inside patch pockets with velcro

fastening

Composition:
Exterior: 100 % polyester
65 g/m²
Main lining: Quilted 100 %
polyester 160 g/m²
Second lining: Taffeta lining
100 % polyester
60 g/m²



Trendy.
Lightweight.
2 side pockets.

Black city body warmer

— COLD

Black: ref. **40 15** | Available sizes: **M - XXL**

A stylish urban body warmer. Water-repellent and windproof. Waistband drawstring

Composition:
100% polyester
pongee exterior
100% Polyester taffeta
quilted interior



Free Grey softshell jacket

— COLD

Grey ref. **40 28**

Available sizes: **S - XXL**

Essential, easy-to-wear jacket.

3-layer Softshell jacket
High collar
Central zip + chin guard
1 left breast pocket with zip
2 lower zipped pockets in the seam
Raglan sleeves
Cuffs bias cuffs

Composition:
94% Polyester
6% elastane,
with a TPU membrane,
100% polyester
inner microfleece.
290 g/m²
Breathability: 600g/m²/24h



Heather Grey Fleece Street Jacket

— COLD

Heather grey:
ref. **40 19**

Available sizes: **S - XXL**

Warm and comfortable jacket

High collar
Central zip
1 ripstop patch pocket with zip
2 vertical lower pockets
2 lower bottom pockets
Ribbed cuffs and hem
Anti-abrasion
Ripstop inserts on the elbows

Composition:
Fleece: 80% cotton,
20 % polyester
Ribbing: 100%
Polyester
Ripstop (5mm): 100%
PVC coated polyester.
300 g/m²



Black fleece jacket

— COLD

Black:
ref. **40 25**

Available sizes:
S - XXL

Nylon zip.
Set-in sleeves with
elasticated cuffs.
Elasticated drawstring at
the bottom.
2 lower pockets with zips.

Composition:
100% Polyester
340 g/m²



Fleece snood

— COLD

Black:
ref. **40 53**

Size: **one size**

An accessory suited to all cold environments

Light and comfortable
Multifunctional
Versatile

Composition:
100% fleece.
300 g/m²
Drawstring



Black fleece hat

— COLD

Black:
ref. **40 50**

Sizes: **one size**

Fleece hat (280 g/m²)

COMPLEMENTARY

RANGE

Items delivered in individual packaging

OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100



T-shirt

COMPLEMENTARY

White: ref. **42 10**

Sizes:
M - XXL

Double stitched crew neck.

Composition:
100% Cotton
145 g/m²

OEKO-TEX®
CONFIDENCE IN TEXTILES
STANDARD 100



Round-neck long-sleeved T-shirt

COMPLEMENTARY

White: ref. **42 13**

Sizes:
M - XXL

Round neck. Double stitching on neck, cuffs and hem of the garment.

Composition:
100% Combed Cotton
160 g/m²

Ribbed edging on neck, cuffs and hem.



White sweatshirt

COMPLEMENTARY

White: ref. **42 25**

Sizes:
M - XXL

Insert on back of collar. Straight sleeves. Double stitching on the neck, shoulders, sleeves and waist.

Composition:
80% Combed Cotton
20% Polyester
300 g/m²



Polo shirt

COMPLEMENTARY

White: ref. **42 20**
Grey: ref. **42 21**

Sizes: **M - XXL**

Piqué fabric. Classic collar. 3 buttons.

Composition (grey):
85% Cotton
15% Viscose
220 g/m²

Composition (white):
100% Cotton
Piqué fabric
190 g/m²



Zip-neck sweatshirt

COMPLEMENTARY

White: ref. **42 30**
Grey: ref. **42 35**

Sizes: **M - XXL**

High collar, sleeves and inner edges ribbed with elastane. Covered placket with matching zip.

Composition:
80% Cotton
20% Polyester
280 g/m²

Zipped collar, modern fit

DISPOSABLE RANGE

MAKING THE RIGHT CHOICE

Overalls	Protection level	Risk	Use
Polypro	Category 1	Minor	Protection against minor risks, dirty work in non-hazardous environments.
Weepro	Category 3 Types 5 and 6	Serious or irreversible	Protection against irreversible risks, disinfection.
Tyvek®			

Polypro coverall

DISPOSABLE

Ref. **44 10**

Sizes: **XL and XXL**

Sold in
batches of 10 per size.

Disposable coverall in non-woven polypropylene (40 g/m²). With zip. Elasticated cuffs, waistband, ankles and hood.



Polypro coverall

DISPOSABLE

Ref. **44 20**

Sizes: **M - XXL**

Sold in
batches of 10 per size.

Disposable coverall in microporous film on non-woven fabric (60 g/m²). Hooded design. Zip with self-adhesive flap on closure. Elasticated cuffs, hood and ankles.



TYVEK® coverall

DISPOSABLE

Ref. **44 30**

Sizes: **M - XXL**

Sold in
batches of 25 per size.

Disposable coverall in Tyvek® non-woven fabric, 100% polypropylene (41 g/m²). Hooded design. Zip with flap on closure. Elasticated hood, cuffs, waistband and ankles.



Disposable polypropylene overboots

DISPOSABLE

Ref. **44 40**

Sizes: **one size**

Sold by the pair

100% polypropylene non-woven overboots
Single-use for protecting floors in controlled areas.
Height: 49 cm. 2 holding ties.



RAINWEAR RANGE

Entry price outfit

RAINWEAR

Yellow:
ref. **46 10**

Sizes:
L - XXL

Double PVC-coated cotton/polyester lining.
Waterproof, sewn and bonded.
Drawstrings: hood, windproof sleeves and waist.
Back ventilation.
2 trouser pockets/2 side pockets with flap



Flexible outfit

RAINWEAR

Green:
ref. **46 26**

Sizes:
L - XXL

Soft PVC-coated polyester 200 g/m².
Waterproof
Airtight seams, integrated hood, zipped collar.
Adjustment/tightening at openings.
Back ventilation. Elasticated waistband.
Hand slits
Adjustable legs using press studs.
2 pockets on the jacket



Green coverall

RAINWEAR

Green:
Ref. **46 30**

Sizes:
M/L and XL/XXL

PVC-coated polyester inside and out.
Double zip from collar to feet.
Removable hood.
2 breast pockets and 2 side pockets.





03

PERSONAL PROTECTION

Safety footwear	p. 52
Hand protection	p. 58
Breathing protection	p. 61
Eye protection	p. 66
Head protection	p. 68
Safety products	p. 69



SOCKS



Sizes:XS (36-38) - S (39-41)
M (42-44) - L (45-47)

THE HEAVY-DUTY WINTER SOCK TO
KEEP YOUR FEET WARM AND DRY.

- › High quality winter sock, made of SANITIZED® anti-bacterial and anti-odour treated cotton and COOLMAX yarn
- › Entirely made of terry cloth to ensure good thermal insulation
- › Elasticated band designed for better adherence to the foot and to prevent blistering.
- › Reinforced toe and heel



Ref. **60 01**

Composition:
60% cotton
27% COOLMAX®
polyester
8% nylon
5% LYCRA®
elastane

THE SUMMER SOCK THAT
LETS YOUR FEET BREATHE IN
OPTIMAL COMFORT.

- › High quality summer sock made entirely of nylon-reinforced mercerised cotton
- › Zone with anti-perspiration mesh on the back to increase breathability
- › Optimal adherence to the foot thanks to an elasticated strip that prevents blistering



Ref. **60 02**

Composition:
78% mercerised cotton
17% nylon
3% LYCRA® elastane
2% cotton

THE PRACTICAL,
COMFORTABLE AND
BREATHABLE
SHORT SUMMER SOCK



Ref. **60 03**

Composition:
78% mercerised cotton
17% nylon
3% LYCRA® elastane
2% cotton

CHOOSING
YOUR SAFETY
FOOTWEAR

Good safety shoes should be light,
flexible and resistant - not to mention
stylish!

4 ranges to cater to your needs:

TECHNICAL RANGE

SPORT RANGE

CASUAL RANGE

THE ESSENTIALS

SAFETY FOOTWEAR AS PER THE
EN ISO 20345:2011 STANDARD

SLIP RESISTANCE STANDARD:

SRA = ceramic surface + detergent solution

SRB = steel surface + glycerine

SRC = SRA + SRB

	SB	S1	S1P	S2	S3
Non-slip properties (SRA/SRB/SRC)	✓	✓	✓	✓	✓
Protective toe cap	✓	✓	✓	✓	✓
Perforation resistance (P)			✓		✓
Closed heel zone	Open heel possible	✓	✓	✓	✓
Hydrocarbon resistance of the sole (FO)		✓	✓	✓	✓
Antistatic properties (A)		✓	✓	✓	✓
Shock absorbing heel (J)		✓	✓	✓	✓
Water repellent type (WRU)				✓	✓
Contoured sole					✓
Suited to use		In wet conditions		In wet conditions	

ADDITIONAL STANDARDS:

HRO = resistance of the outsole to heat (60 sec at 300°)



ESD = electrostatic overload dissipation footwear


CI = insulation of the footwear against cold (30 min at -20°)

HI = insulation of the footwear against heat (30 min at 150°)



TECHNICAL RANGE



Greenfit Reconverted Trainer S1P unisex

Ref. **66 00** | Sizes: **35 - 47**


Low-top eco shoe:

- Upper: 100% PET ecological fabric
- Lining: 100% polyester, breathable, antibacterial, anti-abrasion
- Sole: Made of virgin and recycled PU. Anti-perforation, non-slip (SRC), anatomical, antistatic, flexible and comfortable
- Toe cap: aluminium with anti-abrasion leather covering

Weight: 592g - Standardised shoe S1P SRC

PLUS POINTS

- Environmentally friendly: made from 9 PET bottles
- Anti-abrasion leather toecap cover
- Non-marking grey outsole



Puma Speed Trainer S1P unisex

Ref. **66 30** | Sizes: **36 - 47**

Low-top shoe: The technical features of a trainer in a safety shoe

- Upper: a blend of high quality synthetic fibres that provide flexibility for a perfect fit
- Lining: BreathActive multi-functional
- Sole: optimises energy recovery and ensures maximum comfort, highly breathable foam, excellent cushioning, non-slip, anti-perforation and heat-resistant
- Toe cap: fibreglass

Weight: 569g - Standardised shoe S1P ESD HRO SRC

PLUS POINTS

- Unparalleled comfort: maximum energy recovery and cushioning.
- The quality and expertise of a recognised brand.
- Metal-free



Mugello Trainer S1P

Ref. **66 10** | Sizes: **38 - 47**

Low-top shoe in black safety-tex

- Upper: Safety-Tex
- Lining: 100% polyamide honeycomb
- Sole High density for greater resistance to wear, abrasion and oil; non-slip, anti-static and anti-perforation. Insole: breathable
- Toe cap: composite

Weight 466g - Standardised shoe: S1P SRC

PLUS POINTS

- Technicality, comfort.




Assen Trainer S3

Ref. **66 11** | Sizes: **38 - 47**

High-top shoe in black waterproofed full grain leather

- Upper: Safety-Tex
- Lining: 100% polyamide honeycomb
- Sole: High density for greater resistance to wear, abrasion and oil; non-slip, anti-static and anti-perforation. Insole: breathable
- Toe cap: composite

Weight 526 kg - Standardised shoe: S3 SRC

PLUS POINTS

- Technicality, comfort, good ankle support.



SPORT RANGE



Ultratrail Trainer S3 Unisex



Ref. 65 60

Sizes: 37 - 47

A low-top leather trainer combining sporty style and absolute comfort

- Upper: leather with non-slip and anti-abrasion textile inserts
- Lining: breathable
- Rubber sole, heat-resistant and non-slip, stable support
- Toe cap: fibreglass

Weight: 581g - Standardised shoe S3P ESD HRO SRC

PLUS POINTS

Maximum shock absorption, excellent stability, long-lasting comfort thanks to Anti-Fatigue technology: ImpulseFoam® midsole and comfitAir® insole.



Impulse Lift Trainer S1P

Ref. 65 50

Sizes: 38 - 47

Lightweight trainer for incomparable comfort

- Upper: Seamless durable Mesh fabric
- Lining: breathable
- Sole: refined rubber, non-slip, anti-perforation and heat-resistant
- Toe cap: fibreglass

Weight: 533g - Standardised shoe S1P ESD HRO SRA



Hallo Trainer black/orange S1P

Ref. 61 00

Sizes: 37 - 47

Light and breathable low-top trainer

- Upper: 100% fly-knit polyester
- Sole: anti-perforation and non-slip (SRA) PU, oil resistant
- Toe cap: metal

Weight: 473g - Standardised shoe S1P SRA

PLUS POINTS

Lightweight trainer
Combining essential protection and a sporty look



Alice Trainer S3 - women's model

Ref. 62 30

Sizes: 35 - 41

Low-top trainer for comfort and femininity

- Upper: water-repellent nubuck
- Lining: 100% polyester, breathable, antibacterial, anti-abrasion
- Sole: anti-perforation and non-slip (SRA) PU
- Toe cap: aluminium

Weight: 557g - Standardised shoe S3 SRC

PLUS POINTS

Flexible and comfortable
Transparent non-marking outsole.



SPORT RANGE



Monti Trainer S3

BLACK Ref. 65 40 | **WHITE** Ref. 65 39 | Sizes: 38 - 47

Low-top shoe in innovative Techshell fabric

- Upper: seamless, breathable, abrasion- and tear-resistant
- Lining: Sandy-Dryr fabric
- Sole: Anatomical, antistatic and flexible PU, shock absorbing, non-marking, non-slip, anti-perforation, resistant to abrasion, mineral oils and weak acids
- Toe cap: aluminium

Weight: 520g - Standardised shoe S3 SRC

PLUS POINTS

Seamless, flexible, technical and comfortable, with non-marking white outsole.



Sport Trainer S3

Ref. 65 10 | Sizes: 38 - 47

Black and white low-top shoe

- Upper: water-repellent leather
- Lining: breathable perforated fabric
- Sole: antistatic, resistant to abrasion, mineral oils and weak acids, non-slip, anti-perforation.
- Toe cap: composite

Weight: 530g - Standardised shoe S3 SRC

PLUS POINTS

Flexible, light and airtight.



Running Trainer S1P

Ref. 65 11 | Sizes: 39 - 47

White low-top shoe

- Upper: highly breathable BreaTEX fabric
- Lining: fabric Gusseted tongue to repel foreign bodies
- Sole: Soft and comfortable PU, resistant to abrasion, mineral oils and weak acids, non-slip, anti-static and anti-perforation
- Toe cap: aluminium

Weight: 460 kg - Standardised shoe S1 SRC

PLUS POINTS

Very flexible and very light, with non-marking white outsole.



Nuvolari Trainer S3

Ref. 65 13 | Sizes: 37 - 47

White low-top shoe

- Upper: water-repellent leather
- Lining: Breathable blue fabric Gusseted tongue to repel foreign bodies
- Sole: In soft and comfortable PU, resistant to abrasion, mineral oils and weak acids, non-slip, anti-static and anti-perforation
- Toe cap: aluminium

Weight: 520 kg - Standardised shoe S3 SRC

PLUS POINTS

Very flexible and very light, with non-marking white outsole.

CASUAL RANGE



Buffalo S3 high-top shoe

Ref. **68 00**

Sizes: **40 - 47**

A timeless work shoe that never goes out of style

- Upper: water-repellent nubuck, sealed seams
- Lining: 100% polyamide, breathable, absorbent, anti-abrasion. Protection against the cold
- Sole: anatomical, antistatic, insulating against high temperature, heat-resistant (SRC) and non-slip (SRC)
- Insulation against cold and heat (HI and CI)
- Toe cap: non metallic

Weight: 755g - Standardised shoe S3 WR CI HI HRO SRC

PLUS POINTS

Insulation against cold and heat, waterproof, metal-free



Tennis Smash S1P unisex



Ref. **62 25**

Sizes: **36 - 47**

Low-top tennis shoe with a resolutely contemporary style

- Upper: leather
- Lining: polyester
- Sole: nitrile rubber, anti-perforation, heat-resistant (HRO) and non-slip (SRC)
- Toe cap: composite

Weight: 469g - Standardised shoe S1P HRO SRC

PLUS POINTS

**Lightweight, modern unisex style
White non-marking outsole.**



Tennis Blues S1P

Ref. **62 10**

Sizes: **35 - 47**

Low-top shoe in a royal blue colour

- Lining: non-woven fabric
- Sole: in PU, anti-perforation, anti-static, anti-abrasion and non-slip
- Toe cap: steel

Weight: 460g - Standardised shoe S1P SRC

PLUS POINTS

Trendy style, very light (canvas), comfortable and flexible.





THE ESSENTIALS



HIGH-TOP

LOW-TOP

Black leather shoe S1P

LOW-TOP
Ref. **60 13**

HIGH-TOP
Ref. **60 12**

Sizes: **38 - 47**

- Upper: pigmented leather croupon
- Lining: polyamide mesh
- Sole: Non-metallic, anti-perforation, anti-static, non-slip, hydrocarbon-resistant PU
- Toe cap: stainless steel

Weight (low): 630g - (high): 640g
Standardised shoe S1P SRC



Grey suede low-top shoe S1P

Ref. **60 16**

Sizes: **38 - 47**

- Upper: split suede leather
- Lining: polyamide
- Sole: Non-metallic, anti-perforation, anti-static, non-slip, hydrocarbon-resistant PU
- Toe cap: stainless steel

Weight: 610g - Standardised shoe S1 SRC



Green safety boot S5

Ref. **69 10**

Sizes: **39 - 46**

- Upper: PVC/green nitrile rubber
- Lining: polyester
- Sole: in anti-perforation PVC/nitrile rubber, resistant to acid, chemicals and hydrocarbons
- Toe cap: Stainless steel

Weight: 990g - Standardised shoe S5 SRC



S5: for very wet environments where the ground is a risk. Anti-perforation sole



PERSONAL PROTECTION

HAND PROTECTION

CHOOSING YOUR GLOVES

4 ranges to choose from:

Dulytek
HANDLING

Dulytek
PRECISION

SINGLE USE
CLEANING

Protective glove standards:

EN420 and EN ISO 21420:


General standard for glove design

- › safe (pH, chromium content)
- › size
- › dexterity
- › water vapour transmission

EN388:

Protective gloves against mechanical risks

The standard is evolving: its revision concerns the cut resistance test and the addition of an impact test (optional).



EN ISO 374-1: 2016

Protection against chemical risks (permeation of hazardous non-gaseous chemicals)

The standard is evolving: a single pictogram and three types of gloves

Type A ≥ 30 min for at least 6 products

Type B ≥ 30 min for at least 3 products

Type C ≥ 10 min for at least 1 products

EN ISO 374-1 / TYPE A



EN ISO 374-1 / TYPE B



EN ISO 374-1 / TYPE C



ALL OUR GLOVES
COMPLY WITH
STANDARDS
EN 420 AND
EN ISO 21420

Dulytek

HANDLING

EN388: 3121X

Nitrilight

Ref. 50 80 | Sizes: 9, 10

Seamless knitted nylon.
Smooth nitrile coating

Excellent adhesion on dry surfaces. No absorption of liquids on the inside.
Dexterity and breathability



EN388: 3131X

Grip & Flex

Ref. 50 81 | Sizes: 9, 10
(Sold in packs of 5)

Seamless knitted nylon. Crepe latex coating. Ventilated back to wick away perspiration

Superior grip in dry and wet weather, very high elasticity, compatibility with coatings such as: water/alcohols and ketones/diluted acids/biological proteins.



EN388: 4X43D

Protect Cut Polykor

Ref. 50 83 | Sizes: 9, 10
(Sold in packs of 5)

Made of Polykor knit, light and seamless
PU coated gloves

Cut and abrasion resistance
Exceptional dexterity on dry and wet surfaces
Comfort and breathability



Dulytek

PRECISION

BECAUSE RESPECT FOR THE ENVIRONMENT IS IMPORTANT TO DULARY,

the brand has innovated and expanded its range to include G3RX gloves made from recycled plastic bottles.

OEKO-TEX®
STANDARD 100



Seamless knitted lining made from 90% recycled PET and 10% elastane for comfort, dexterity and breathability

1 60 cl bottle
= 1 pair



EN388: 4121X

G3RX Resist & Confort

Ref. 50 90

(Sold in packs of 5)

Sizes: 9, 10

Nitrile foam coating
Excellent dexterity and abrasion protection
Excellent adhesion on dry and damp surfaces, oil-resistant
Extremely comfortable against the skin



EN388: 2131X

G3RX Grip Confort

Ref. 50 91

(Sold in packs of 5)

Sizes: 9, 10

Micro-surface latex coating, a revolutionary new surface treatment for superior adhesion
Excellent adhesion on dry, slightly damp and non-oily surfaces
Flexibility and robustness
Extremely comfortable against the skin



EN388: 3X41B

Preci Polykor

Ref. 50 84

(Sold in packs of 5)

Sizes: 9, 10

Made of Polykor knit, light and seamless
PU coated gloves

Exceptional dexterity on dry and wet surfaces

Resistance to cuts

Compatible with touchscreens



EN388: 3121X

Slim Touch

Ref. 50 82

(Sold in packs of 5)

Sizes: 9, 10

Made of 18-gauge seamless knitted nylon

Smooth PU coating

Dexterity

Breathability.

Compatible with touchscreens

Particularly suitable for jobs requiring extreme attention to detail



EN388: 3131X

PU gloves

White: 5069 (pack of 10)

Grey: 5072 (pack of 10)

Sizes

White: 8, 9, 10

and 11

Grey: 9, 10

Knitted glove with polyamide structure, polyurethane coating. Seamless.

Fine handling requiring great dexterity and excellent touch. Breathable. Very good precision for painting work



GREY

WHITE



HAND PROTECTION

SINGLE USE

	Nitrile glove	Latex glove	Vinyl glove
Puncture resistant	★★★	★★	★
Stretch / Dexterity	★★★	★★★	★
Allergy risk		★	

PROTECTION AGAINST CHEMICAL RISKS

EN 374-1 type C

Nitrile
(non powdered)

Ref. 50 40

Sizes: S/7 - M/8
L/9 - XL/10

Reduces allergy risk for complete comfort and optimal sensitivity.
Single-use. Box of 100 gloves.
Economical gloves.

Latex
(powdered)

Ref. 50 30

Sizes: S/6 - M/8
L/10 - XL/12

Single-use.
Box of 100 gloves.
Economical gloves.

Vinyl
(powdered)

Ref. 50 35

Sizes: S/7 - M/8
L/9 - XL/10

Single-use.
Box of 100 gloves.
Economical gloves.

LIGHT PROTECTION AGAINST LIQUIDS AND DIRT

EN 420:2003

Medical or food gloves

Nitrile
(non powdered)

	SIZE M	SIZE L	SIZE XL
Box of 100	Ref. 5043	Ref. 5044	Ref. 5043

Latex
(powdered)

	SIZE M	SIZE L	SIZE XL
Box of 100	Ref. 5027 Ref. 502701	Ref. 5027 Ref. 502703	Ref. 5027
Box of 200	-	Ref. 502702	-

CLEANING

EN 388 (1010) - EN 374-1 type B

Yellow household

Ref. 50 53 (Sold in packs of 5)

One size: 9.5

Natural latex, cotton flocking.
Outer raised pattern finish.
Length 30 cm.
General purpose, flexible.



EN 388 (3121) EN 374-1 type B

Black neoprene

Ref. 50 12 (Pack of 10 pairs)
Ref. 50 52 (Batches of 5)

Sizes: 9, 10

Polychloroprene and latex, flocked cotton interior. Outer raised pattern finish.
Length 31 cm.
Comfortable, flexible and non-adhesive.
Versatile chemical resistance.



BREATHING PROTECTION



We offer 3 ranges of masks and associated accessories to cater to different types of use:

- single-use disposable masks
- reusable half-masks or full face masks with their corresponding filters in the Classic and Comfort ranges

CHOOSING YOUR DISPOSABLE MASK



3 LEVELS OF PROTECTION

MASK TYPE		
FFP1 ANTI-AEROSOL	FFP2 ANTI-AEROSOL WITH VALVES	FFP3 ANTI-AEROSOL WITH VALVES
PROTECTION LEVEL		
80%	94%	99%
POLLUTANT CLASS		
FFP1 SL NR	FFP2 SL NR	FFP3 SL NR
EXAMPLES OF PROTECTION		
Non-toxic dusts for concentrations up to 4 times the AEV (stops at least 80% of aerosols). Protects against particles of soft wood, cellulose, plaster, etc.	Fine dust, fumes and low toxicity mists, for concentrations up to 10 times the AEV (stops at least 94% of aerosols). Same as FFP1 + hard wood, glass fibre, paint, hard metals, etc.	Highly toxic dust, toxic fumes and toxic mists, for concentrations up to 50 times the AEV (stops at least 99% of aerosols). Same as FFP1 + same as FFP2 + chromium, manganese, nickel, platinum, metal dusts and fumes, viruses and enzymes.

AEV: Average Exposure Value. This is the concentration measured over a reference period. (e.g. an 8-hour day).

The AEV is indicated on the toxicity sheet of the products handled.

NR: non reusable - use is limited to one working day.

R: reusable

SL: filtration capacity for solid dusts (S) and liquid aerosols (S/L).



PERSONAL PROTECTION

BREATHING PROTECTION

SINGLE-USE



FFP1 anti-aerosol masks

Ref. 54 10 21 (bag of 3 masks)

Ref. 54 10 10 (box of 20 masks)

FFP1 SL protective mask.



FFP2 anti-aerosol masks with valve

Ref. 54 15 21 (bag of 3 masks)

Ref. 54 15 15 (box of 10 masks)

FFP2 SL protective mask with exhalation valve.



FFP3 anti-aerosol masks with valve

Ref. 54 20 21 (bag of 3 masks)

Ref. 54 20 20 (box of 5 masks)

FFP3 SL protective mask with exhalation valve.

**FREE
DISPLAY
BOX**
FOR 24 BOXES
PURCHASED

To be mentioned on
the order form





CHOOSING YOUR FILTER CARTRIDGES

The Classic and Comfort ranges are reusable and can be used with filters (inserts or cartridges).

FILTER CODES

FIELD OF USE OF ANTI-GAS FILTERS	CATEGORY OF ANTI-PARTICULATE FILTERS ACCORDING TO FILTRATION EFFICIENCY	CATEGORY OF ANTI-GAS FILTERS ACCORDING TO FILTRATION EFFICIENCY
Type A (brown) organic gases and vapours: benzene, diesel fuel, gasoline. Type B (grey) organic gases and vapours: chlorine, hydrogen sulphide, hydrocyanic acid, sulphuric acid. Type E (yellow) sulphur dioxide, hydrochloric acid, acetic acid. Type K (green) ammonia and derivatives	P1 low efficiency, non toxic dust P2 Medium efficiency, toxic dust (wood, polyester resin, etc.), metal fumes P3 High efficiency, very toxic dust (asbestos, arsenic, etc.) lead, welding fumes	class 1 low capacity (insert) class 2 medium capacity (cartridge) class 3 large capacity (canister)

EXAMPLES OF USE

RANGE	FILTER TYPE	BRICK OR PLASTER DUST	LEAD DUST	GLASSFIBRE ROCKWOOL	WHITE SPIRIT	ASBESTOS	ORGANIC GAS AND VAPOURS	INORGANIC GAS AND VAPOURS	AMMONIA	ACID GAS AND VAPOURS
Classic	A2P3R	✓	✓	✓	✓	✓	✓			
Comfort	A2P3R	✓	✓	✓	✓	✓	✓			
	ABEK2P3	✓	✓	✓	✓	✓	✓	✓	✓	✓





BREATHING PROTECTION

CLASSIC RANGE



Half-mask with cartridges

Ref. **54 25 10** (box containing a half-mask, filters sold separately)

Compatible filters: **A2P3R (542521)**

Half-mask with cartridges for 2 screw-in filters
Made of thermoplastic rubber.
Soft silicone exhalation valve. Simple, intuitive and ergonomic adjustment loop combined with a comfortable harness.
Complies with standard EN140:1998



COMPATIBLE

A2P3R Cartridges

Ref. **54 25 21** (bag of 2 cartridges)

USE: ORGANIC GASES AND VAPOURS, DUST AND VERY FINE TOXIC PARTICLES

HDPE cartridge, activated carbon and PP non-woven filter materials.

Complies with standard EN143:2000+A1:2006, EN14387:2004+A1:2008

COMFORT RANGE



Comfort half-mask kit

Ref. **54 30 14**

Compatible filters: **A2P3R (543019)**

Ready-to-use half-mask kit: includes a half-mask + 2 A2P3R filter cartridges

- › Very lightweight
- › Quick and safe to apply with locking action
- › Adjustable harness
- › good visibility

Complies with standard EN140:1998

PLUS POINTS

Very light

Easy to place on the face

Easy to clean: can be disassembled in less than a minute



COMPATIBLE

A2P3R Cartridges

Ref. **54 30 19** (bag of 2 cartridges)

USE: ORGANIC GASES AND VAPOURS, DUST AND VERY FINE TOXIC PARTICLES

- › Filtration material for gases: Activated carbon: for dust: pleated fibre
 - › Non-deformable ABS container
 - › Class 2 gas filter; Class P3 particulate filter
- Complies with standard EN143:2000+A1:2006, EN14387:2004+A1:2008**



Comfort full face mask

Ref. **54 30 49**
(filters sold separately)

Compatible filters:
A2P3R (543019) - ABEK2P3R (543024)

Reusable full face mask with 2 filters and silicone seal.
 › Quick and safe to apply with locking action
 › Optical class 1 (EN166) polycarbonate visor and polyamide filter holder
 › Panoramic field of vision
 › Anti-fog and scratch resistant mask
 › 6-point fixed harness

PLUS POINTS

Comfortable: good weight distribution, leaves no marks on the face
Panoramic field of view with no optical distortion



ABEK2P3R Cartridges

Ref. **54 30 24** (bag of 2 cartridges)

USE: ORGANIC AND INORGANIC GASES AND VAPOURS, ACID GASES, AMMONIA AND DERIVATIVES, DUST AND VERY FINE TOXIC PARTICLES

› Filtration material for gases: Activated charcoal:
 For dust: Pleated fibre
 › Non-deformable ABS container
 › Class 2 gas filter; Class P3 particulate filter
Complies with standard EN143:2000+A1:2006, EN14387:2004+A1:2008




A2P3 half-mask integrated filters

Ref. **54 30 58**

Ready- to-use, maintenance-free half-mask
 › Mask: resistant, durable and holds its shape
 › Perfectly airtight
 › Easy to lower the mask without having to remove the helmet
 › Excellent filtration performance
Complies with standard EN 405 2001+A1:2009

PLUS POINTS

Simple as a disposable and protects like a reusable
No maintenance required
High visibility



Visor protection

Ref. **54 30 55**

Polyethylene visor protection for Comfort full face mask.
 Pack of 5 visors.



EYE PROTECTION

PROTECTION AGAINST MECHANICAL RISKS (CONSTRUCTION AND INDUSTRY)

STANDARD EN 166:2001

specifies optical quality, resistance to common risks, mechanical risks, resistance to shocks/impacts.

OTHER STANDARDS FOR PROTECTIVE EYEWEAR

EN 170: Ultraviolet filter.

EN 172: Sun protection filter for industrial use.

EN 1836: Sun protection filter for leisure and sport.

ALL OUR MODELS COMPLY WITH EN 166:2001 AND EN 170 (CLEAR LENS) OR EN 172 (TINTED LENS) STANDARDS



Wilco

Clear
ref. **52 14**

Tinted
ref. **52 15**

AFFORDABLE GOGGLES COMBINING COMFORT AND LIGHTNESS.

- › Polycarbonate lenses (99.99% absorption of Uva and UVB rays).
- › Wraparound lens offering an unobstructed panoramic view.
- › Lightweight and frameless for permanent comfort.
- › Length-adjustable arms for better grip.
- › Adjustable nose bridge. Scratch resistant
- › Weight: 28.7 g

PLUS POINTS

Comfort lightness - frameless



Squadron

Clear
ref. **52 17**

Tinted
ref. **52 18**

THE COMBINATION OF STYLE AND COMFORT FOR ALL TYPES OF WORKING ENVIRONMENT.

- › Polycarbonate lenses (99.99% absorption of UVA and UVB rays).
- › Frameless Thin, flat, flexible arms that fit under any PPE.
- › Goggles with no metal parts
- › Reinforced K (certified) anti-scratch treatment and reinforced N (certified) anti-fogging treatment.
- › Weight: 28 g

PLUS POINTS

Style - comfort - flexibility



Atlas

Ref. **52 16**

THE ULTIMATE IN PROTECTIVE EYEWEAR WITH PANORAMIC VISION

- › Polycarbonate lenses (99.99% absorption of UVA and UVB rays).
- › Polyamide frame.
- › Adjustable and inclinable arms with flexible tips
- › Flexible nose bridge
- › Anti-scratch and anti-fogging.
- › Weight: 29.3 g

PLUS POINTS

Panoramic vision - comfort





**PROTECTION AGAINST
MECHANICAL, DUST AND
CHEMICAL RISKS**



Aegean overgoggles

Ref. **52 20**

COMFORTABLE AND LIGHTWEIGHT OVERGOOGLES WITH A SPORTY LOOK.

- › Sporty design
- › Polycarbonate lenses (99.99% absorption of UVA and UVB rays)
- › Lens curvature 3
- › Polycarbonate frame
- › Anti-scratch / Anti-fogging
- › Flexible and adjustable nose bridge and arms
- › Weight: 39.8 g

PLUS POINTS

Sporty look – Lightweight – Fully adjustable



Sigma protective mask

Ref. **52 25**

EXTREMELY COMFORTABLE MASK DESIGNED TO FIT PERFECTLY TO YOUR FACE.

- › Polycarbonate lenses (99.99% absorption of UVA and UVB rays).
- › Lens curvature 5.5. Non-P PVC frame
- › Adjustable headband + quick-release headband for a better fit over prescription glasses or hard hat. Designed with 2 openings to be worn with protective glasses.
- › Anti-scratch / Anti-fogging
- › Weight: 133 g

PLUS POINTS

Extreme comfort – ventilated



Flylux 60950

Ref. **52 13**

EVA foam-lined eye contour / UV400 mirror
Black nylon frame, EVA foam lining
CAT 1: light absorption between 20 and 57 %.

PLUS POINTS

Fits securely on the face / Full eye protection.
2-in-1 goggles: supplied with elasticated headband and arms (interchangeable).
Indoor/outdoor. Compliant with EN 172 and EN 1836.



Vented mask

Ref. **52 05**

Polycarbonate lens. Flexible PVC mask body with air vents.
Adjustable tightening elastic.

HEAD PROTECTION

Baseball-type white hard hat

Ref. **71 05 11**

EC standards EN 397:2012+A1:2012 + EN50365:2002.

Chinstrap + badge holder.

Adjustable size, innovative tightening system.



White hard hat

Ref. **71 05 10**

EC standard EN 397.



Shock-resistant safety cap

White
ref. **71 05 15**

Black
ref. **71 05 16**

Shock-resistant baseball cap. Composed of a moulded ABS shell with comfort foam. Adjustment by velcro tab.



BLACK



WHITE

Noise-cancelling ear-plugs with steel ball

Ref. **71 05 05**

Sold in bags of 10.



Noise-cancelling headphones 32.1dB SNR

Ref. **71 05 21**

Standard: EN 352-1: 2002. Shell in yellow ABS, adjustable and foldable hoop. Pocket model, PVC pad with leather feel. Weight: 178 gEC type 0501/1747/159/10/13/0502



PLUS POINTS

Folds in the pocket

NEW
2022

First aid kit

Ref. 71 15 06	2 person	L11.5 x H6.5 x W5 cm
Ref. 71 15 08	4 person.	L15 x H12 x W5 cm

Fabric first aid kit in a handy size.

Slots easily into the glove box



Special construction industry first aid kit

Ref. **71 15 10**

For 5 people.



High-vis vest

Ref. **71 07 10**


One size: XL Class 2.



Warning sign tape

Ref. **71 10 10** | Dimensions: 5 cm x 100 m

Sold in packs of 12 rolls.



Fall prevention kit

Ref. **71 20 01**

1 complete harness with sub-pelvic strap, three attachment points: 1 dorsal steel D-ring and 2 textile sternal loops.
EC standard EN361 1. Polyamide work positioning lanyard measuring 2 m long and 14 mm in diameter, supplied with two steel carabiners with zinc-plated screws.
EC standards EN 358 and EN 362
1 temporary 1 m polyester anchor strap with 2 steel D-buckles (horizontal work)
EC standard EN 795. Weight: 2,320 g.

PLUS POINTS

Complete kit packed in a carry bag.



Carabiner

Ref. **71 22 10**

Steel carabiner.
Automatic
1/4 turn closure.
EC type 1503. Issue 5
Extension 1.
Standard EN 362:2004.

PLUS POINTS

Robustness
Easy opening and closing.



A COMPLETE MERCHANDISING RANGE FOR YOUR SALES OUTLET

To help you promote your product offering and resell the products, DULARY provides a range of merchandising materials.



**NEW
2022**



G
**Back panel for
pallet of rolls**


Ref. **FRONTONBOBINEAU**

L81cm: D37cm – H160cm



C
Mannequin

Ref. **MASCOTMANNEQUIN**



E
Metal rack

Ref. **MASCOTMOBILIER**



H 152cm – L 74 cm – D 61cm
Holds around 16 garments on hangers



A
**Counter display
2 shoes**

Ref. **PRESCPTOIR2CHAUS**

L. 26 cm – H. 46.5 cm
D. 32 cm
2 shoes



B
**Counter
display
6 shoes**

Ref. **PRESSOL6CHAUS**

L. 54.3 cm – H. 171.7 cm
D. 30.3 cm
6 shoes



D
Shop dummy

Ref. **BUSTE**



F
Metal gondola 1m

Ref. **40 10 11**

L. 100 cm – H. 215 cm – D. 50 cm
Capacity: approx. 100 garments

Ref. **BARRE1M** | Display
rail

Hooks to a 1m width gondola

2
configurations:
with pegs,
or with a rail





Protection is our business

DULARY supports you in France and throughout Europe

2 SITES IN FRANCE



SUCY-EN-BRIE

ZAC de la Sablière
11 avenue de la Sablière
94370 SUCY-EN-BRIE
dulary-idf@dulary.com

SAINTE-SIGOLÈNE

ZI Les Taillas
Allée Louis Pasteur
43600 SAINTE-SIGOLÈNE
dulary-sud@dulary.com

YOUR CONTACTS

Ile de France sales:	+33 (0)6 24 38 38 46
North region sales:	+33 (0)6 60 18 18 92
South-West region sales:	+33 (0)7 71 72 99 98
South-East region sales:	+33 (0)6 21 84 32 31
Dulary Head Office:	+33 (0)1 49 82 04 04
Outside France:	international@multiplast-dulary.com

ORDERS DEPARTMENT

SUCY-EN-BRIE

Tel: +33 (0)1 49 82 04 04
Fax: +33 (0)1 49 82 04 05
appro-idf@dulary.com

SAINTE-SIGOLÈNE

Tel: +33 (0)4 71 75 14 39
Fax: +33 (0)4 71 75 68 10
appro-sud@dulary.com

dulary.fr