



2025

PRODUCT CATALOGUE

Site protection | Professional clothing | Personal protection | Merchandising

PROTECTION IS OUR BUSINESS



For over 50 years,
we have
our expertise
at your service
**to protect
construction sites
and people**

**For a professional, protecting your
worksite and your teams
is a guarantee of quality
and professionalism.**

That is why Dulary offers a comprehensive
offer of site protection and personal protection.
Discover our wide range of products, offering
protection for every stage of your work.



**FRENCH
COMPANY
WITH 50 YEARS
OF EXPERIENCE**



**NATIONWIDE
PRESENCE
& INTERNATIONAL
OUTLOOK**



**EVER
HIGHER
STANDARDS**



A COMPREHENSIVE RANGE for painters



SITE PROTECTION

Dulystrong+	p. 10-11
Dulybio	p. 12-13
Choosing your plastic sheeting :	p. 15-17
Outdoor floors	p. 18
Outdoor walls and windows	p. 19
Outdoor facades	p. 20
Indoor floors	p. 21
Indoor walls	p. 22
Indoor walls and windows	p. 23
Summary table	p. 24
Specific protection	p. 25
Choosing your indoor protection	p. 26-27
Dulyfix range	p. 28-33
Dulycover range	p. 34-35
DulyPlak, Protecsol	p. 36
Cotton dust sheet	p. 37
Masking / adhesives	p. 38
Wipes	p. 39
Trash bags	p. 40
Rubble bags / Big Bag	p. 41-42

PROFESSIONAL CLOTHING

Customisation and sizes	p. 44
Choosing your clothing range	p. 45
Range Evolution	p. 46-47
Range Performance	p. 48-50
Range Expert	p. 51-55
Range Presti-confort	p. 56-59
Range Classic	p. 60-61
Range Sportswear	p. 62-65
Range Cold	p. 66-71
Range Complementary	p. 72-73
Range Women	p. 74-75
Range Rainwear	p. 76

PERSONAL PROTECTION

Disposable clothing	p. 78-79
Choosing your safety footwear	p. 80-81
Safety footwear	p. 82-88
Choosing your gloves	p. 89
Hand protection	p. 90-93
Choosing your single-use mask	p. 94
single-use mask	p. 95
Choosing your cartridge	p. 96
Full face mask and cartridge	p. 97-99
Eye protection	p. 100-101
Head protection	p. 102
Safety products	p. 103

MERCHANDISING

Complete range	p. 104-105
Furniture / POS display	p. 106-107



Connect to our world

on social networks

Dulary is now present
on social media.
Follow us and stay
informed of our latest
news and innovations.



Tips from our
professional painter

Discover all what's new in 2025



↳ p. 6-7

MANY SELECTION GUIDES
to better understand
our ranges

A range of seamless protection for professionals













We are proud to offer our customers a wide range of protective plastic films and sheeting, made in France, made from recycled plastic.

Because preserving resources of resources is important to us, we are always to guarantee unique and durability, while reducing our carbon footprint. Recycled materials, bio-sourced materials, more sustainable packaging... This is how we illustrate our commitment to sustainability in our plastic sheeting.



CHOICE GUIDE

CHOOSE WELL the level of protection of your sheeting

	BIO SOURCED	THICKNESS	PROTECTION LEVEL
THIN*		10 microns	
BASIC		30 microns	
BASIC PRO		35 microns	
BASIC PLUS		40 microns	
STANDARD		50 microns	
STANDARD PRO		65 microns	
PREMIUM		80 microns	
PREMIUM PRO		110 microns	
PRO 150		150 microns	
EXPERT 200		200 microns	

* virgin plastic

3 COLORS
TO CHOOSE FROM :



NEUTRAL



TINTED



BLACK

3 AREAS
OF PROTECTION :



- › less than **20 m²**
- › less than **75 m²**
- › **100 m²** and more




Our sustainable **commitments**

While remaining competitive and attractive, our company stands out and is committed to a strong CSR(1)/ESG(2) approach

to meet the expectations of its customers and suppliers, who attach increasing importance to social, societal and environmental issues.

A real challenge to make a positive impact on the environment.



COMPANY

ESG (2) PROCESS



REGULATORY COMPLIANCE

Compliance with the law **AWCE**(5)

Compliance **ERP**(6)

Building **CPMB**(7)



LOW-CARBON PATH

Integration of Recycled material
in packaging

Awareness-raising and training
on climate issues :

Climate Mural



CUSTOMER SATISFACTION OBJECTIVE

Customer satisfaction rate :

0 non-conformities since 2022 on films
and plastic sheeting manufactured in France




(1) CSR: Corporate Social Responsibility - (2) ESG: Environmental, Social and Governance, - (3) RRM: Recycled Raw Materials- (4) LDPE: Low Density Polyethylene,
(5) AWCE: Anti-waste for a Circular Economy,- (6) ERP: Extended Producer Responsibility,- (7) CPMB: Construction products and materials for building



NEW

See at a glance
our eco-responsible products
with our new pictogram



PRODUCTION



RECYCLING OUR WASTE FROM PRODUCTION

100% of our waste is recycled
and reintegrated into our production



REDUCTION PLAN ENERGY CONSUMPTION

100% LED
Heat recovery
for heating and sanitary facilities



DECREE LOSS MANAGEMENT OF GRANULES IN ENVIRONMENT

100% conformity



FRENCH PRODUCTION

1 production site, in France,
in Haute Loire, bastion of the French plastics
industry

PRODUCTS



REDUCTION OF OUR CO₂ EMISSIONS

Products made exclusively
from recycled plastic (see MORE label)
and/or biosourced plastic




MORE SUSTAINABLE PACKAGING

30% minimum of RRM⁽³⁾
in packaging
100% recyclable packaging (LDPE⁽⁴⁾)



DEVELOPMENT OF A BIOSOURCED RANGE

Biosourced & recycled plastic sheeting



Our values to protect you better

QUALITY SUPERIOR



Offering you a **constant level of quality** in our products and services is the Dulary commitment to superior quality. Our integrated quality department has implemented a **strict control process** as well as a **continuous improvement approach**. Your peace of mind is our priority.

SERVICE MORE



At Dulary, **customer services is in our genes**. And customer service means first of all listening, availability and proximity. Because each customer is unique, we are committed to always finding the right turnkey solution. For a more personalised service.

VALUE ADDED



Innovation is a priority for us. Our R&D unit is attentive to needs and trends to offer the most **technical, ergonomic, safe and aesthetic protection solutions**. We also want to provide maximum **added value to our distributors** in terms of sales support: packaging, POS, merchandising, etc.

HIGH TRUST



The **loyalty of our customers is essential** to us and we do everything to deserve it. Since our inception, we have been committed to the **values of consideration, fairness and respect**, both with our customers, our suppliers and our employees. Highly loyal values that have endured over the years.



New products 2025

NEW

A wide range of plastic films for optimal protection on your construction sites, **professional clothing** combining comfort and durability, and **personal protective equipment at the forefront of safety**. Even more efficient, these products have been designed to meet the needs of demanding professionals.

COLD RANGE

**Smart Jacket,
two-tone**

→ p. 66

RECYCLED PLASTIC
PROTECTIVE SHEETING

Dulystrong+

→ p. 10-11

SAFETY
SHOES

**High-top
Emerson**

→ p. 86

SAFETY
SHOES

Oslo Shoe

→ p. 85

PERFORMANCE
RANGE

**Performance
Overalls**

→ p. 49



RECYCLED/
BIO-BASED PLASTIC
PROTECTIVE SHEETING

Dulybio

→ p. 12-13



SAFETY
SHOES

**Haka
High-top**

→ p. 83



SAFETY
SHOES

**Dunlop
High-top**

→ p. 82

SAFETY
SHOES

**Hack
High-top**

→ p. 86



SAFETY
SHOES

**Mustang
High-top**

→ p. 83



SITE PROTECTION

PROFESSIONAL CLOTHING

PERSONAL PROTECTION

MERCHANDISING



All our solutions for all your renovation sites



PLASTIC FILMS

A Plastic sheeting

→ p. 15

B Black Dulystrong+

→ p. 10

C White Dulystrong+

→ p. 10

INDOOR PROTECTION

D Breathable Dulyfix

→ p. 28

E Original Dulyfix

→ p. 28

F Dulyplak

→ p. 36

SITE PROTECTION

G Kraft tape

→ p. 38

H Non woven white cloths

→ p. 39

BAGS

I Transparent rubble bag

→ p. 41

SPECIFIC PROTECTION

J Zipped door

→ p. 25

SITE PROTECTION

Dulystrong+	p. 10-11
Dulybio	p. 12-13
Choosing your plastic sheeting :	p. 15-17
Outdoor floors	p. 18
Outdoor walls and windows	p. 19
Outdoor facades	p. 20
Indoor floors	p. 21
Indoor walls	p. 22
Indoor walls and windows	p. 23
Summary table	p. 24
Specific protection	p. 25
Choosing your indoor protection	p. 26-27
Dulyfix range	p. 28-33
Dulycover range	p. 34-35
DulyPlak, Protecsol	p. 36
Cotton dust sheet	p. 37
Masking / adhesives	p. 38
Wipes	p. 39
Trash bags	p. 40
Rubble bags / Big Bag	p. 41-42

NOUVEAU

DulystRONG⁺

The heavy-duty sheet made from recycled plastic

THAT WILL REVOLUTIONIZE
THE PROTECTION OF YOUR
CONSTRUCTION SITES



RESPONSIBLE
CONSUMPTION



SAVING
TIME



CUTTING
COSTS



WORKPLACE
SAFETY

Dulary innovates and launches
its **new ultra-resistant**
protective sheet made of
recycled plastic.


For optimal safety and comfort
in protecting your construction
sites, we have developed a
1-meter wide, **ultra-resistant,**
and **reusable** protective sheet.

CHECK OUT
OUR VIDEO !





SAFE AND EASY TO USE



Designed to meet the daily demands of your construction sites, Dulystrong+ **saves you time and money** while ensuring **optimal efficiency**.

Its material **immediately lays flat on the ground** and stays in place, being adhesive only on one side.

Thanks to its **ultra-resistant** material, it provides optimal protection against heavy traffic, heavy loads, and scratches, ensuring exceptional durability across all your construction sites.



DulySTRONG+ plastic protection

	DIMENSIONS	M²	USE	PACKAGING	SKU
Dulystrong+ white	1 m x 25 m	25		15 rolls box	10 80 20
Dulystrong+ black	1 m x 25 m	25		individual unit	10 80 30

NEW

Dulybio


The bio-based film

ANOTHER STEP IN OUR ENVIRONMENTALLY RESPONSIBLE APPROACH

As part of our innovation, we are proud to offer you a plastic film **made from plant-based material** with a patent pending. For the manufacture of this new DULYBIO biosourced range, we have selected a natural material : **sugar cane bagasse**. With this **new biosourced** range, Dulary enriches its film offering, still as resistant, and contributes to the reduction in CO2.

Why sugar cane bagasse?

Bagasse is the fibrous residue from the crushing of sugar cane. It is one of the best natural alternatives to virgin plastic. An ideal eco-friendly material that contributes to the development of the circular economy, guaranteeing a film that is as strong as virgin or recycled plastic film.



[▶ CHECK OUT OUR VIDEO !](#)



SITE PROTECTION RECYCLED / BIO-BASED PLASTIC FILMS

THE EXPERT'S ADVICE



Julien, professional plasterer and painter

The Dulybio range allows me to protect my construction sites effectively while preserving the environment

For walls, floors, windows, and even furniture, Dulary's biosourced range allows me to protect my painting projects with peace of mind.



Bio-based bobineau roll

QUALITY	NAME	DIMENSIONS	M ²	COLOR	FOLDED IN	QTY/ 1/2 PALLET	SKU
BASIC PRO	Dulybio.B4	3 m x 25 m	75	neutral	4	105	10 40 20

Bio-based polyéthylène folded sheet

QUALITY	NAME	DIMENSIONS	QTY/BOX	SKU
THIN	Dulybio.P2	4 m x 3 m	60	10 40 05



DISCOVER THE FULL RANGE OF

plastic protective sheeting



From page 16



A PIONEER OF PLASTIC SHEETING

recycled and recyclable

Keen to promote the development of the circular economy, we were a pioneer in this field, offering **a range of recycled plastic films and sheet right from the start**. Today, **our plastic rolls and reels are made from recycled plastic and are recyclable**.

In order to guarantee high quality films, we are particularly demanding in the selection of recycled raw materials. Thanks to the process of **tri-layer technology** (the thickness of a film is composed of 3 superimposed layers), our films have **a resistance to tearing and perforation**.



OUR COMMITMENTS



MADE IN
FRANCE



RECYCLED



RECYCLABLE

NOS 'PLUS'-PRODUIT



OPTIMAL
RESISTANCE



NON-SLIP



ODOURLESS



The **MORE 2024** label, which promotes the use of recycled raw materials, has been awarded to our plastic film production.

[▶ CHECK OUT OUR VIDEO !](#)



CHOOSING the size of its sheeting protection



POLYETHYLENE DROP CLOTH

AREA TO BE PROTECT

20 m²

Ready-to-use pre-cut sheeting. Format suitable for **work on small areas**.

BOBINEAU ROLL

AREA TO BE PROTECT

75 m²

The **practical** roll par excellence, easy to transport, unrolls and unfolds to a width of 3 m.

LARGE ROLL

AREA TO BE PROTECT

100 m² et +

Ideal for protecting **very large areas**. Available in 3 m or 6 m roll widths.

WORKSITES ROLL

AREA TO BE PROTECT

100 m² et +

Designed for **worksites** requiring heavy protection over large surfaces












CHOOSING protective plastic sheeting

With Dulary: the right sheeting
for every situation!

To make the right choice of plastic sheeting, all you need to do is identify the site
environment and what you need to protect:

- Indoor or outdoor?
- During "heavy" work that generates a lot of dust – such as sanding
or paint finishing?
- Floor or vertical areas?
- For several weeks or a short period?

Use the table below to find the right sheeting for you!

<div></div> <div>bio-based</div>	<div><div><div><div></div><div>INDOOR USE</div></div><div>TEMPORARY OUTDOOR PROTECTION</div></div></div> <div><div>FLOORS</div><div></div></div> <div><div>WALLS AND WINDOWS</div><div></div></div> <div><div>FLOORS</div><div></div></div>	<div><div><div><div></div><div>OUTDOOR USE</div></div><div></div></div></div>																																																																																					
	<div><div><div><div></div><div>SITE PREPARATION</div></div><table><tr><td>THIN</td><td>BASIC</td><td>BASIC PRO</td></tr><tr><td>BASIC PLUS</td><td>STANDARD</td><td>STANDARD PRO</td></tr><tr><td>PREMIUM</td><td>PREMIUM PRO</td><td>PRO 150</td></tr><tr><td>EXPERT 200</td><td>DulySTRONG</td><td></td></tr></table></div></div> <div><table><tr><td>THIN</td><td>BASIC</td><td>BASIC PRO</td></tr><tr><td>BASIC PLUS</td><td>STANDARD</td><td>STANDARD PRO</td></tr><tr><td>PREMIUM</td><td>PREMIUM PRO</td><td>PRO 150</td></tr><tr><td>EXPERT 200</td><td>DulySTRONG</td><td></td></tr></table><table><tr><td>THIN</td><td>BASIC</td><td>BASIC PRO</td></tr><tr><td>BASIC PLUS</td><td>STANDARD</td><td>STANDARD PRO</td></tr><tr><td>PREMIUM</td><td>PREMIUM PRO</td><td>PRO 150</td></tr><tr><td>EXPERT 200</td><td>DulySTRONG</td><td></td></tr></table></div>	THIN	BASIC	BASIC PRO	BASIC PLUS	STANDARD	STANDARD PRO	PREMIUM	PREMIUM PRO	PRO 150	EXPERT 200	DulySTRONG		THIN	BASIC	BASIC PRO	BASIC PLUS	STANDARD	STANDARD PRO	PREMIUM	PREMIUM PRO	PRO 150	EXPERT 200	DulySTRONG		THIN	BASIC	BASIC PRO	BASIC PLUS	STANDARD	STANDARD PRO	PREMIUM	PREMIUM PRO	PRO 150	EXPERT 200	DulySTRONG		<div><table><tr><td>THIN</td><td>BASIC</td><td>BASIC PRO</td></tr><tr><td>BASIC PLUS</td><td>STANDARD</td><td>STANDARD PRO</td></tr><tr><td>PREMIUM</td><td>PREMIUM PRO</td><td>PRO 150</td></tr><tr><td>EXPERT 200</td><td>DulySTRONG</td><td></td></tr></table><table><tr><td>THIN</td><td>BASIC</td><td>BASIC PRO</td></tr><tr><td>BASIC PLUS</td><td>STANDARD</td><td>STANDARD PRO</td></tr><tr><td>PREMIUM</td><td>PREMIUM PRO</td><td>PRO 150</td></tr><tr><td>EXPERT 200</td><td>DulySTRONG</td><td></td></tr></table></div>	THIN	BASIC	BASIC PRO	BASIC PLUS	STANDARD	STANDARD PRO	PREMIUM	PREMIUM PRO	PRO 150	EXPERT 200	DulySTRONG		THIN	BASIC	BASIC PRO	BASIC PLUS	STANDARD	STANDARD PRO	PREMIUM	PREMIUM PRO	PRO 150	EXPERT 200	DulySTRONG		<div><table><tr><td>THIN</td><td>BASIC</td><td>BASIC PRO</td></tr><tr><td>BASIC PLUS</td><td>STANDARD</td><td>STANDARD PRO</td></tr><tr><td>PREMIUM</td><td>PREMIUM PRO</td><td>PRO 150</td></tr><tr><td>EXPERT 200</td><td>DulySTRONG</td><td></td></tr></table><table><tr><td>THIN</td><td>BASIC</td><td>BASIC PRO</td></tr><tr><td>BASIC PLUS</td><td>STANDARD</td><td>STANDARD PRO</td></tr><tr><td>PREMIUM</td><td>PREMIUM PRO</td><td>PRO 150</td></tr><tr><td>EXPERT 200</td><td>DulySTRONG</td><td></td></tr></table></div>	THIN	BASIC	BASIC PRO	BASIC PLUS	STANDARD	STANDARD PRO	PREMIUM	PREMIUM PRO	PRO 150	EXPERT 200	DulySTRONG		THIN	BASIC	BASIC PRO	BASIC PLUS	STANDARD	STANDARD PRO	PREMIUM	PREMIUM PRO	PRO 150	EXPERT 200	DulySTRONG	
	THIN	BASIC	BASIC PRO																																																																																				
	BASIC PLUS	STANDARD	STANDARD PRO																																																																																				
PREMIUM	PREMIUM PRO	PRO 150																																																																																					
EXPERT 200	DulySTRONG																																																																																						
THIN	BASIC	BASIC PRO																																																																																					
BASIC PLUS	STANDARD	STANDARD PRO																																																																																					
PREMIUM	PREMIUM PRO	PRO 150																																																																																					
EXPERT 200	DulySTRONG																																																																																						
THIN	BASIC	BASIC PRO																																																																																					
BASIC PLUS	STANDARD	STANDARD PRO																																																																																					
PREMIUM	PREMIUM PRO	PRO 150																																																																																					
EXPERT 200	DulySTRONG																																																																																						
THIN	BASIC	BASIC PRO																																																																																					
BASIC PLUS	STANDARD	STANDARD PRO																																																																																					
PREMIUM	PREMIUM PRO	PRO 150																																																																																					
EXPERT 200	DulySTRONG																																																																																						
THIN	BASIC	BASIC PRO																																																																																					
BASIC PLUS	STANDARD	STANDARD PRO																																																																																					
PREMIUM	PREMIUM PRO	PRO 150																																																																																					
EXPERT 200	DulySTRONG																																																																																						
THIN	BASIC	BASIC PRO																																																																																					
BASIC PLUS	STANDARD	STANDARD PRO																																																																																					
PREMIUM	PREMIUM PRO	PRO 150																																																																																					
EXPERT 200	DulySTRONG																																																																																						
THIN	BASIC	BASIC PRO																																																																																					
BASIC PLUS	STANDARD	STANDARD PRO																																																																																					
PREMIUM	PREMIUM PRO	PRO 150																																																																																					
EXPERT 200	DulySTRONG																																																																																						
<div><div><div><div></div><div>PAINT & FINISHING</div></div><table><tr><td>THIN</td><td>BASIC</td><td>BASIC PRO</td></tr><tr><td>BASIC PLUS</td><td>STANDARD</td><td>STANDARD PRO</td></tr><tr><td>PREMIUM</td><td>PREMIUM PRO</td><td>PRO 150</td></tr><tr><td>EXPERT 200</td><td>DulySTRONG</td><td></td></tr></table></div></div> <div><table><tr><td>THIN</td><td>BASIC</td><td>BASIC PRO</td></tr><tr><td>BASIC PLUS</td><td>STANDARD</td><td>STANDARD PRO</td></tr><tr><td>PREMIUM</td><td>PREMIUM PRO</td><td>PRO 150</td></tr><tr><td>EXPERT 200</td><td>DulySTRONG</td><td></td></tr></table><table><tr><td>THIN</td><td>BASIC</td><td>BASIC PRO</td></tr><tr><td>BASIC PLUS</td><td>STANDARD</td><td>STANDARD PRO</td></tr><tr><td>PREMIUM</td><td>PREMIUM PRO</td><td>PRO 150</td></tr><tr><td>EXPERT 200</td><td>DulySTRONG</td><td></td></tr></table></div>	THIN	BASIC	BASIC PRO	BASIC PLUS	STANDARD	STANDARD PRO	PREMIUM	PREMIUM PRO	PRO 150	EXPERT 200	DulySTRONG		THIN	BASIC	BASIC PRO	BASIC PLUS	STANDARD	STANDARD PRO	PREMIUM	PREMIUM PRO	PRO 150	EXPERT 200	DulySTRONG		THIN	BASIC	BASIC PRO	BASIC PLUS	STANDARD	STANDARD PRO	PREMIUM	PREMIUM PRO	PRO 150	EXPERT 200	DulySTRONG		<div><table><tr><td>THIN</td><td>BASIC</td><td>BASIC PRO</td></tr><tr><td>BASIC PLUS</td><td>STANDARD</td><td>STANDARD PRO</td></tr><tr><td>PREMIUM</td><td>PREMIUM PRO</td><td>PRO 150</td></tr><tr><td>EXPERT 200</td><td>DulySTRONG</td><td></td></tr></table><table><tr><td>THIN</td><td>BASIC</td><td>BASIC PRO</td></tr><tr><td>BASIC PLUS</td><td>STANDARD</td><td>STANDARD PRO</td></tr><tr><td>PREMIUM</td><td>PREMIUM PRO</td><td>PRO 150</td></tr><tr><td>EXPERT 200</td><td>DulySTRONG</td><td></td></tr></table></div>	THIN	BASIC	BASIC PRO	BASIC PLUS	STANDARD	STANDARD PRO	PREMIUM	PREMIUM PRO	PRO 150	EXPERT 200	DulySTRONG		THIN	BASIC	BASIC PRO	BASIC PLUS	STANDARD	STANDARD PRO	PREMIUM	PREMIUM PRO	PRO 150	EXPERT 200	DulySTRONG		<div><table><tr><td>THIN</td><td>BASIC</td><td>BASIC PRO</td></tr><tr><td>BASIC PLUS</td><td>STANDARD</td><td>STANDARD PRO</td></tr><tr><td>PREMIUM</td><td>PREMIUM PRO</td><td>PRO 150</td></tr><tr><td>EXPERT 200</td><td>DulySTRONG</td><td></td></tr></table><table><tr><td>THIN</td><td>BASIC</td><td>BASIC PRO</td></tr><tr><td>BASIC PLUS</td><td>STANDARD</td><td>STANDARD PRO</td></tr><tr><td>PREMIUM</td><td>PREMIUM PRO</td><td>PRO 150</td></tr><tr><td>EXPERT 200</td><td>DulySTRONG</td><td></td></tr></table></div>	THIN	BASIC	BASIC PRO	BASIC PLUS	STANDARD	STANDARD PRO	PREMIUM	PREMIUM PRO	PRO 150	EXPERT 200	DulySTRONG		THIN	BASIC	BASIC PRO	BASIC PLUS	STANDARD	STANDARD PRO	PREMIUM	PREMIUM PRO	PRO 150	EXPERT 200	DulySTRONG		
THIN	BASIC	BASIC PRO																																																																																					
BASIC PLUS	STANDARD	STANDARD PRO																																																																																					
PREMIUM	PREMIUM PRO	PRO 150																																																																																					
EXPERT 200	DulySTRONG																																																																																						
THIN	BASIC	BASIC PRO																																																																																					
BASIC PLUS	STANDARD	STANDARD PRO																																																																																					
PREMIUM	PREMIUM PRO	PRO 150																																																																																					
EXPERT 200	DulySTRONG																																																																																						
THIN	BASIC	BASIC PRO																																																																																					
BASIC PLUS	STANDARD	STANDARD PRO																																																																																					
PREMIUM	PREMIUM PRO	PRO 150																																																																																					
EXPERT 200	DulySTRONG																																																																																						
THIN	BASIC	BASIC PRO																																																																																					
BASIC PLUS	STANDARD	STANDARD PRO																																																																																					
PREMIUM	PREMIUM PRO	PRO 150																																																																																					
EXPERT 200	DulySTRONG																																																																																						
THIN	BASIC	BASIC PRO																																																																																					
BASIC PLUS	STANDARD	STANDARD PRO																																																																																					
PREMIUM	PREMIUM PRO	PRO 150																																																																																					
EXPERT 200	DulySTRONG																																																																																						
THIN	BASIC	BASIC PRO																																																																																					
BASIC PLUS	STANDARD	STANDARD PRO																																																																																					
PREMIUM	PREMIUM PRO	PRO 150																																																																																					
EXPERT 200	DulySTRONG																																																																																						
THIN	BASIC	BASIC PRO																																																																																					
BASIC PLUS	STANDARD	STANDARD PRO																																																																																					
PREMIUM	PREMIUM PRO	PRO 150																																																																																					
EXPERT 200	DulySTRONG																																																																																						
<div><div><div><div></div><div>SPECIFIC PROTECTION</div></div><div><div></div><div></div><div></div></div></div></div> <div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div></div>																																																																																					
PAGE	p. 18	p. 19	p. 21																																																																																				



TEMPORARY INDOOR PROTECTION

WALLS



FURNITURE AND WINDOWS



SPECIFIC PROTECTION

FIRE-RETARDANT PROTECTION



PERMANENT PROTECTION

UNDER-PAVING & UNDER-PARQUETING



THIN	BASIC	BASIC PRO
BASIC PLUS	STANDARD	STANDARD PRO
PREMIUM	PREMIUM PRO	PRO 150
EXPERT 200	DulySTRONG	

THIN	BASIC	BASIC PRO
BASIC PLUS	STANDARD	STANDARD PRO
PREMIUM	PREMIUM PRO	PRO 150
EXPERT 200	DulySTRONG	

THIN	BASIC	BASIC PRO
BASIC PLUS	STANDARD	STANDARD PRO
PREMIUM	PREMIUM PRO	PRO 150
EXPERT 200	DulySTRONG	

THIN	BASIC	BASIC PRO
BASIC PLUS	STANDARD	STANDARD PRO
PREMIUM	PREMIUM PRO	PRO 150
EXPERT 200	DulySTRONG	

114 BLACK 200 WHITE

200

p. 22

p. 23

p. 25

p. 25

TEMPORARY OUTDOOR PROTECTION FLOORS

Bobineau roll

QUALITY	SITE PREPARATION	PAINT/ FINISHING	DIMENSIONS	M²	COLOR	FOLDED IN	QTY / PALLET	SKU
BASIC PLUS		✓	3 m x 25 m	75	neutral	4	203	10 05 20
STANDARD			3 m x 25 m	75	neutral	4	150	10 05 30
STANDARD PRO			3 m x 25 m	75	neutral	4	126	10 05 35
PREMIUM			3 m x 25 m	75	neutral	4	105	10 05 40
PREMIUM PRO	✓		3 m x 25 m	75	neutral	4	68	10 05 60
PRO 150			3 m x 25 m	75	neutral	4	60	10 05 70








Dulystrong+

QUALITY	SITE PREPARATION	PAINT/ FINISHING	DIMENSIONS	M²	COLOR	QTY / PALLET	SKU
Dulystrong	✓	✓	1 m x 25 m	25	black	46	10 80 30



Large roll / Worksite roll

QUALITY	 SITE PREPARATION	 PAINT/ FINISHING	DIMENSIONS	M²	COLOR	FOLDED IN	QTY / PALLET	SKU
STANDARD			3 m x 50 m	150	neutral	4	86	10 10 30
			3 m x 50 m	150	tinted	4	86	10 10 35
			3 m x 100 m	300	neutral	2	39	10 10 70
			6 m x 25 m	150	neutral	4	53	10 15 30
			6 m x 40 m	240	tinted	4	52	10 15 35
STANDARD PRO			6 m x 27,50 m	165	tinted	4	52	10 15 65
PREMIUM			3 m x 50 m	150	neutral	4	60	10 10 50
PRO 150			3 m x 25 m	75	neutral	2	59	10 20 10
			3 m x 50 m	150	neutral	2	44	10 20 20
			3 m x 50 m	150	tinted	2	44	10 20 30
			3 m x 50 m	150	neutral	4	33	10 20 40
			3 m x 50 m	150	tinted	4	44	10 20 50
			6 m x 25 m	150	neutral	4	44	10 20 60
			3 m x 50 m	150	black	2	44	10 30 20
			6 m x 25 m	150	black	4	44	10 30 25
EXPERT 200			3 m x 41 m	123	neutral	2	44	10 25 20
			6 m x 20,5 m	123	neutral	4	44	10 25 30



DULARY ADVICE

For both indoor and outdoor,
use **Dulytape®** to attach your sheeting.

➡ p. 38







SITE PROTECTION

TEMPORARY OUTDOOR PROTECTION





WALLS AND WINDOWS

Drop cloth

QUALITY	 SITE PREPARATION	 PAINT/ FINISHING	DIMENSIONS	QTY / CARTON	SKU
STANDARD			5 m x 4 m	15	10 65 15
PREMIUM			4 m x 3 m	10	10 65 20
			5 m x 4 m	10	10 65 25









Bobineau roll

QUALITY	 SITE PREPARATION	 PAINT/ FINISHING	DIMENSIONS	M²	COLOR	FOLDED IN	QTY / PALLET	SKU
BASIC PLUS			3 m x 25 m	75	neutral	4	203	10 05 20
STANDARD			3 m x 25 m	75	neutral	4	150	10 05 30
STANDARD PRO			3 m x 25 m	75	neutral	4	126	10 05 35
PREMIUM			3 m x 25 m	75	neutral	4	105	10 05 40
PREMIUM PRO			3 m x 25 m	75	neutral	4	68	10 05 60
PRO 150			3 m x 25 m	75	neutral	4	60	10 05 70



Large roll / Worksite roll

QUALITY	 SITE PREPARATION	 PAINT/ FINISHING	DIMENSIONS	M²	COLOR	FOLDED IN	QTY / PALLET	SKU
STANDARD			3 m x 50 m	150	neutral	4	86	10 10 30
			3 m x 50 m	150	tinted	4	86	10 10 35
			3 m x 100 m	300	neutral	2	39	10 10 70
			6 m x 25 m	150	neutral	4	53	10 15 30
			6 m x 40 m	240	tinted	4	52	10 15 35
STANDARD PRO			6 m x 27,50 m	165	tinted	4	52	10 15 65
PREMIUM			3 m x 50 m	150	neutral	4	60	10 10 50
PRO 150			3 m x 25 m	75	neutral	2	59	10 20 10
			3 m x 50 m	150	neutral	2	44	10 20 20
			3 m x 50 m	150	tinted	2	44	10 20 30
			3 m x 50 m	150	neutral	4	33	10 20 40
			3 m x 50 m	150	tinted	4	44	10 20 50
			6 m x 25 m	150	neutral	4	44	10 20 60
			3 m x 50 m	150	black	2	44	10 30 20
			6 m x 25 m	150	black	4	44	10 30 25
EXPERT 200			3 m x 41 m	123	neutral	2	44	10 25 20
			6 m x 20,5 m	123	neutral	4	44	10 25 30



20 m²

75 m²

100 m² et more

SITE PROTECTION

SPECIFIC PROTECTION

OUTDOOR FACADES

Heavy-duty polyethylene tarp

DIMENSIONS	WHITE/CLEAR	GREEN
6 m x 4 m	13 10 20	-
8 m x 6 m	13 10 30	13 15 30
20 m x 3,10 m	13 10 50	-

› 150 g/m2 with metal anchor points every metre, eyelets on 4 sides.

ADVANTAGES

Highly resistant weave.
Structure enables cutting.
Anti-UV treated



Reinforced polyethylene tarp

Sku **13 20 10**

› 130 g/m2 with pre-perforated eyelet reinforcement strips every 20 cm.
› Dimensions: 20 m x 3.20 m.
› See-through with white grid.

ADVANTAGES

Ideal for use with plaster-like splashes.
Airtight.



Scaffold mesh

white : Sku **13 30 15** - green : Sku **13 30 10**

Dimensions: 20 m x 3,07 m
55 g/m2. Non anti-UV treated.

ADVANTAGES

Run-resistant mesh.



Fasteners

	DIMENSIONS	SKU
For meshes:	Small model L. 290 mm x W. 4.8 mm	13 40 10
For tarps:	Large model L. 365 mm x W. 7.8 mm	13 40 15





Plastic fastener links. Packs of 100.

SITE PROTECTION

TEMPORARY INDOOR PROTECTION







FLOORS

Drop cloth

QUALITY	 SITE PREPARATION	 PAINT/ FINISHING	DIMENSIONS	QTY / CARTON	SKU
STANDARD			5 m x 4 m	15	10 65 15
PREMIUM			4 m x 3 m	10	10 65 20
			5 m x 4 m	10	10 65 25







Bobineau roll

QUALITY	 SITE PREPARATION	 PAINT/ FINISHING	DIMENSIONS	M²	COLOR	FOLDED IN	QTY / PALLET	SKU
BASIC PRO			3 m x 25 m	75	neutral	4	203	10 05 15
BASIC PRO			3 m x 25 m	75	neutral	4	105	10 40 20
BASIC PLUS			3 m x 25 m	75	neutral	4	203	10 05 20
STANDARD			3 m x 25 m	75	neutral	4	150	10 05 30
STANDARD PRO			3 m x 25 m	75	neutral	4	126	10 05 35
PREMIUM			3 m x 25 m	75	neutral	4	105	10 05 40
PREMIUM PRO			3 m x 25 m	75	neutral	4	68	10 05 60
PRO 150			3 m x 25 m	75	neutral	4	60	10 05 70





Dulystrong+

QUALITY	 SITE PREPARATION	 PAINT/ FINISHING	DIMENSIONS	M²	COLOR	QTY / PALLET	SKU
Dulyst STRONG			1 m x 25 m	25	white	46	10 80 20



Large roll / Worksite roll

QUALITY	 SITE PREPARATION	 PAINT/ FINISHING	DIMENSIONS	M²	COLOR	FOLDED IN	QTY / PALLET	SKU
STANDARD			3 m x 50 m	150	neutral	4	86	10 10 30
			3 m x 50 m	150	tinted	4	86	10 10 35
			3 m x 100 m	300	neutral	2	39	10 10 70
			6 m x 25 m	150	neutral	4	53	10 15 30
			6 m x 40 m	240	tinted	4	52	10 15 35
STANDARD PRO			6 m x 27,50 m	165	tinted	4	52	10 15 65
PREMIUM			3 m x 50 m	150	neutral	4	60	10 10 50
PRO 150			3 m x 25 m	75	neutral	2	59	10 20
			3 m x 50 m	150	neutral	2	44	10 20
			3 m x 50 m	150	tinted	2	44	10 20
			3 m x 50 m	150	neutral	4	33	10 20
			3 m x 50 m	150	tinted	4	44	10 20
			6 m x 25 m	150	neutral	4	44	10 20
			3 m x 50 m	150	black	2	44	10 30
			6 m x 25 m	150	black	4	44	10 30
EXPERT 200	3 m x 41 m	123	neutral	2	44	10 25		
	6 m x 20,5 m	123	neutral	4	44	10 25		







20 m²

75 m²

100 m² and more

Drop cloth





20 m²

QUALITY	 SITE PREPARATION	 PAINT/ FINISHING	DIMENSIONS	QTY / CARTON	SKU
STANDARD			5 m x 4 m	15	10 65 15
PREMIUM			4 m x 3 m	10	10 65 20
			5 m x 4 m	10	10 65 25



Bobineau roll





75 m²


QUALITY	 SITE PREPARATION	 PAINT/ FINISHING	DIMENSIONS	M ²	COLOR	FOLDED IN	QTY / PALLET	SKU
BASIC			3 m x 25 m	75	neutral	4	202	10 05 10
BASIC PRO			3 m x 25 m	75	neutral	4	203	10 05 15
BASIC PRO			3 m x 25 m	75	neutral	4	105	10 40 20
BASIC PLUS			3 m x 25 m	75	neutral	4	203	10 05 20
STANDARD			3 m x 25 m	75	neutral	4	150	10 05 30
STANDARD PRO			3 m x 25 m	75	neutral	4	126	10 05 35
PREMIUM			3 m x 25 m	75	neutral	4	105	10 05 40
PREMIUM PRO			3 m x 25 m	75	neutral	4	68	10 05 60
PRO 150			3 m x 25 m	75	neutral	4	60	10 05 70



Large roll / Worksite roll

100 m² and more





QUALITY	 SITE PREPARATION	 PAINT/ FINISHING	DIMENSIONS	M²	COLOR	FOLDED IN	QTY / PALLET	SKU
BASIC			6 m x 50 m	300	neutral	4	52	10 15 10
STANDARD			3 m x 50 m	150	neutral	4	86	10 10 30
			3 m x 50 m	150	tinted	4	86	10 10 35
			3 m x 100 m	300	neutral	2	39	10 10 70
			6 m x 25 m	150	neutral	4	53	10 15 30
			6 m x 40 m	240	tinted	4	52	10 15 35
			STANDARD PRO	6 m x 27,50 m	165	tinted	4	52
PREMIUM					3 m x 50 m	150	neutral	4
PRO 150	3 m x 25 m	75			neutral	2	59	10 20 10
	3 m x 50 m	150			neutral	2	44	10 20 20
	3 m x 50 m	150			tinted	2	44	10 20 30
	3 m x 50 m	150			neutral	4	33	10 20 40
	3 m x 50 m	150			tinted	4	44	10 20 50
	6 m x 25 m	150			neutral	4	44	10 20 60
	3 m x 50 m	150			black	2	44	10 30 20
	6 m x 25 m	150			black	4	44	10 30 25



TEMPORARY INDOOR PROTECTION





FURNITURE AND WINDOWS

Drop cloth

QUALITY	 SITE PREPARATION	 PAINT/ FINISHING	DIMENSIONS	QTY / CARTON	SKU
THIN			5 m x 4 m	40	10 65 10
THIN			4 m x 3 m	60	10 40 05
STANDARD			5 m x 4 m	15	10 65 15
PREMIUM			4 m x 3 m	10	10 65 20
			5 m x 4 m	10	10 65 25








Bobineau roll

QUALITY	 SITE PREPARATION	 PAINT/ FINISHING	DIMENSIONS	M²	COLOR	FOLDED IN	QTY / PALLET	SKU
BASIC			3 m x 25 m	75	neutral	4	202	10 05 10
BASIC PRO			3 m x 25 m	75	neutral	4	203	10 05 15
BASIC PRO			3 m x 25 m	75	neutral	4	105	10 40 20
BASIC PLUS			3 m x 25 m	75	neutral	4	203	10 05 20
STANDARD			3 m x 25 m	75	neutral	4	150	10 05 30
STANDARD PRO			3 m x 25 m	75	neutral	4	126	10 05 35
PREMIUM			3 m x 25 m	75	neutral	4	105	10 05 40
PREMIUM PRO			3 m x 25 m	75	neutral	4	68	10 05 60
PRO 150			3 m x 25 m	75	neutral	4	60	10 05 70



Large roll / Worksite roll

QUALITY	 SITE PREPARATION	 PAINT/ FINISHING	DIMENSIONS	M²	COLOR	FOLDED IN	QTY / PALLET	SKU
BASIC			6 m x 50 m	300	neutral	4	52	10 15 10
			3 m x 50 m	150	neutral	4	86	10 10 30
			3 m x 50 m	150	tinted	4	86	10 10 35
STANDARD			3 m x 100 m	300	neutral	2	39	10 10 70
			6 m x 25 m	150	neutral	4	53	10 15 30
			6 m x 40 m	240	tinted	4	52	10 15 35
STANDARD PRO			6 m x 27,50 m	165	tinted	4	52	10 15 65
PREMIUM			3 m x 50 m	150	neutral	4	60	10 10 50
			3 m x 25 m	75	neutral	2	59	10 20 10
			3 m x 50 m	150	neutral	2	44	10 20 20
			3 m x 50 m	150	tinted	2	44	10 20 30
			3 m x 50 m	150	neutral	4	33	10 20 40
			3 m x 50 m	150	tinted	4	44	10 20 50
			6 m x 25 m	150	neutral	4	44	10 20 60
			3 m x 50 m	150	black	2	44	10 30 20
			6 m x 25 m	150	black	4	44	10 30 25



20 m²

75 m²

100 m² and more

SITE PROTECTION SUMMARY TABLE



Here you will find our full range of recycled and recyclable plastic films and sheeting to protect your sites.

Recycled and bio-based sheet

	DIMENSIONS	M ²	QTY /	SKU
Dulybio.P2	4 m x 3 m	12	Carton 40	10 40 05
Dulybio.B4	3 m x 25 m	75	Palette 203	10 40 20

NEW Dulystrong+

DIMENSIONS	COLOR	USE	QTY / PALLET	SKU
1 m x 25 m	white	indoor	46	10 80 20
1 m x 25 m	black	outdoor	46	10 80 30

Polyethylene drop cloth

QUALITY	DIMENSIONS	QTY / BOX	SKU
Thin*	5 m x 4 m	40	10 65 10
Dulybio.P2	4 m x 3 m	60	10 40 05
Standard	5 m x 4 m	15	10 65 15
Premium	4 m x 3 m	10	10 65 20
	5 m x 4 m	10	10 65 25

Bobineaux

QUALITY	DIMENSIONS	M ²	COLOR	FOLDED IN	QTY / PALLET	SKU
Basic	3 m x 25 m	75	neutral	4	202	10 05 10
Basic Pro	3 m x 25 m	75	neutral	4	203	10 05 15
Dulybio.B4	3 m x 25 m	75	neutral	4	105	10 40 20
Basic Plus	3 m x 25 m	75	neutral	4	203	10 05 20
Standard	3 m x 25 m	75	neutral	4	150	10 05 30
Standard Pro	3 m x 25 m	75	neutral	4	126	10 05 35
Premium	3 m x 25 m	75	neutral	4	105	10 05 40
Premium Pro	3 m x 25 m	75	neutral	4	68	10 05 60
Pro 150	3 m x 25 m	75	neutral	4	60	10 05 70

Large rolls

QUALITY	DIMENSIONS	M ²	COLOR	FOLDED IN	QTY / PALLET	SKU
Standard	3 m x 50 m	150	neutral	4	86	10 10 30
Standard	3 m x 50 m	150	tinted	4	86	10 10 35
Premium	3 m x 50 m	150	neutral	4	60	10 10 50
Standard	3 m x 100 m	300	neutral	2	39	10 10 70
Basic	6 m x 50 m	300	neutral	4	52	10 15 10
Standard	6 m x 25 m	150	neutral	4	53	10 15 30
Standard	6 m x 40 m	240	tinted	4	52	10 15 35
Standard +	6 m x 27,50 m	165	tinted	4	52	10 15 65

Worksite rolls

QUALITY	DIMENSIONS	M ²	COLOR	FOLDED IN	QTY / PALLET	SKU
Pro 150	3 m x 25 m	75	neutral	2	59	10 20 10
Pro 150	3 m x 50 m	150	tinted	2	44	10 20 20
Pro 150	3 m x 50 m	150	neutral	2	44	10 20 30
Pro 150	3 m x 50 m	150	neutral	4	33	10 20 40
Pro 150	3 m x 50 m	150	neutral	4	44	10 20 50
Pro 150	6 m x 25 m	150	neutral	4	44	10 20 60
Pro 150	3 m x 50 m	150	neutral	2	44	10 30 20
Pro 150	6 m x 25 m	150	neutral	4	44	10 30 25
Expert 200	3 m x 41 m	123	tinted	2	44	10 25 20
Expert 200	6 m x 20,5 m	123	tinted	4	44	10 25 30

* virgin plastic

PERMANENT PROTECTION



Laminated parquet underlay

Sku **10 60 30**

Dimensions : 4 x 10 m



- › 200 microns thickness.
- › Sold individually or in a pallet of 39 rolls.

TEMPORARY PROTECTION

POLYETHYLENE FILMS TO STOP FLAMES SPREADING
for occupied sites or PUBLIC BUILDINGS

NF P92-512:1986
standard Reaction to
fire: non-flammable fuel



Fire-retardant PE film M1 classified

DIMENSIONS	COLOR	THICKNESS	AREA	SKU
6 m x 40 m	opaque black	114 microns	env. 240 m ²	10 50 10
6 m x 43 m	opaque white	200 microns	env. 258 m ²	10 50 11

- Flame-retardant polyethylene film, M1 classified.
- › Prevents the spread of flames in the event of a fire
 - › Resistant



Protective zip door

DIMENSIONS	SALES UNIT	SKU
2.2 m x 1.2m	Unité ou carton de 11 portes	10 62 10

- PE protective tarp with zipped door
- › Prevents the transfer of dust from one room to another while providing quick access
 - › Stitched closure
 - › Reclosable
 - › L-shaped opening: easy access without stepping over
 - › Durable and reusable
 - › Sold without adhesive
 - › **THICKNESS 100 microns**



ANTI-DUST



QUICK
AND EASY
TO INSTALL



THICK
AND EXTREMELY
DURABLE



REUSABLE



CHOOSING your indoor protection

Find the right indoor protection for your site!

To choose the right protection, all you need to do is identify the specifics of your site:

- What type of floor do you need to protect?
- Light or heavy traffic?
- Do you need waterproof or absorbent protection?

Use our selection guide to find the right protection for your needs.

		ULTRA- RESISTANT IN RECYCLED PLASTIC DULYSTRONG+	SELF-ADHESIVE WATERPROOF DULYFIX			
			Original	Plasticised premium	Absorbent	Breathable
USE	Floors					
	Stairs					
	Risk splashes, spills of liquids					
	Shocks, frequent traffic and/or intensive Shocks,					
	Moisture-sensitive coatings					
WEIGHT (APPROX.)			120 g/m²	180 g/m²	205 g/m²	160 g/m²
		Tear-resistant	Self-adhesive			
		Waterproof	Waterproof			
		Washable	Repositionable			
		Reusable	Reusable			
		Non-slip			Absorbent	Breathable
PAGE		p. 10	p. 31	p. 31	p. 32	p. 33



FLEECE DULYCOVER			CARDBOARD	PP CELLULAR	POLYCOTTON CANVAS		
Waterproof	Waterproof shockproof	No waterproof	Protecsol	DulyPlak	unbleached	plasticised éco	plasticised
✓	✓	✓	✓	✓	✓	✓	✓
				✓			
✓	✓		✓	✓		✓	✓
	✓	✓	✓	✓			
200 g/m ²	300 g/m ²	300 g/m ²	280 g/m ²	3 mm	300 g/m ²	200 g/m ²	280 g/m ²
Absorbent			Very resistant	Very resistant	Reusable		
Reusable			Waterproof	Waterproof		Absorbent	
Waterproof				Shockproof		Waterproof	
	Shockproof	Absorbs falling objects					
p. 34	p. 34	p. 34	p. 36	p. 36	p. 37	p. 37	p. 37

Dulyfix

SELF-ADHESIVE NON-SLIP WATERPROOF PROTECTIVE DUST SHEET

The DULYFIX self-adhesive dust sheet is the ultimate floor protection for construction & renovation.

These tarps provide optimal protection on construction sites while ensuring quick and reliable application thanks to their self-adhesive side.

Ideal for effectively protecting floors, even the most sensitive ones, they adapt to a wide variety of floor coverings. Discover which DULYFIX is best suited to your needs and choose an effective and durable solution for protecting your construction sites.



MECHANICAL STRESSES*



From moderate traffic to heavy traffic, choose the Dulyfix dust sheet to ensure the proper protection for your construction site.

RESISTANCE TO IMPACTS*



For the most delicate floors, choose a thicker adhesive tarp to effectively protect against impacts and scratches.

ABSORPTION*



For your construction sites requiring high liquid absorption, choose the product best suited to your needs.

*RATING CRITERIA OUT OF 10



SITE PROTECTION INDOOR PROTECTION

Dulyfix
ORIGINAL

Dulyfix
PLASTICISED
PREMIUM

Dulyfix
ABSORBENT

Dulyfix
BREATHABLE




- ✓ **Waterproof** floor protection
- ✓ For traditional construction sites on **hard floors**

- ✓ **Thick waterproof** protection
- ✓ **Shock-resistant**
- ✓ For traditional construction sites on **fragile floors**



- ✓ **Waterproof** floor protection
- ✓ **High liquid absorption**
- ✓ **Shock-resistant**
- ✓ For traditional construction sites on **hard floors**

- ✓ **Waterproof** floor protection
- ✓ Promotes the **evaporation of vapors and solvents**
- ✓ For **freshly laid floors**



SITE PROTECTION

PROFESSIONAL CLOTHING





PERSONAL PROTECTION

MERCHANDISING

CHOOSING

your self-adhesive waterproof sheet : Dulyfix

A range adapted to the protection requirements

FLOOR TYPE	MECHANICAL LOADS (TRAFFIC)	SELF-ADHESIVE SHEET SOLUTION	WEIGHT	DIMENSIONS	UPSELL
Specific floors: porous, freshly laid	 Moderate to heavy	Dulyfix BREATHABLE	160 g/m ²	1 m x 25 m	★★★
Dry floors	 Heavy to very heavy	Dulyfix ABSORBENT	205 g/m ²	1 m x 12 m 1 m x 25 m	★★★★
Delicate floors (parquet, laminate, etc.)	 Heavy to very heavy	Dulyfix PLASTICISED PREMIUM	180 g/m ²	1 m x 25 m	★★★★
Hard dry floors (tiling, carpet)	 Moderate to heavy	Dulyfix ORIGINAL	120 g/m ²	0,65 m x 25 m 1 m x 25 m 1 m x 50 m 2 m x 25 m	★★

PROFESSIONAL ADVICE



Dulyfix, it's very handy :

it can be **cut** and placed **neatly**
cleanly in the corners,
it's **non-slip** when walked on,
it's **absorbent**, it **sticks** to the floor,
it's **resistant**.

HOW TO USE :

- Switch off underfloor heating before using Dulyfix sheet.
- Remove dust from the surface to be covered to ensure good adhesion.
- Ambient temperature between 10 and 25°C.
- Humidity < 60%.
- Allow to dry for at least 72 hours after applying a finishing treatment the floor.
- Follow the manufacturer's drying instructions, then test to ensure that the floor is completely dry.
- Overlap strips by about 10 cm.

A RANGE OF SELF-ADHESIVE AND WATERPROOF SHEET

Dulyfix

SELF-ADHESIVE DUST SHEET

ORIGINAL

Non-woven PET synthetic fibre
 › 1 plasticised top side.
 › 1 self-adhesive underside.

DIMENSIONS	SALES UNIT	USE	WEIGHT	SKU
0,65 m x 25 m	Individually or box of 15 rolls	Small spaces	120 g/m ²	14 40 05
1 m x 25 m	Individually or box of 15 rolls	Stairs, hallways, standard rooms	120 g/m ²	14 40 11
1 m x 50 m	Individually or box of 24 rolls	Stairs, hallways, long areas	120 g/m ²	14 40 15
2 m x 25 m	unit	Large rooms	120 g/m ²	14 40 20




Dulyfix

SELF-ADHESIVE DUST SHEET


PLASTICISED PREMIUM

Non-woven PET synthetic fibre
 › 1 plasticised top side.
 › 1 self-adhesive underside.

DIMENSIONS	SALES UNIT	USE	WEIGHT	SKU
1 m x 25 m	Individually or box of 11 rolls	Stairs, hallways, standard rooms	180 g/m ²	14 40 40



MORE INFORMATION!



Dulyfix

SELF-ADHESIVE DUST SHEET

ABSORBENT

Highly absorbent - Impact special For dry floors

With heavy to very heavy mechanical loads


Non-woven synthetic - 2.2 mm thickness.

› 1 absorbent top side.

› 1 self-adhesive underside.

› Weight: approx. 205 g/m².

DIMENSIONS	SALES UNIT	SKU
1 m x 12 m	Individually or box of 16 rolls	14 35 10
1 m x 25 m	Individually or pallet of 20 rolls	14 35 15



A RANGE OF SELF-ADHESIVE AND WATERPROOF SHEET

Dulyfix




SELF-ADHESIVE DUST SHEET

BREATHABLE

Encourages the evaporation of vapours and solvents
Perfect for freshly laid floors, moisture-sensitive coverings for specific floors: Porous, freshly laid
 With moderate to heavy mechanical loads
 Provides site protection after only 72 hours of drying.

Non-woven PET synthetic fibre – Thickness: 1.8 mm.
 › 1 breathable and plasticised top side.
 › 1 self-adhesive underside. Colour: Blue.
 › Weight: Approx. 160 g/m2.

DIMENSIONS	SALES UNIT	SKU
1 m x 25 m	Individually or box of 12 rolls	14 43 11



THE DULARY TIP

On freshly laid floors to ensure proper evaporation of vapors !

Choose DULYFIX breathable sheet.

NON WATERPROOF FLEECE SHEET

Dulycover

To protect floors and furniture from dirt, paint splashes or scratches, discover the DULYCOVER sheeting adapted to your worksite.
Easy to install, DULYCOVER sheeting are reusable.

Absorbent fleece sheet non-waterproof

SUPERIOR QUALITY

DIMENSIONS	WEIGHT	SALE UNIT	SKU
10 m x 1 m	300 g/m ²	Individually or pallet of 24 rolls	14 13 10

Made from a 4 mm thick non-woven synthetic material.

ADVANTAGES

Thick material that protects against impacts.
Indoor use: floors, hallway, furniture protection



ABSORBENT



SHOCK
RESISTANT



HEAVY
TRAFFIC



REUSABLE



Absorbent
top side

WATERPROOF FLEECE SHEET

Absorbent fleece sheet waterproof

STANDARD QUALITY

DIMENSIONS	WEIGHT	SALE UNIT	SKU
10 m x 1 m	200 g/m ²	Individually or pallet of 12 rolls	14 10 10
25 m x 1 m	200 g/m ²	Individually or pallet of 12 rolls	14 10 15
50 m x 1 m	200 g/m ²	Individually or pallet of 20 rolls	14 10 30

Made from a 2 mm thick non-woven synthetic material.

> 1 absorbent top side.

> 1 waterproof polyethylene underside of 50 microns thickness.

ADVANTAGES

Efficient liquid absorption.

Waterproof.

Indoor use: floor, hallway, furniture protection



ABSORBENT



WATERPROOF



REUSABLE

Absorbent fleece sheet waterproof superior

SUPERIOR QUALITY

DIMENSIONS	WEIGHT	SALE UNIT	SKU
25 m x 1 m	300 g/m ²	Individually or pallet of 12 rolls	14 10 50

Made from a 3 mm thick non-woven synthetic material.

> 1 absorbent top side.

> 1 waterproof polyethylene underside of 50 microns thickness.

ADVANTAGES

Efficient liquid absorption.

Waterproof.

Indoor use: floor, hallway, furniture protection



ABSORBENT



WATERPROOF



REUSABLE



Absorbent
top side

Plasticised
underside



PROTECTIVE CELLULAR PP PANEL

DulyPlak

DIMENSIONS	SALES UNIT	SKU
Unfolded: 220 x 75 cm Folded : 76 x 75 cm	Box of 10 panels	14 60 10

The multi-surface, shockproof and waterproof protective panel.

Made from black cellular polypropylene.

Thickness: 3 mm, folds/unfolds in 3 parts.

› Excellent protection: protects against impact, heavy traffic, dust and paint spillages.

› Suitable for high-traffic areas.

› **Modular:** can be folded and easily cut to the desired size.

› **Washable and reusable.**

› **Waterproof.**


› **Multi-surface.**



SHOCK
RESISTANT



MODULAR,
EASY TO CUT



HEAVY TRAFFIC



REUSABLE



INDOOR AND
OUTDOOR USE

CARDBOARD

PROTECSOL card sheet

DIMENSIONS	UNITÉ DE VENTE	RÉF.
25 m ² ≈ 1 m x 25 m	Individually or box of 12 rolls	14 50 11



"Upcycled" product: product made from cardboard off-cuts, recovered and recycled

smooth, double-sided plasticised cardboard: 1 white side / 1 brown side


The product colour may vary depending on the available off-cuts (white or brown).

Weight: approximately 280 g/m².


› Highly resistant to scratches, tearing and puncturing.

› **Withstands heavy traffic** and the use of heavy equipment (scaffolding, work platforms).

› **Waterproof and reusable**



RESISTANT
TO SCRATCHES
AND TEARS



WATERPROOF



REUSABLE





Unbleached polycotton canva

DIMENSIONS	SALE UNIT	RÉF.
5 m x 4 m	unit	14 26 10
4 m x 3 m	unit	14 26 20
5 m x 1,50 m	unit	14 26 30

NON WATERPROOF SHEET

› Weight: about 300 g/m².

ADVANTAGES

Highly resistant
Reusable



waterproof "cotton" canva

DIMENSIONS	UNITÉ DE VENTE	RÉF.
5 m x 4 m	unit	14 30 10
4 m x 3 m	unit	14 30 20
5 m x 1,50 m	unit	14 30 30

Plasticised fabric, composition: 65% PVC, 35% polyester

› 1 absorbent top side.
› 1 non-slip PVC underside.
› Weight: about 280 g/m².

ADVANTAGES

Highly resistant
Waterproof
Reusable



"ECO" waterproof polycotton canva

DIMENSIONS	UNITÉ DE VENTE	RÉF.
4 m x 3 m	Individually or box of 10 pcs	14 20 10

1 mm thick plasticised cotton.

› 1 absorbent top side.
› 1 airtight polyethylene + EVA underside of 45 microns thickness.
› Weight: about 200 g/m².

ADVANTAGES


Non-slip
Airtight
Reusable



SITE PROTECTION – CLEANING MASKING / ADHESIVES

Kraft masking tape

Protection against paint splashes, dirt and dust. Fully adhesive backing paper for indoor renovation jobs.


	DIMENSIONS	SALES UNIT	SKU
	75 mm x 50m	Individually or box of 24 rolls	10 61 01
	150 mm x 50m	Individually or box of 12 rolls	10 61 02

For use on different types of surfaces, and particularly sensitive surfaces: wallpaper, varnish, wood, etc.


ADVANTAGES

Fully adhesive on the back
Multi-surface protection
Adapts to many materials

Quick and easy to apply
Repositionable and adjustable



SELF-ADHESIVE



LEAVES
NO MARK



TIME-SAVING



REPOSITIONABLE



RESPONSIBLE
CONSUMPTION



Hand rails,
switches,
electrical
outlets

Radiators,
windowsills

DULYTAPE®

SKU 10 60 61

Carton de
36 rouleaux

Dimensions :
48 mm x 25 m

Adhesive tape made from a fabric reinforced backing in flexible polyethylene (PE), coated with a layer of special acrylic adhesive.

ADVANTAGES

The benchmark adhesive tape for indoor applications and flat surfaces. Easy to cut.



PP adhesive tape

SKU 10 60 55

Dimensions : 5 cm x 100 m

Sold in packs of 6 rolls.

ADVANTAGES

Suitable for use at low temperatures.



PACKAGING PRODUCTS

Carpet packaging

QUALITY	DIMENSIONS	COLOR	FOLDED IN	QTY / PALLET	SKU
Pro 150	1,5 x 230 m	neutral	1	20	10 60 10

Bubble wrap roll

DIMENSIONS	SKU
25 x 1 m	10 75 10
100 x 1 m	10 75 15



Pallet stretch film

6 rolls per box

QUALITY	DIMENSIONS	SKU
Transparent 17 microns	0,45 x 270 m	10 70 10
Transparent 30 microns	0,45 x 200 m	10 70 15
Black 20 microns	0,45 x 270 m	10 70 20





RECYCLED FABRIC

NEW

White cloths (5kg)

Sku **12 15 20**

- › Cloths made from knitted fabrics and t-shirts.
- › 11.02 pounds box.
- › 100% cotton



White cloths (1 kg pack)

Sku **12 15 10**

- › Cloths made from knitted fabrics and t-shirts.
- › Box of 10 x 1 kg bags.
- › 100% cotton



Colored cloths

Sku **12 10 15**

- › Coloured cloths made from knitted fabrics and t-shirts.
- › 10 kg box.
- › 100% cotton



White cloths

Sku **12 15 15**

- › Cloths made from knitted fabrics and t-shirts.
- › 10 kg box.
- › 100% cotton



Roll of buffing wipes

Sku **12 30 10** | Dim. : 21 x 23 cm

- › Two-ply cellulose wadding
- › 800 sheets per roll.
- › Sold in 2-roll packs.

ADVANTAGES

Absorbent material.



Roll of white wipes

Sku **12 25 10** | Dim. : 21 x 23 cm

- › Two-ply cellulose wadding
- › 800 sheets per roll.
- › Sold in 2-roll packs.

ADVANTAGES

Absorbent material, no colour seepage, very resistant.

MULTI-USE, SUITABLE FOR PAINTING WORK

Non-woven cloths

Multi-use, suitable for painting work

Sku **12 35 35** | Dimensions : 35cm x 50 cm | Box of 100 cloths

- › Cleaning & wiping
- › All types of surface
- › Dry or wet surface

ADVANTAGES

- 1 box = 1 pack of 10kg**
- Resistant, thick and flexible**
- Liquid absorption (water, paint)**
- Does not tear, does not fall apart, lint-free**
- Solvent, oil and heat resistant**
- Washable and reusable**



1 BOX
100 WIPES

=

1 BOX
10 KG




MADE
IN FRANCE

SITE PROTECTION CHOICE GUIDE


TRASH BAGS

CHOOSING your trash bag

	LIGHT HOUSEHOLD WASTE: PAPER, CARDBOARD, PACKAGING, ETC.		HEAVY WASTE AND/OR LIQUIDS			
	BASIC PLUS	STANDARD	STANDARD	STANDARD PLUS	STANDARD PLUS	PREMIUM
THICKNESS CAPACITY	40 microns	45 microns	50 microns	60 microns	65 microns	80 microns
150 LITERS					11 10 35	
130 LITERS		11 08 15				
110 LITERS	11 06 10		11 06 22 11 06 20	11 06 30		11 06 40
100 LITERS		11 05 15		11 05 30		



RECYCLED PLASTIC



FRENCH PRODUCTION

LDPE Trash bags

CAPACITY	QUALITY	NO. OF ROLLS PER BOX	COLOR	NO. OF BAGS PER ROLL	SKU.
100 liters	standard	10	Black	25	11 05 15
	standard plus	10	Black	20	11 05 30
110 liters	basic plus	10	Black	25	11 06 10
	standard	8	Transparent	25	11 06 22
	standard	8	Black	25	11 06 20
	standard plus	8	Black	25	11 06 30
	premium	5	Black	20	11 06 40
130 liters	standard	5	Black	20	11 08 15
150 liters	standard plus	5	Black	20	11 10 35



Our commitments
sustainables



Sorting and managing waste on construction sites is becoming a major concern.

RUBBLE BAGS



Transparent woven polypropylene rubble bag



DIMENSIONS	SKU
L 56 x H 96 cm	11 31 10

Capacity: 60 litres – 50kg
Material: White woven polypropylene
Resealable packet of 10 bags

ADVANTAGES

Highly resistant to tearing and puncturing.
Transparent to facilitate waste sorting.
Reusable.



White woven polypropylene rubble bag

Dimensions : L 56 x H 96 cm

PACKAGING	SKU
Resealable packet of 10 bags	11 30 10
Box of 250 bags 25 rolls of 10 bags	11 30 15
Bale of 1000 bags	11 30 30
Polypropylene bag with inner bag (sold in packs of 1000)	11 30 35



Capacity: 60 litres – 50kg
Material: White woven polypropylene

ADVANTAGES

Highly resistant to tearing and puncturing. Reusable.

For easy identification of bag contents,
Dulary completes its offer with **garbage bags and clear and rubble bags**.
Waste sorted, visible and identified in its transparent bag
= easier trip to the waste collection center!



RUBBLE BAG

Woven rubble bag with handles

CAPACITY	DIMENSIONS	MATERIAL	PACKAGING	SKU
60 liters 50 kg	L40 x H50 x P30 cm	White woven polypropylene	Pack of 2 bags	11 35 10

ADVANTAGES

Easy to fill and transport.
Highly resistant to tearing and puncturing.
Square bottom.
Reusable.



**MADE
IN FRANCE**



**RECYCLED
PLASTIC**

LDPE black rubble bag

CAPACITY	DIMENSIONS	MATERIAL	NO. OF ROLLS / BOX	NO. OF BAGS / ROLL	SKU
60 liters 50 kg	L56 x H96 cm	Polyethylene 130 microns	10	10	11 20 10

ADVANTAGES

Very tear-resistant.



BIG BAG

Big Bag Container

NF EN ISO 21898:2024

Sku **11 40 10**

Dimensions : L90 x P90 x H110 cm

- › Non-laminated pp fabric, 160 g/m², UV stabilised
- › Flat base
- › Full opening with hem
- › 4 x 30 cm straps
- › SF: 5/1

ADVANTAGES

Maximum resistance for a payload of 1,500 kg..



**SINGLE
USE**



PROFESSIONAL CLOTHING

Customisation and sizes.....	p. 44
Choosing your clothing range.....	p. 45
Range Evolution	p. 46-47
Range Performance	p. 48-50
Range Expert	p. 51-55
Range Presti-confort.....	p. 56-59
Range Classic.....	p. 60-61
Range Sportswear	p. 62-65
Range Cold.....	p. 66-71
Range Complementary	p. 72-73
Range Women	p. 74-75
Range Rainwear	p. 76




SIZE GUIDE

UPPER BODY

SIZES	A CHEST CIRCUMFERENCE (CM)	
	♂	♀
XS - 0	76-84	75-81
S - 1	85-92	82-87
M - 2	93-100	88-94
L - 3	101-108	95-98
XL - 4	109-116	99-103
XXL - 5	117-124	104-108
XXXL - 6	125-132	109-113

LOWER BODY

SIZES	STANDARD SIZES	DOUBLE SIZES	B WAIST CIRCUMFERENCE (CM)		C INSIDE LEG (CM)
			♀	♂	♀
34	XS		58-62		84-88
36	S	0	62-66	68-72	88-92
38			66-70	72-76	92-96
40	M	1	70-74	76-80	96-100
42			74-78	80-84	100-104
44	L	2	78-82	84-88	104-108
46			82-86	88-92	108-112
48	XL	3	86-90	92-96	112-116
50			90-98	96-100	116-122
52	XXL	4	99-103	100-104	122-129
54			104-108	108-108	129-134
56		5	109-112	108-112	134-140
58		6	113-117	112-116	140-146



MAKE YOUR MARK ON YOUR CLOTHING

- › Clothing customisation available from 10 items upwards.
- › Available for products in the following ranges: Evolution, Classic, Complementary, Cold, Presti-Comfort, Expert, Sportswear, Woman.



Chest version 9 x 5 cm



Back version 18 x 25 cm



Please get in touch!

CHOOSING YOUR CLOTHING RANGE



RANGE EVOLUTION

› Technicality and design for a premium range _____ 46-47



RANGE PERFORMANCE

› Comfort, ergonomics and freedom of movement _____ 48-50



RANGE EXPERT

› Technicality and functionality for intensive use _____ 51-55



RANGE PRESTI-CONFORT

› Stylish and practical _____ 56-59



RANGE CLASSIC

› Tradition and value for money _____ 60-61



RANGE SPORTSWEAR

› Comfort and a resolutely modern style _____ 62-65



RANGE COLD

› Comfortable even outdoors _____ 66-71



RANGE COMPLEMENTARY

› To complete your outfit _____ 72-73



RANGE WOMEN



› Practical and feminine, always in style! _____ 74-75



RANGE RAINWEAR

› Dedicated protection _____ 76

DISCOVER
OUR RANGE
OF DISPOSABLE
CLOTHING

→ p. 78

SITE PROTECTION

PROFESSIONAL PROTECTION

PERSONAL PROTECTION

MERCHANDISING


RANGE

EVOLUTION

Technicality and design for durable, comfortable clothing that can withstand demanding working conditions, without compromising on style.



ADVANTAGES



**EXTREME
COMFORT**



**MODERN
STYLE**



LIGHTWEIGHT



DURABILITY



Stretch trousers offering unparalleled freedom of movement thanks to their ultimate stretch fabric, with Cordura reinforcements for resistance to rubbing and tears.



Elasticated fibre that stretches in all directions. For maximum comfort and freedom of movement at work.

CORDURA®

Textile fibre 20 times more resistant to abrasion than cotton.



Triple stitching

Lightweight and durable sleeveless jacket

— EVOLUTION

White/black:
Sku **48 10**

Available sizes: **from M to XXL**

A lightweight and durable sleeveless jacket

- High neck
- Zip fastening with windproof flap and concealed, covered press studs.
- Elasticated armholes under flap
- 2 breast pockets with hidden press studs under flap + key ring
- 2 side pockets- 2 inside pockets
- Adjustable sides using press studs
- Triple stitched seams on the sides
- Longer back - Retro-reflective effects

Composition:
Twill Fabric
65% polyester,
35% cotton,
270 g/m²



Zip central

Black fleece-lined jacket

— EVOLUTION


Black: sku **48 20**

Available sizes: **from M to XXL**

A flexible, slim-fit jacket

- High neck
- Central zip fastening and windproof flap on the inside
- Zippered breast pocket
- 2 zippered side pockets
- Cuffs and jacket hem in elasticated bias cut
- Retro-reflective effects

Composition:
94% polyester,
6% elastane
Fleece
260 g/m²



Reinforcements
CORDURA

Stretch trousers

— EVOLUTION

White/black:
réf. **48 01**

Tailles disponibles : **du 36 au 54**



Evolution trousers fit small. Ask for a size larger than your usual Dulary size

Flexibility, lightness and durability guaranteed

- Low rise
- Elasticated waistband with 7 belt loops
- Zip fly
- Ergonomic fit
- Stretch zones in prime contact areas:
 - front (above the knees and bottom of the leg)
 - back (top and knees)
- 2 Italian pockets, 2 back pockets, 1 zippered thigh pocket including a phone pocket with press stud flap, 1 Cordura® ruler pocket
- Reinforced Cordura® knee pockets for inserting protective knee patches (not supplied)
- Double stitched seams on legs and crotch

Composition:
65% polyester,
35% cotton,
270 g/m²

CORDURA



Mascot knee pads



Sku **49 49**

Dimensions : **150 x 270 mm**

- Essential for work in a kneeling position
- Pair of foam pads for knee protection compatible with the Evolution trousers
- 100% Ethylene vinyl acetate



EN14404 : 2004
+ A1 : 2010

RANGE

PERFORMANCE

Our Performance range combines comfort and ergonomics with fluidity of movement.

With their fitted cut and new fabrics, these garments are now more comfortable to wear, without compromising on durability. The use of Cordura® gives these clothes optimal resistance to friction and tearing



ADVANTAGES



COMFORT



ERGONOMICS



FLUID
MATERIAL



RESISTANCE

CORDURA®

Textile fibre 20 times more resistant to abrasion than cotton.

NEW



Work overall PERFORMANCE unisex

— PERFORMANCE

White : Sku **37 30** | Available sizes : : **from S to XXL**

Stain-resistant material thanks to X-BARRIER treatment

Adjustable width size with button

Adjustable straps

Large chest pocket with Velcro closure

2 large Italian pockets

Left leg phone pocket

Tape measure and tool pocket

Knee pad pockets that can hold protective foam (not included)

Composition :
100% cotton
with X-BARRIER
treatment

THE EXPERT'S
ADVICE



Embrace the comfort of the PERFORMANCE overall

Thanks to its innovative X-BARRIER stain-resistant fabric, keep your workwear looking impeccable at all times



SITE PROTECTION

PROFESSIONAL CLOTHING

PERSONAL PROTECTION

MERCHANDISING

PROFESSIONAL CLOTHING

RANGE PERFORMANCE



Multi-pocket trousers

— PERFORMANCE

Grey / black: Sku **38 15**
 White / black: Sku **37 15** | Available sizes: **from 0 to 5**

Belt with 6 loops and elasticated waistband.
 1 back pocket with flap. 2 front patch pockets.
 1 front pocket with zip on the right.
 1 phone pocket on the right thigh.
 1 large bellows pocket on the left thigh.
 Nylon zip fly 1 ruler pocket + 1 tool pocket.
 Knee patches in **CORDURA** for inserting
 DULARY protective pads (not supplied).
 Reinforced hem.

Composition :
 60 % Cotton
 40 % Polyester
 250 g/m²

CORDURA




Fleece jacket

— PERFORMANCE

White / black:
 Sku **37 50** | Available sizes: **from S to XXL**

Injected mesh zip up
 to the top of the collar.
 1 chest pocket with zip.
 2 side pockets with zip.
 Elasticated cuffs.
 2 low inside pockets

Composition :
 100 % Polyester
 300 g/m²



DULARY foam pads

Réf. **30 30** | Dimensions : 165 x 240 mm

Pair of 100% polyethylene
 knee protection foam pads.
 Thickness: 18 mm



EN14404 : 2004
 + A1 : 2010



TO
 COMPLETE
 YOUR KIT,
 SEE OUR RANGE
 OF SAFETY
 FOOTWEAR
 → p. 80

RANGE EXPERT

Our Expert range combines **technicality and functionality**. It supports you daily, in intensive use. The use of Cordura gives these clothes optimal resistance to friction and tearing.



ADVANTAGES



**RESISTANCE
AND COMFORT**



ERGONOMICS



YKK ZIP

CORDURA®

Textile fiber 20 times more resistant to abrasion than cotton.

PROFESSIONAL CLOTHING

RANGE EXPERT



Multi-pocket trousers

— EXPERT

Grey / black: Sku **33 15**
White / black: Sku **30 15**

Available sizes: **from 36 to 54**

Belt with 7 loops and elasticated waistband and 1 key ring. 2 back pockets with rip-tab flap, 2 front patch pockets that can hold 2 double holster pockets, nylon fly, 1 ruler pocket, 1 side tool pocket, 2 bellows pockets and 1 phone pocket. Knee patches in **CORDURA** for inserting DULARY protective pads (not supplied). Triple stitched seams at the crotch.

Composition (white, grey):
60 % Cotton
40 % Polyester
310 g/m²

CORDURA



Available
in women's
fit

→ p. 74



DULARY foam pads

Sku **30 30**

Dimensions : **165 x 240 mm**

Pair of foam pads for knee protection compatible with DULARY trousers.
100% polyethylene.
Thickness: 18 mm



EN14404 : 2004
+ A1 : 2010



Expert stretch jeans

— EXPERT

Sku **34 15**

Available sizes: **from 36 to 54**

The Expert stretch jeans fit small. Ask for a size larger than your usual Dulary size

The modern working jean with stretch for maximum comfort

Belt with 5 loops
2 back pockets,
2 front Italian pockets.
YKK zip fly,
1 key ring,
1 ruler pocket,
1 tool pocket,
1 zipped bellows pocket,
2 small rip-tab flap pockets.
Reinforced polyester knees

Composition :
89% cotton,
9% elastic
polyester,
2% elastane,
+/- 320 g/m²



Adjustable,
Elasticated.

Elastane belt

Sku **30 32**

Dimensions : 120 x 4 cm

Outer material: 50% polypropylene, 50% elastane.
Metal buckle. Waist size adjustment for trousers and shorts
Colour: black

DULARY
TIPS

Comfortable, practical work pants for working in the best conditions

The EXPERT range combines ergonomics, technical features and style to meet the needs of the most demanding professionals.



YKK zip.

2 large
patch
pockets..

Shorts

— **EXPERT**

White :
Sku **30 35**

Available sizes: **from 36 to 54**


7 belt loops with elasticated waistband and key ring, 2 back pockets with rip-tab flap, 2 front patch pockets, nylon YKK fly. 1 ruler pocket, 1 tool pocket on the side, 2 bellows pockets and 1 phone pocket.

Composition :
60% Cotton
40% Polyester
310 g/m²

**COMPLETE
YOUR LOOK
WITH OUR POLO SHIRTS
COMPLEMENTARY**
cf p. 73



Reinforced
shoulders
CORDURA



Inside
zipped
pockets

Cotton/polyester sleeveless jacket

— **EXPERT**

White/black:
Sku **30 71**

Available sizes: **from M to XXL**

Black micro-fleece inside collar
Reinforced shoulders + hem in **CORDURA**
2 bias-cut zip pockets
1 inside wallet zip pocket
1 inside smartphone pocket with rip-tab flap
1 lower inside zip pocket
Two-way zip under flap with press studs.

Composition:
60% Cotton
40% Polyester
Padded lining
100% polyester
280 g/m²

CORDURA



Elasticated
inner sleeves

Reinforced
black inserts
CORDURA

Cotton/polyester jacket

— **EXPERT**

White/black:
Sku **30 76**

Available sizes: **from M to XXL**

Black micro-fleece lining.
Black micro-fleece inner standing collar.
1 pen pocket on left sleeve.
2 bias-cut pockets with zip.
1 inside wallet pocket.
1 inside smartphone pocket with velcro flap.
1 lower inside zip pocket. Two-way zip under flap with press studs.

Composition:
60% Cotton
40% Polyester
CORDURA



Light and
breathable

Polo shirt

— **EXPERT**

Black/grey: Sku **30 60**

Available sizes: **from S to XXL**

Quick drying to help wick away perspiration,
classic collar, 3 buttons, velour neck band.
Collar and sleeves with contrasting edging.

Composition :
100 % Polyester
140 g/m²



RANGE
**PRESTI-
CONFORT**

The Presti-Comfort range combines style and practicality. Suitable for summer and winter alike, comfortable and coordinated clothing with a quality finish.



ADVANTAGES



**QUALITY
MANUFACTURING**



**PROTECTIVE
KNEE PATCHES**



RESISTANT ZIP

PROFESSIONAL CLOTHING RANGE PRESTI-COMFORT



Knee patch

Functional with multiple pockets.

Perfect for summer: lighter fabric 245 g/m²

Trousers

— PRESTI-COMFORT

White/grey:
Sku **28 11**

Available sizes: **from**
T0 (36/38) to T5 (56/58)

Stock halved:
6 double sizes
= 12 sizes!

2 two-colour bias-cut patch pockets.
2 back pockets, one with a Velcro® flap.
1 ruler pocket + 1 tool pocket on the right side.
1 Velcro® pocket on the side. YKK nylon zip fly.
5 belt loops. Knee reinforcements with compartments for protective pads (not supplied). Ergonomic gusset on the knees and height-adjustable foam pads.

Composition :
60 % Coton
40 % Polyester
310 g/m²

Multi-pocket trousers

— PRESTI-COMFORT

White/grey:
ref. **28 15**

Available sizes: **from 36 to 54**

2 back pockets with rip-tab flap,
1 large bellows pocket with rip-tab flap
on each side, nylon fly,
7 belt loops, elasticated waistband,
2 two-colour bias-cut patch pockets,
1 key ring, right side: 1 tool pocket
+ 1 phone pocket + 1 pen pocket.
YKK zip.
Height adjustable.

Composition :
65 % Polyester
35 % Coton
245 g/m²

**Customise
your clothing!**

See our range
→ p. 44



Dulary foam pads

Sku **30 30**

Dimensions : **165 x 240 mm**

Pair of 100% polyethylene
knee protection foam pads.
Thickness: 18 mm



EN14404 : 2004
+ A1 : 2010



THE EXPERT'S ADVICE



I'm a fan of the Presti-Comfort trousers; but not just them, I've even added the gilet to the set!

I like the practicality: the comfortable cut, there are pockets... In short, a well-thoughtout range!



Jacket

— PRESTI-COMFORT

White/grey: Sku **28 75**

Available sizes:
from **M** to **XXL**

Black micro-fleece lined collar, 1 outer pocket, 2 lower zipped pockets, elasticated cuffs, adjustable rip-tab waistband, 1 inside wallet pocket with zip, 1 phone pocket with rip-tab flap (for Smartphone).

Composition:
65% Polyester
35% Cotton
310 g/m²
Lining
100 % polyester
250 g/m²



Fleece-lined sleeveless jacket

— PRESTI-COMFORT

White/grey:
Sku **28 70**

Available sizes: from **M** to **XXL**

Grey collar. White fleece lining. 1 large breast pocket + 1 phone pocket. 1 inside pocket. 4 large lower pockets, 2 of which have flaps. Nylon zip + press studs.

Composition:
65% Polyester
35% Cotton
240 g/m²
Lining
100 % Polyester
250 g/m²



Shorts

— PRESTI-COMFORT

White / grey:
Sku **28 35**

Available sizes: from **36** to **58**

2 two-colour bias-cut patch pockets, 2 back pockets with rip-tab flap, 1 ruler pocket / 1 tool pocket on the side / 1 side rip-tab pocket. Nylon YKK fly, 5 belt loops.

Composition:
60% Cotton
40% Polyester
310 g/m²



Polo shirt

— PRESTI-COMFORT

White/grey: ref. **28 60**

Available sizes: from **S** to **XXL**

Quick drying to help wick away perspiration. Collar and sleeves with contrasting edging. Classic collar. 3 buttons. Velour neck band.

Composition :
100 % Polyester
140 g/m²



RANGE CLASSIC

Simple and discreet tradition: the hallmark of our Classic range.



ADVANTAGES



QUALITY
MANUFACTURING



ERGONOMICS
FOR COMFORT



Overalls

— CLASSIC

White:
ref. **22 55**

Available sizes:
from 0 to 6

2 zipped chest pockets,
2 bias-cut patch pockets,
1 back pocket + 1 ruler
pocket, double zip,
elasticated waistband
+ back gussets,
buttoned cuffs.

Composition :
100 % Cotton
320 g/m²



Bib and brace overalls

— CLASSIC

White:
ref. **22 45**

Available sizes:
from 0 to 6

2 bias-cut side pockets,
1 back pocket + 1 ruler
pocket, 1 large bib pocket
with zip + pen holder,
adjustable elasticated
straps.

Composition :
100 % Cotton
320 g/m²



Straight coat

— CLASSIC

White:
ref. **22 56**

Available sizes:
from 0 to 6

2 patch pockets,
1 chest pocket,
1 inside pocket,
tailored collar,
buttoned cuffs.

Composition :
100 % Cotton
320 g/m²



Jacket

— CLASSIC

White: Sku **22 50**

Available sizes: **from 0 to 6**

3 patch pockets, 1 inside pocket,
tailored collar, buttoned cuffs.

Composition :
100 % Cotton
320 g/m²



Jean

— CLASSIC

White: ref. **24 25**

Available sizes: **from 36 to 60**

5 belt loops
Button fly
2 bias-cut patch pockets.
1 small front pocket with rivets
1 ruler pocket
2 back pockets

Composition :
60 % Cotton
40 % Polyester
300 g/m²



Trousers

— CLASSIC

Available sizes: **from 36 to 60 except: Sku 26 10 up to 54**

2 bias-cut patch pockets,
1 back pocket,
1 ruler pocket,
belt loops, button fly.

**For added comfort, our trouser range comes
in 3 types of fabric:**

White: Sku **22 10**

- › Comfortable, absorbs perspiration.
- › Resists welding sparks.
- › Washable at high temperature.

Composition :
100 % Cotton
320 g/m²

White: Sku **24 10**

- › Reinforced cotton.
- › Comfortable, absorbs perspiration.
- › Washable at high temperature.
- › Easy care, resistant to tearing,
garment lifespan of
more than 50 washes.

Composition :
60 % Cotton
40 % Polyester
300 g/m²

White: Sku **26 10**

- › Polyester/Cotton.
- › Entry price.

Composition :
65 % Polyester
35 % Cotton
250 g/m²

RANGE SPORTSWEAR

**When work clothing
gets a sportswear look!**

Comfortable,
ergonomic
clothing
that offers
great freedom
of movement.



ADVANTAGES



**COMFORTABLE
FLEECE**



**PROTECTIVE
KNEE PATCHES**



ERGONOMICS



FIT CUT





Mouv hooded sweatshirt

— SPORTSWEAR

White ref **47 20**
Navy ref **47 21**

Available sizes: **from S to XXL**

A comfortable fleece work sweatshirt for a stylish look

Hood with drawcord
Hood lining in contrasting jersey
Raglan sleeves
Reinforced ribbing on body and cuffs

Composition :
Fleece
65% Cotton
35% Polyester
300 g/m²



Mouv work joggers

— SPORTSWEAR

White ref **47 30**
Navy ref **47 31**

Available sizes: **from S to XXL**

A fleece work sweatshirt for maximum comfort

Elasticated drawcord waistband
2 slant pockets
1 mesh pocket with flap
1 reinforced ruler pocket
Fitted cut with elastic cuffs
Knee reinforcements with compartments for protective pads (not supplied)

Composition :
Fleece
65% Cotton
35% Polyester
300 g/m²



Craft black Ripstop sleeveless jacket

— SPORTSWEAR

Black: ref. **47 01**

Available sizes: **from S to XXL**

A light and durable sleeveless jacket

Anti-cold zip fastening
2 zipped bias-cut pockets
1 inside pocket
Bias cut cuffs

Composition:
PU-coated
Ripstop
polyamide
fabric
Polyester
taffeta
lining



THE EXPERT'S ADVICE



In tune with the times!

***Be comfortable
while you
work!***

That's what I like
about the Dulary
Sportswear range.
I've discovered jogging,
and since then I've
worn the shorts for
the summer.



Mouv sleeveless jacket

— SPORTSWEAR

White: ref. **47 50**

Available sizes:
from S to XXL

A soft and lightweight zippered gilet

2 zipped low pockets,
1 Napoleon chest pocket,
Lower body reinforced rib edging 450 g/m²

Composition :
Non-brushed
fleece
65% cotton
35% polyester
280 g/m²



NAVY BLUE

WHITE

Mouv shorts

— SPORTSWEAR

White: ref. **47 40**

Navy: ref. **47 41**

Available sizes:
from S to XXL

Lightweight and comfortable work shorts
Adjustable elasticated drawcord waistband
2 Italian pockets
1 mesh pocket with rip-tab flap
on the left leg, 1 reinforced fabric
ruler pocket on the right leg

Composition :
Non-brushed
fleece
65% cotton
35% polyester
280 g/m²



RANGE COLD

The Cold range perfectly complements our range of work clothing. Style and comfort for the outdoors, or in the coldest seasons!



NEW



DULARY ADVANTAGES



The ideal jacket for cold-weather jobsites

The SMART jacket and its bi-material combines comfort and warmth. Its supple fabric lets you freedom of movement while protecting you from the cold.



SMART Bi-Material Jacket

FROID

Sku **40 27**

Available sizes:
from **S** to **XXL**

The jacket for all your indoor and outdoor worksites.

YKK zipper closure
Zipped inside and side pockets
Quilted body
Finishing piping at cuffs and hem
Chin guard

Composition :
Outside : 100% nylon.
Inside : 100% polyester.
Sleeves : 100% knitted
polyester.
380 g/m²

SITE PROTECTION

PROFESSIONAL CLOTHING

PERSONAL PROTECTION

MERCHANDISING



Allure white padded jacket

— COLD

White/black: Sku **4031 men**
Sku **4032 women**

Available sizes:
from S to XXL

Modern, lightweight, two-material padded jacket in a slim fit.
2 zipped side pockets.
2 inside pockets.
Chin protection.
Contrasting zips.

Composition :
100 % polyester,
180g/m²

ADVANTAGES

Comfortable
Modern cut



The down jacket that goes perfectly with all your work outfits!

In cold weather, for effective protection against the cold, opt for the comfort and lightness of our ALLURE down jacket. and lightness of our ALLURE down jacket down jacket for elegant worksites.



Specially adapted women's fit
→ p. 74







Area sleeveless jacket

— COLD

White: Sku **40 18**

Available sizes: **from S to XXL**

The stretch sleeveless jacket.

High collar
Central zip
Elasticated bias-cut cuffs and hem
2 vertical low pockets with zip flap,
2 inside patch pockets with rip-tab fastening
5,000 mm waterproofing
400 g/m²/24hr breathability

Composition:
External:
100%
mechanical stretch
polyester + TPU 100 g/m²
membrane
Main lining: 100%
polyester 220 g/m²
Lining 2: 100 % polyester
taffeta lining



Urban sleeveless jacket

— COLD

Blue. Sku **40 16**

Available sizes: **from S to XXL**

A practical and functional lightweight sleeveless jacket

Retro-reflective central zip
High collar, chin guard, elasticated
bias-cut cuffs and waist
2 inside patch pockets with rip-tab
fastening

Composition:
Exterior: 100%
polyester 65 g/m²
Main lining: Quilted 100 %
polyester 160 g/m²
Second lining: taffeta lining
100 % polyester 60 g/m²



Ripstop Challenge Jacket

— COLD

Blue/orange: Sku **40 24**

Available sizes: **from S to XXL**

A dual-material ripstop jacket for better durability

Fixed hood - Anti-cold zip fastening
Ribbed cuffs
2 breast pockets 2 side pockets
1 inside zipped pocket
Reflective piping on front and back
Badge holder included

Composition:
Quilted ripstop
polyamide fabric
with PU coating
Inserts: Laminated
2-layer polyester
fabric
Polyester taffeta lining



Black city sleeveless jacket

— COLD

Black: Sku **40 15**

Available sizes: **from M to XXL**

A stylish urban sleeveless jacket.

Water-repellent and windproof.
Waistband drawcord.

Composition:
100% polyester
pongee exterior
100% Polyester taffeta
padded interior



Heather Grey Fleece Street Jacket

— COLD

Heather grey:
Sku **40 19**

Available sizes: **from S to XXL**

Warm and comfortable jacket

High collar
Central zip
1 ripstop patch pocket with zip
2 vertical lower pockets
2 lower bottom pockets
Ribbed cuffs and hem
Anti-abrasion
Ripstop inserts on the elbows

Composition:
Fleece: 80% cotton,
20 % polyester
Ribbing: 100%
Polyester
Ripstop (5mm): 100%
PVC coated polyester.
300 g/m²



Black fleece jacket

— COLD

Black: Sku **40 25**

Available sizes: **from S to XXL**

Nylon zip.
Set-in sleeves
with elasticated cuffs.
2 lower zip pockets.

Composition :
100 % Polyester
340 g/m²

RANGE
COMPLEMENTARY

Items delivered in individual packaging



**Customise
your clothing!**

see our range
→ p. 44

PROFESSIONAL CLOTHING RANGE COMPLEMENTARY



T-shirt

— COMPLEMENTARY

White: Sku **42 10**

Sizes:
from **M** to **XXL**

Double stitched crew neck..



Composition :
100% Combed
cotton
145 g/m²



Crew neck long-sleeved T-shirt

— COMPLEMENTARY

White: Sku **42 13**

Sizes:
from **M** to **XXL**

Crew neck. Double stitched neck, cuffs and hem on the garment.



Composition :
100% Combed
cotton
160 g/m²

Ribbed edging on neck, cuffs and hem.



White sweatshirt

— COMPLEMENTARY

White: Sku **42 25**

Sizes:
from **M** to **XXL**

Back collar panel. Straight sleeves. Double stitched neck, shoulders, sleeves and waist.

Composition :
80% Combed
cotton
20% Polyester
300 g/m²



WHITE



GREY

Polo shirt

— COMPLEMENTARY

White: Sku **42 20**
Grey: Sku **42 21**

Sizes: from **M** to **XXL**

Quilted knit. Standard collar. 3 buttons.

Composition (grey):
85% Cotton
15% Viscose
220 g/m²

Composition (white):
100% Cotton
Pique knit
190 g/m²



GREY

Zippered collar, modern fit



WHITE

Zip-neck sweatshirt

— COMPLEMENTARY

White: Sku **42 30**
Grey: Sku **42 35**

Sizes: from **M** to **XXL**

High collar, sleeves and inner edges ribbed with elastane. Covered placket with matching zip.

Composition:
80% Cotton
20% Polyester
280 g/m²

RANGE

WOMEN



Allure white padded jacket

— COLD

Blanc/noir :
réf. **4032 femme**

Tailles disponibles :
du S au XXL

Modern, lightweight,
two-material padded jacket
in a slim fit.

2 zipped side pockets.

2 inside pockets.

Chin protection.

Contrasting zips.

Composition:
100% polyester,
180 g/m2

ADVANTAGES

Comfortable

Modern cut.



Don't forget our unisex products!




Unisex
PERFORMANCE
overalls

→ p. 49

Unisex sneakers
HAKA

→ p. 83





PROFESSIONAL CLOTHING RANGE WOMEN

SITE PROTECTION

PROFESSIONAL CLOTHING

PERSONAL PROTECTION

MERCHANDISING



Women's leggings

— WOMEN

Black: Sku **42 55** | Available sizes:
S/M - L/XL - (XXL/XXXL on request)

Long leggings with pocket
High waist with good waistband support.
Wide elasticated waistband.
Phone pocket in the seam

Composition :
86% polyester
14% elastane.
260 g

ADVANTAGES

Comfort - freedom of movement



Alice S3 Trainer

— WOMEN

Sku **62 30** | Sizes: from 35 to 41

Low-top trainer for both comfort and femininity
› Upper: water-repellent nubuck
› Lining: 100% polyester, breathable, antibacterial, absorbent, anti-abrasion
› Sole: anti-perforation PU, non-slip (SRC)
› Toe cap: aluminium
Weight: 557g - Standardised S1P SRC shoe

ADVANTAGES

Flexible and comfortable
Transparent
non-marking outsole.



Women's t-shirt

— WOMEN

White: Sku **42 11** | Available sizes:
from S to XXL

Short-sleeved t-shirt, V-neck,
contemporary look

Composition:
100% cotton,
150 g/m²

ADVANTAGES

Lightweight
The basic essential



Women's Expert trousers

— WOMEN

White/black: Sku **30 20** | Available sizes:
from 34 to 48

Belt with 7 loops and elasticated waistband.
2 piped back pockets, 2 slanted front pockets,
nylon fly, 1 ruler pocket, 1 tool pocket
on the side, 2 bellows pockets
and 1 phone pocket.

Composition:
60% Cotton
40% Polyester
310 g/m²

Knee patches **CORDURA** with compartments for
DULARY protective foam pads (not included).

RANGE RAINWEAR



Entry price outfit

— RAINWEAR

Yellow: Sku **46 10**

Sizes: **from L to XXL**

Double PVC-coated cotton/polyester lining.
Waterproof, sewn and bonded.
Drawcords: hood, windproof sleeves and waist.
Back ventilation.
2 trouser pockets/2 side pockets with flap.



Flexible outfit

— RAINWEAR

Green: Sku **46 26**

Sizes: **from L to XXL**

Flexible PVC-coated polyester 200 g/m2.
Waterproof.
Airtight seams, integrated hood, zipped collar. Adjustment/tightening at openings.
Back ventilation. Elasticated waistband.
Hand slits
Adjustable legs using press studs.
2 jacket pockets.

**DISCOVER
OUR RANGE
OF DISPOSABLE
CLOTHING**

→ p. 78



PERSONAL PROTECTION

Disposable clothing	p. 78-79
Choosing your safety footwear.....	p. 80-81
Safety footwear	p. 82-88
Choosing your gloves.....	p. 89
Hand protection	p. 90-93
Choosing your single-use mask.....	p. 94
single-use mask	p. 95
Choosing your cartridge	p. 96
Full face mask and cartridge.....	p. 97-99
Eye protection	p. 100-101
Head protection	p. 102
Safety products	p. 103

PERSONAL PROTECTION CHOICE GUIDE

CHOOSING disposable clothing

Overalls	Level of protection	Risk	Use
Polypro	Category 1	Minor	Protection against minor hazards, dirty work in non-hazardous environments.

Overalls	Level of protection	Risk	Use	
Weepro Tyvek® Ventilated back	Category III	Type 1 & 2	EN 943-1	Performance requirements for chemical protective suits gas-tight (type 1) and non-gas-tight (type 2)
		Type 3 & 4	EN 14605	Liquid-tight & spray-tight protective clothing
		Type 5	EN 13982-1	Protection against airborne solids
		Type 6	EN 13034	Limited protection against non-hazardous liquid chemicals.



Polypro Coverall

— DISPOSABLE

Sku **44 10**

Sizes: **XL and XXL**

Sold in packs of 10 per size.

Disposable overalls in non-woven polypropylene (40 g/m²). Zip fastening. Elasticated cuffs, waistband, ankles and hood.



WEEPRO Coverall

— DISPOSABLE

Sku **44 20**

Sizes: **XL and XXL**

Sold in packs of 10 per size.

Microporous non-woven film (60 g/m²) disposable overalls. Hooded design. Zip with self-adhesive close flap. Elasticated cuffs, hood and ankles.



TYVEK® Coverall

— DISPOSABLE

Sku **44 30**

Sizes: **XL and XXL**

Sold in packs of 25 per size..

100% polypropylene non-woven Tyvek® disposable overalls (41 g/m²). Hooded design. Zip with close flap. Elasticated hood, cuffs, waist and ankles.

PERSONAL PROTECTION DISPOSABLE CLOTHING

Ventilated back overalls

— DISPOSABLE

Sku **44 25**

Sizes: **XL and XXL**

Sold in packs of 25 per size.

Microporous film (65 g/m²) disposable overalls. Ventilated back in blue SMS (55 g/m²). Zip with adhesive close flap. Elasticated hood, cuffs, waist and ankles.



Ventilated
back



Disposable polypropylene overboots

— DISPOSABLE

Sku **44 40**

Size: **one size**

Sold by the pair

100% polypropylene non-woven overboots. Single-use for protecting floors in controlled areas. Height: 49 cm. 2 holding ties.

SITE PROTECTION

PROFESSIONAL CLOTHING









PERSONAL PROTECTION

MERCHANDISING

The latest standards for your safety shoes according to ISO 20345:2024.

The standard for safety shoes is evolving in 2025.

To make the right choice for your safety shoes based on your needs, refer to the table below which will guide you on the new features.

				NEW		NEW	NEW	
	Protective toe cap 	Antistatic properties 	Shock absorbing heel 	Non-slip properties 	Perforation resistance (metal plate) 	Perforation resistance (composite plate, small or large toe) 	Waterproof (upper materials) 	waterproof (rear of the shoe) 
S1	✓	✓	✓	✓				
S1P	✓	✓	✓	✓	✓			
S1PS/S1PL	✓	✓	✓	✓		✓		
S2	✓	✓	✓	✓			✓	
S3	✓	✓	✓	✓	✓		✓	
S3S/S3L	✓	✓	✓	✓		✓	✓	
S6	✓	✓	✓	✓			✓	✓
S7	✓	✓	✓	✓	✓		✓	✓
S7S/S7L	✓	✓	✓	✓		✓	✓	✓

PS : (Small Perforation) Shoes with shell (composite, steel, aluminum) & anti-perforation textile or composite insole for small diameter nails (less than 4.5mm); the test starts at 3mm & water-repellent upper.

PL : (Large Perforation) Shoes with shell (composite, steel, aluminum) & anti-perforation textile or composite insole for larger diameter nails (greater than 4.5mm) & water-repellent upper.

ADDITIONAL STANDARDS :

SR : Resistant to oil on tiled floors

FO : Sole resistance to hydrocarbons

SC : Presence of a PU toe cap on the shoe

LG : Heel notch for ladder work

CHOOSING your safety footwear

SPORT RANGE



Comfort and modern style

- › Sneakers Dunlop
S3 p.82
- › Unisex HAKA sneaker
S1P p.83
- › Sneakers MUSTANG
S3 p.83
- › Sneakers Overture
S3S p.83
- › Sneakers Hallo Black /
orange S1P p.84
- › Sneakers Monti
S3S p.84
- › Sneakers Running
S1PS p.84
- › Sneakers Nuvolari
S3S p.84

CASUAL RANGE



Aesthetics and practicality

- › High-top shoe OSLO
S3 p.85
- › Tennis Blues
S1P p.85

TECHNICAL RANGE



Technology and comfort
for the most demanding
professionals

- › High-top Sneakers
EMERSON
S3 p.86
- › Sneakers HACK
S3S p.86
- › Sneakers Greenfit
Reconverted
S1P mixte p.86
- › Sneakers Puma Frontside
S1P p.86

THE ESSENTIALS



Traditional styling
and value for money

- › Black leather shoe
S1P p.87
- › Grey velour low-top
S1P p.87
- › Green safety boot
S5 p.87



Good safety footwear should be light, flexible and resistant -
not to mention stylish!

SPORT RANGE

NEW

THE EXPERT'S ADVICE



Ultra-comfortable safety sneakers that feel just like city shoes.

I really like the style and comfort of the ARROW sneaker, which accompanies me throughout my day.

White sneaker Dunlop Arrow S3

Sku 65 14

Sizes : from 38 to 46

Low-top comfortable sneaker with a sporty look in leather

- › Upper: Water-repellent leather and mesh
- › Lining: Microfiber fabric
- › Sole: EVA and rubber, anti-slip, anti-perforation, oil and shock resistant
- › Toe cap: Composite

Weight: 590 g – S3 SRC HRO certified shoe

ADVANTAGES

Soft and comfortable

Anti-slip sole

Waterproof

SPORT RANGE



**Unisex HAKA sneaker
S1P SRC FO HI CI**



Sku **62 35**

Sizes : from 35 to 46

- › Upper: Lightweight and breathable microfiber
- › Lining: Airy sports mesh
- › Toe cap: Carbon fiber
- › Sole: Composite anti-perforation ensuring lightness, thermal insulation, and 100% coverage of the arch of the foot.
- › Insole: OPTIMUM® cushioning, hydrophilic, antifungal, and antibacterial.



MUSTANG sneaker S3 SRC

Sku **66 41**

Sizes : from 39 to 46

Low safety shoe offering unparalleled resistance to abrasion and water, while maintaining its performance in terms of flexibility, lightness, and breathability.

- › Upper: PU Tek, water- and abrasion-resistant fabric
- › Lining: Three-dimensional Spyder-Net fabric
- › Sole: Tyre Dual Density PU SRC
- › Toe cap: Aluminium Alu200
- › Anti-perforation: TXzero textile insert



OVERTURE sneaker S3S

Sku **65 41**

Sizes : from 39 to 47

Innovative and light low-top shoe with a dynamic look

- › Upper: highly resistant, water-repellent fabric, made from environmentally-friendly materials
- › Lining: 100% SANY-DRY® polyester
- › Sole: Anti-perforation, thermal insulation, super non-slip, anti-torsion system
- › Toe cap: aluminium and TPU toe cap resistant to oil, grease and abrasion

Weight: 480 g - Standardised S3 SRC shoe

ADVANTAGES

Eco-friendly design, lightweight, technical, highly comfortable, memory foam sole



SPORT RANGE



HALLO black/orange sneaker S1P

Sku **61 00**

Sizes: **from 37 to 47**

Light and breathable low-top trainer

- › Upper: 100% fly-knit polyester
- › Sole: anti-perforation and non-slip (SRA) PU, oil resistant
- › Toe cap: metal

Weight: 473g - Standardised S1P SRA shoe

ADVANTAGES

Lightweight trainer

Combining essential protection and a sporty look



Basket Running S1PS

Sku **65 11**

Sizes: **from 39 to 47**

White low-top shoe

- › Upper: highly breathable BreaTEX fabric
- › Lining: fabric. Gusseted tongue to repel foreign bodies
- › Sole: in soft and comfortable PU, resistant to abrasion, mineral oils and weak acids, non-slip, anti-static and anti-perforation
- › Toe cap: aluminium

Weight: 460g - Standardised S1P SRC shoe

ADVANTAGES

Very flexible and light, with non-marking white outsole.



MONTI sneaker S3

BLACK

Sku **65 40**

WHITE

Sku **65 39**

Sizes: **from 38 to 47**

Low-top shoe in innovative Techshell fabric

- › Upper: seamless, breathable, abrasion and tear-resistant
- › Lining: made from SANY-DRY_R fabric
- › Sole: Anatomical, antistatic and flexible PU, shock absorbing, non-marking, non-slip, anti-perforation, resistant to abrasion, mineral oils and weak acids
- › Toe cap: aluminium

Weight: 520g - Standardised S3 SRC shoe

ADVANTAGES

Seamless, flexible, technical and comfortable, with non-marking white outsole.



Basket Nuvolari S3S

Sku **65 13**

Sizes: **from 37 to 47**

White low-top shoe

- › Upper: water-repellent leather
- › Lining: breathable blue fabric. Gusseted tongue to repel foreign bodies
- › Sole: in soft and comfortable PU, resistant to abrasion, mineral oils and weak acids, non-slip, anti-static and anti-perforation
- › Toe cap: aluminium

Weight: 520 kg - Standardised S3 SRC shoe

ADVANTAGES

Very flexible and light, with non-marking white outsole.

CASUAL RANGE

NEW



High shoe OSLO S3

Sku **68 01**

Sizes : from 39 to 46

- › Upper: Water-repellent nubuck
- › Lining: 100% polyamide, breathable, moisture-absorbing and moisture-releasing, abrasion-resistant
- › Outer lining: Breathable synthetic material
- › Insole: EVANIT with a special EVA and nitrile blend, high profile and variable thickness (12mm - 8mm - 3.8mm). Thermoformed, anatomical, perforated, and coated with highly breathable fabric. Antistatic due to a specific surface treatment and seams made with conductive threads
- › Protection toe cap: Steel, resistant to 200 J
- › Plate: Non-metallic APT PLUS - Zero Perforation
- › Sole: Polyurethane/TPU



Tennis Blues S1P

Sku **62 10**

Sizes: from 35 to 47

Low-top shoe in royal blue

- › Lining: non-woven fabric
- › Sole: anti-perforation PU, anti-static, anti-abrasion and non-slip
- › Toe cap: steel

Weight: 460g - Standardised S1P SRC shoe



ADVANTAGES

Trendy style, very light (canvas), comfortable and flexible.

SITE PROTECTION

PROFESSIONAL CLOTHING

PERSONAL PROTECTION

MERCHANDISING

PERSONAL PROTECTION SAFETY FOOTWEAR

TECHNICAL RANGE



High-top EMERSON sneaker S3 FO WRU

Sku **66 40**

Sizes : from 39 to 46

- › Upper: PU Tek, water- and abrasion-resistant fabric
- › Lining: Three-dimensional Spyder-Net fabric
- › Sole: Tyre Dual Density PU SRC
- › Toe cap: Aluminium Alu200Anti-perforation: TXzero textile insert
- › Unparalleled resistance to abrasion and water, while maintaining performance in terms of flexibility, lightness, and breathability.



HACK sneaker S3S

Sku **66 05**

Sizes : from 38 to 46

- › Upper: Innovative, water-repellent, and breathable fabric
- › Inner lining: SANY-DRY® 100% polyester, three-dimensional, breathable, moisture-absorbing and moisture-releasing, abrasion-resistant
- › Insole: LIGHT FOAM ESD, very soft and comfortable polyurethane foam. Perforated, anatomical, designed to support the arch of the foot, covered with abrasion-resistant fabric, it absorbs sweat, keeping the foot dry at all times.
- › Protection toe cap: ALUMINIUM 200 J
- › Plate: Non-metallic APT PLUS - Zero Perforation with low electrical resistance
- › Sole: Bi-density polyurethane with low electrical resistance



Unisex Greenfit Reconverted sneaker S1P



Sku **66 00**

Sizes : from 35 to 47

Eco-friendly low-top shoe

- › Upper: 100% PET ecological fabric
 - › Lining: 100% polyester, breathable, antibacterial, anti-abrasion
 - › Sole: Made of virgin and recycled PU. Anti-perforation, non-slip (SRC), anatomical, antistatic, flexible and comfortable
 - › Toe cap: aluminium + anti-abrasion leather covering
- Weight: 592g - Standardised S1P SRC shoe**

ADVANTAGES

- Eco-friendly: made from 9 PET bottles
- Anti-abrasion leather toecap cover
- Grey non-marking outsole.



Puma sneaker Frontside S1P

Sku **66 31**

Sizes : from 39 to 46

Low-top sporty shoe

- › Upper: microfibre, highly resistant nylon fabric, highly breathable Sandwich-Mesh
- › Lining: BreathActive Multifunction lining
- › Sole: Anti-perforation, thermal insulation, super non-slip, flexible FAP® lite
- › Toe cap: fibreglass

Weight: 520 g - Standardised S1 SRC shoe

ADVANTAGES

- Unparalleled comfort: maximum energy recovery and cushioning with its EFFECT.FOAM® sole
- The quality and expertise of a recognised brand.
- Metal-free

THE ESSENTIALS



LOW-TOP

HIGH-TOP

Black leather shoe S1P

LOW-TOP Sku 60 13	HIGH-TOP Sku 60 12	Sizes: from 38 to 47
-----------------------------	------------------------------	-----------------------------

- › Upper: pigmented croupon leather
 - › Lining: polyamide mesh
 - › Sole: non-metallic, anti-perforation, anti-static, non-slip, hydrocarbon-resistant PU
 - › Toe cap: stainless steel
- Weight (low): 630g - (high): 640g**
Standardised S1P SRC shoe



SITE PROTECTION

PROFESSIONAL CLOTHING



Grey velour low-top S1P shoe

Sku 60 16	Sizes: from 38 to 47
------------------	-----------------------------

- › Upper: split velour leather
 - › Lining: polyamide
 - › Sole: non-metallic, anti-perforation, anti-static, non-slip, hydrocarbon-resistant PU
 - › Toe cap: stainless steel
- Weight: 610 g - Standardised S1P SRC shoe**

Green safety boot S5

Sku 69 10	Sizes: from 39 to 46
------------------	-----------------------------

- › Upper: PVC/green nitrile rubber
 - › Lining: polyester
 - › Sole: in anti-perforation PVC/nitrile rubber, resistant to acid, chemicals and hydrocarbons
 - › Toe cap: stainless steel
- Weight: 990g - Standardised S5 SRC boot**



S5: for very damp environments where the ground is a risk. Anti-perforation sole

PERSONAL PROTECTION

MERCHANDISING



**THE EXPERT'S
ADVICE**

**A range
of stylish,
ultra-comfortable
safety
sneakers**

I immediately adopted the look of the ALICE sneaker. Its modern, elegant look pairs perfectly with my leggings for a comfortable workout.

Alice S3 sneaker - women's model

Sku **62 30**

Sizes: from 35 to 41

Low-top trainer for both comfort and femininity

- › Upper: water-repellent nubuck
- › Lining: 100% polyester, breathable, antibacterial, absorbent, anti-abrasion
- › Sole: anti-perforation PU, non-slip (SRC)
- › Toe cap: aluminium

Weight: 557g - Standardised S1P SRC shoe

ADVANTAGES

Flexible and comfortable
Transparent non-marking outsole.

CHOOSING your hand protection


Protective glove standards:

EN420 and EN ISO 21420:

- General standard for glove design
- › safe (pH, chromium content)
- › size
- › dexterity
- › water vapour transmission

EN388:

Protective gloves against mechanical risks
The standard is evolving: its revision concerns the cut resistance test and the addition of an impact test (optional).



EN ISO 374-1: 2016

Protection against chemical risks (permeation of hazardous non-gaseous chemicals) the standard is evolving: a single pictogram and three types of gloves

Type A ≥ 30 mins
for at least
6 products

EN ISO 374-1 / TYPE A



Type B ≥ 30 mins
for at least
3 products

EN ISO 374-1 / TYPE B



Type C ≥ 10 mins
for at least
1 product

EN ISO 374-1 / TYPE C



4 ranges depending on use:

Dulytek Dulytek

HANDLING

PRECISION

SINGLE USE

CLEANING

Grip and comfort for the most demanding tasks

Dexterity and precision

Economical and efficient

Flexible and resistant

- › Nitrilight p.92
- › Grip & Flex p.92
- › Protect Cut Polykor... p.92

- › G3RX Resist & Confort p.90
- › G3RX Grip Confort ... p.90
- › Preci Polykor.....p.91
- › Slim Touch.....p.91
- › PU Glovesp.91

- › Nitrile (non-powdered)p.93
- › Latex (powdered) p.93
- › Vinyl (powdered) p.93

- › Yellow household. p.93
- › Black neoprene p.93



Dulytek

PRECISION

EN388: 4121X

G3RX Resist & Confort

Sku **50 90**

(sold in packs of 5)

Sizes: **9, 10**

Nitrile foam coating

Excellent dexterity and abrasion protection

Excellent adhesion on dry and damp surfaces,
oil-resistant

Extremely comfortable against the skin



EN388: 2131X

G3RX Grip Confort

Réf. **50 91**

(sold in packs of 5)

Sizes: **9, 10**

Micro-surface latex coating, a revolutionary new
surface treatment for superior adhesion

Excellent adhesion to dry, slightly damp and non-
oily surfaces

Flexible and hard-wearing

Very comfortable against the skin



one 60 cl
bottle
= 1 pair



Dulary

has innovated and
expanded its range to include
G3RX gloves made from recycled
plastic bottles.

**BECAUSE RESPECT
FOR THE ENVIRONMENT
IS IMPORTANT**



OEKO-TEX®
CONFIRMED IN TESTILES
STANDARD 100



Global Recycled
Standard

Seamless knitted lining made from 90% recycled PET and
10% elastane for comfort, dexterity and breathability

EN388: 3X41B

Preci Polykor

Sku **50 84**

(sold in packs of 5)

Sizes : 9, 10

Made of light and
seamless Polykor knit
PU coated gloves

Exceptional dexterity on dry and wet surfaces

Resistance to cuts

Compatible with touchscreens



EN388: 3121X

Slim Touch

Sku **50 82**

(sold in packs of 5)

Sizes : 9, 10

Made of 18-gauge seamless
knitted nylon
Smooth nitrile coating

Dexterity

Breathability.

Compatible with touchscreens

Particularly suitable for jobs
requiring extreme attention to detail



EN388 : 3131X

PU Gloves

White : **5069** (pack of 10)

White : **5070** (indiv. bound)

Grey : **5072** (pack of 10)

Sizes
White: 8, 9, 10
and 11

Grey: 9, 10

Knitted glove with polyamide
structure, polyurethane coating.
Seamless.

Fine handling
requiring great dexterity
and excellent touch. Breathable.
Extremely good precision
for painting work.



GRIS

BLANC



PERSONAL PROTECTION
HAND PROTECTION

Dulytek

HANDLING

EN388: 3121X

Nitrilight

Sku **50 80** | Sizes : 9, 10
(packs of 5)

Seamless knitted nylon.
Smooth nitrile coating
Excellent adhesion on dry surfaces.
No absorption of liquids on the inside.
Dexterity and breathability



EN388: 3131X

Grip & Flex

Sku **50 81** | Sizes : 9, 10
(packs of 5)

Seamless knitted nylon.
Crepe latex coating.
Ventilated back to wick away perspiration
Superior adhesion in dry and wet weather.
very high elasticity, compatibility with coatings such as: water/alcohols and ketones/diluted acids/biological proteins.



EN388: 4X43D

Protect Cut Polykor

Sku **50 83** | Sizes : 9, 10
(packs of 5)

Made of light and seamless Polykor knit
PU coated gloves
Cut and abrasion resistance
Exceptional dexterity on dry and wet surfaces
Comfort and breathability



SINGLE USE

	Nitrile glove	Latex glove	Vinyl glove
Puncture resistant	★ ★ ★	★ ★	★
Stretch / Dexterity	★ ★ ★	★ ★ ★	★
Allergy risk		★	

PROTECTION AGAINST CHEMICAL RISKS

EN 374-1 type C



**Nitrile
(non-powdered)**

Sku **50 40**

Sizes : S/7 - M/8
L/9 - XL/10

Reduces allergy risk
for complete comfort
and optimal sensitivity
Single use.
Box of 100 gloves.
Economical gloves.



**Latex
(powdered)**

Sku **50 30**

Sizes : S/6 - M/8
L/10 - XL/12

Single use.
Box of 100 gloves.
Economical gloves.



**Vinyl
(powdered)**

Sku **50 35**

Sizes : S/7 - M/8
L/9 - XL/10

Single use.
Box of 100 gloves.
Economical gloves.



CLEANING

EN 388 (1010) - EN 374-1 type B

**Yellow household
glove**

Sku **50 53** (pack of 5 pairs) | One size : **9,5**

Natural latex, cotton flocking.
Outer pattern finish.
Long. 30 cm.
General purpose, flexible.



EN 388 (3121) EN 374-1 type B

Black neoprene

Sku **50 12** (Pack of 10 pairs)
Sku **50 52** (pack of 5 pairs)

Sizes :
9, 10

Polychloroprene and latex, flocked
cotton lining. Outer pattern finish.
Length 31 cm.
Comfortable, flexible and non-adhesive.
Versatile chemical resistance.



CHOOSING your disposable mask

We offer 3 ranges of masks and associated accessories to cater for different types of use:

- single-use disposable masks
- reusable half-masks or full face masks with their corresponding filters in the Classic and Comfort ranges

3 LEVELS OF PROTECTION

MASK TYPE		
FFP1 ANTI-AEROSOLS	FFP2 ANTI-AEROSOLS WITH VALVES	FFP3 ANTI-AEROSOLS WITH VALVES
LEVELS OF PROTECTION		
80%	94%	99%
POLLUTANT CLASS		
FFP1 SL NR	FFP2 SL NR	FFP3 SL NR
EXAMPLES OF PROTECTION		
Non-toxic dusts for concentrations up to 4 times the AEV (stops at least 80% of aerosols). Protects against particles of soft wood, cellulose, plaster, etc.	Low toxicity fine dust, fumes and mist for concentrations up to 10 times the AEV (stops at least 94% of aerosols). Same as FFP1 + hard wood, fibre glass, paint, hard metals, etc.	Highly toxic dust, toxic fumes and toxic mists, for concentrations up to 50 times the AEV (stops at least 99% of aerosols). Same as FFP1 + same as FFP2 + chromium, manganese, nickel, platinum, metal dusts and fumes, viruses and enzymes.

AEV: Average Exposure Value. This is the concentration measured over a reference period. (e.g. an 8-hour day). The AEV is indicated on the toxicity sheet of the products handled.

NR: non reusable - use is limited to one working day.

R: reusable

SL: filtration capacity for solid dusts (S) and liquid aerosols (S/L).



How to correctly fit and adjust
your breathing mask



FFP1 anti-aerosol masks

Sku **54 10 21** (pack of 3 masks)

Sku **54 10 10** (box of 20 masks)

FFP1 SL protective mask.



FFP2 anti-aerosol masks with valve

Sku **54 15 21** (pack of 3 masks)

Sku **54 15 15** (box of 10 masks)

FFP2 SL protective mask
with exhalation valve



FFP3 anti-aerosol masks with valve

Sku **54 20 21** (bag of 3 masks)

Sku **54 20 20** (box of 5 masks)

FFP3 SL protective mask
with exhalation valve.

ADVANTAGES
DULARY

**FREE
DISPLAY
BOX**

FOR 24 BOXES
PURCHASED

Sku **93 50 20**

To be stated on the order form



CHOOSING your filter cartridges

The Classic and Comfort ranges are reusable and can be used with filters (inserts or cartridges).

FILTER CODES

FIELD OF USE OF ANTI-GAS FILTERS	CATEGORY OF ANTI-PARTICULATE FILTERS ACCORDING TO FILTRATION EFFICIENCY	CATEGORY OF ANTI-GAS FILTERS ACCORDING TO THEIR AUTONOMY
Type A (brown) organic gases and vapours: benzene, diesel fuel, petrol. Type B (grey) organic gases and vapours: chlorine, hydrogen sulphide, hydrocyanic acid, sulphuric acid. Type E (yellow) sulphur dioxide, hydrochloric acid, acetic acid. Type K (green) ammonia and derivatives	P1 low efficiency, non-toxic dust P2 Medium efficiency, toxic dust (wood, polyester resin, etc.), metal fumes P3 High efficiency, very toxic dust (asbestos, arsenic, etc.) lead, welding fumes	class 1 low capacity (insert) class 2 medium capacity (cartridge) class 3 large capacity (canister)

EXAMPLES OF USE

RANGE	FILTER TYPE	BRICK OR PLASTER DUST	LEAD DUST	FIBREGLASS ROCKWOOL	WHITE SPIRIT	ASBESTOS	ORGANIC GAS AND VAPOURS	INORGANIC GAS AND VAPOURS	AMMONIA	ACID GAS AND VAPOURS
Classic	A2P3R	✓	✓	✓	✓	✓	✓			
Comfort	P3	✓	✓	✓	✓					
	A2P3R	✓	✓	✓	✓	✓	✓			
	ABEK2P3	✓	✓	✓	✓	✓	✓	✓	✓	✓





Half-mask, built-in P3 filters

Sku **54 35 10**

Compatible filters P3:
54 35 20

Made from odourless and hypoallergenic soft thermoplastic elastomer (no latex or silicon) with an easily adjustable harness. Net weight: 132 g. Made in Europe
Product particularly suited to sandpapering work
Compact, lightweight and flexible to fit the face perfectly.

ADVANTAGES

Better filtration than a disposable mask: 99.95%
Long-lasting filters
Full field of vision with no fogging
Very airtight: 2% versus 5% for a disposable
Soft, adapts to the face



LIGHT
132 G.



CONFORTABLE



MADE
IN EUROPE



REUSABLE



P3 filters for P3 half-mask

Sku **54 35 20** (packaging: 2 filters)

› Replacement filters for the half-mask built-in P3 filters
› Made in Europe
Complies with standard EN 140:1998
Filters comply with standard EN 143: 2000 + A1:2006
CE certified masks and filters.



THE EXPERT'S ADVICE



***I discovered this half-mask
and quickly adopted it!
It's 'P3', so it protects
perfectly
against dust, fumes and
vapours
you find on building
sites.***

But above all, I find it economical and ecological: the filters last a long time, so there's no need to throw away and buy a new mask every time.

CLASSIC RANGE



Half-mask with cartridges

Sku **54 25 10** (box containing a half-mask, filters sold separately)

Compatible filters: **A2P3R (542521)**

Half-mask with cartridges for 2 screw-in filters. Made of thermoplastic rubber. Soft silicone exhalation valve. Simple, intuitive and ergonomic adjustment loop combined with a comfortable harness. **Complies with standard EN140:1998**



A2P3R Cartridges

Sku **54 25 21** (pack of 2 cartridges)

USE: GAS, ORGANIC VAPOURS, DUST AND VERY FINE TOXIC PARTICLES

HDPE cartridge, activated carbon and PP non-woven filter materials.

Complies with standard EN143:2000+A1:2006, EN14387:2004+A1:2008

COMFORT RANGE



Comfort half-mask kit

Sku **54 30 14**

Compatible filters: **A2P3R (543019)**

Ready-to-use half-mask kit: includes a half-mask + 2 A2P3R cartridges

- › Very lightweight
- › Quick and safe to apply with locking action
- › Adjustable harness
- › good visibility

Complies with standard EN140:1998

ADVANTAGES

- Very light
- Easy to place on the face
- Easy to clean: can be disassembled in less than a minute



A2P3R Cartridges

Sku **54 30 19** (pack of 2 cartridges)

USE: ORGANIC GASES AND VAPOURS, DUST AND VERY FINE TOXIC PARTICLES

› Filtration material for gases: activated carbon; For dust: Pleated fibre

› Non-deformable ABS container

› Class 2 gas filter; Class P3 particulate filter

Complies with standard EN143:2000+A1:2006, EN14387:2004+A1:2008



Comfort full face mask

Sku **54 30 49**

(filters sold separately)

Compatible filters:

A2P3R (543019) - ABEK2P3R (543024)

Reusable full face mask with 2 filters and silicone seal.

- › Quick and safe to apply with locking action
- › Optical class 1 (EN166) polycarbonate visor and polyamide filter holder
- › Panoramic field of vision
- › Anti-fog and scratch resistant mask
- › 6-point fixed harness

ADVANTAGES

Comfortable: good weight distribution,
leaves no marks on the face
Panoramic field of view with no optical distortion



ABEK2HgP3 Cartridges

Sku **54 30 24** (pack of 2 cartridges)

USE: ORGANIC AND INORGANIC GASES AND VAPORS, ACID GASES, AMMONIA AND DERIVATIVES, MERCURY, DUST AND VERY FINE TOXIC PARTICLES

- › Filtration material for gases: activated carbon;
 - For dust: Pleated fibre
 - › Non-deformable ABS container
 - › Class 2 gas filter; Class P3 particulate filter
- Complies with standard EN143:2000+A1:2006, EN14387:2004+A1:2008**

A2P3 half-mask integrated filters

Sku **54 30 58**

Ready to use, maintenance-free half-mask

- › Mask: resistant, durable and holds its shape
- › Perfectly airtight
- › Easy to lower the mask without having to remove the helmet
- › Excellent filtration performance

Complies with standard EN 405 2001+A1:2009

ADVANTAGES

As simple as a disposable, protects like a reusable
No maintenance required
High visibility



Visor protection

Sku **54 30 55**

Polyethylene visor protection
for Comfort full face mask.
Pack of 5 visors.

CHOOSING your eye protection



PROTECTION FROM MECHANICAL HAZARDS (CONSTRUCTION AND INDUSTRY)

Wilco

Clear	Tinted
Sku 52 14	Sku 52 15

AFFORDABLE GOGGLES COMBINING COMFORT AND LIGHTNESS.

- › Polycarbonate lenses (99.99% absorption of UVA and UVB rays).
- › Wraparound lens offering an unobstructed panoramic view.
- › Lightweight and frameless for permanent comfort.
- › Length-adjustable arms for better support.
- › Adjustable nose bridge. Scratch resistant
- › Weight: 28.7 g

ADVANTAGES

Comfort - lightweight - frameless



Squadron

Clear	Tinted
Sku 52 17	Sku 52 18

THE COMBINATION OF STYLE AND COMFORT FOR ALL TYPES OF WORKING ENVIRONMENT.

- › Polycarbonate lenses (99.99% absorption of UVA and UVB rays).
- › Frameless. Thin, flat, flexible arms that fit under any PPE.
- › Goggles with no metal parts
- › Reinforced K (certified) anti-scratch treatment and reinforced N (certified) anti-fogging treatment.
- › Weight: 28 g

ADVANTAGES

Style - comfort - flexibility



Atlas

Sku **52 16**

THE ULTIMATE IN PROTECTIVE EYEWEAR WITH PANORAMIC VISION.

- › Polycarbonate lenses (99.99% absorption of UVA and UVB rays).
- › Polyamide frame.
- › Adjustable and inclinable arms with flexible tips
- › Flexible nose bridge
- › Anti-scratch and anti-fogging.
- › Weight: 29.3 g

ADVANTAGES

Panoramic vision - comfortable



STANDARD EN 166:2001

specifies optical quality, resistance to common risks, mechanical risks, resistance to shocks/impacts.

OTHER STANDARDS FOR PROTECTIVE EYEWEAR

EN 170: Ultraviolet filter.

EN 172: Sun protection filter for industrial use.

EN 1836: Sun protection filter for leisure and sport.

ALL OUR MODELS COMPLY WITH EN 166:2001 AND

EN 170 (CLEAR LENS) OR EN 172 (TINTED LENS) STANDARDS

PROTECTION AGAINST MECHANICAL, DUST AND CHEMICAL RISKS



Aegean overgoggles

Sku 52 20

COMFORTABLE AND LIGHTWEIGHT OVER GOGGLES WITH AN ACTIVE LOOK.

- › Sporty design
- › Polycarbonate lenses (99.99% absorption of UVA and UVB rays)
- › Lens curvature 3
- › Polycarbonate frame
- › Anti-scratch / Anti-fogging
- › Flexible and adjustable nose bridge and arms
- › Weight: 39.8 g

ADVANTAGES

Active look – lightweight – fully adjustable



Sigma protective mask

Sku 52 25

EXTREMELY COMFORTABLE MASK DESIGNED TO FIT YOUR FACE PERFECTLY.

- › Polycarbonate lenses (99.99% absorption of UVA and UVB rays).
- › Lens curvature 5.5. Non-P PVC frame
- › Adjustable headband + quick-release headband for a better fit over prescription glasses or hard hat. Designed with 2 openings to be worn with protective glasses.
- › Anti-scratch / Anti-fogging
- › Weight: 133 g

ADVANTAGES

Extreme comfort – ventilated



Flylux 60950

Sku 52 13

Eye skirt lined with EVA foam / UV400 mirror
Black nylon frame, EVA foam lining
CAT 1: light absorption between 20 and 57 %.

ADVANTAGES

Fits securely on the face / Full eye protection.

2-in-1 goggles: supplied with elasticated headband and arms (interchangeable).

Indoor/outdoor. Compliant with EN 172 and EN 1836.



Vented mask

Sku 52 05

Polycarbonate lens. Flexible goggle frame made of PVC with air vents. Adjustable tightening elastic.

PERSONAL PROTECTION HEAD PROTECTION

PROTECTION AGAINST STATIONARY OBJECTS

WHITE



BLACK



Shock-resistant safety cap

White
Sku **71 05 15**

Black
Sku **71 05 16**

Shock-resistant baseball-type cap.
Protects the wearer when their head
is hit by hard and still objects.
Composed of a moulded ABS
shell with comfort foam.
Rip-tab strip adjustment.
side vents
Standard EN 812: 2012



PROTECTION AGAINST FALLING OBJECTS



White hard hat

Sku **71 05 10**

Protects the wearer against falling
objects and head injuries and
subsequent
brain trauma.
> 30 °C: shockproof and resistant to
extremely low temperatures
> 440 V: electric isolation (protection
against brief contact with a maximum
440 V conductor)
**EC standards EN 397:2012+A1:2012 +
EN50365:2002.**

HD PE shell
Serrated wheel (excellent hold between
the fingers) - 6 attachment points
370 g



Baseball-type white hard hat

Sku **71 05 11**

Protects the wearer against falling
objects and head injuries and
subsequent
brain trauma.
> 30 °C: shockproof and resistant to
extremely low temperatures
> 440 V: electric isolation (protection
against brief contact with a maximum
440 V conductor)
**EC standards EN 397:2012+A1:2012 +
EN50365:2002.**

8 attachment points = comfortable
to use retro-reflective strip
Chinstrap
Adjustable size, innovative tightening
system.

Badge holder

Sku **71 05 12**

Compatible with the baseball-type
white hard hat 710511

Noise-cancelling ear-plugs with steel ball

Sku **71 05 05**

Moderate hearing protection
Washable and reusable
Practical with the drawcord
to keep the plugs around the neck
Standard: EN 352-2:2022
Sold in bags of 10

ADVANTAGES

Washable and reusable



Noise-cancelling headphones 32.1dB SNR

Sku **71 05 21**

Increased hearing protection
Standard: EN 352-1: 2002.
Grey ABS shell, adjustable and
foldable hoop. Pocket model,
PVC pad with leather feel. Weight: 25 g.

ADVANTAGES

Folds into the pocket
Reusable



First aid kit

Sku **71 15 08**

Practical and flexible first aid kit.
L15 x H12 x D5 cm
4 person



Slots easily
into the glove
box



Special construction industry first aid kit

Sku **71 15 10**

For 5 person.



High-vis vest

Sku **71 07 10**

One size: XL.
Class 2.



Warning sign tape

Sku **71 10 10**

Dimensions :
5 cm x 100 m

Sold in packs
of 12 rolls.



Fall prevention kit

Sku **71 20 01**

1 full harness with sub-pelvic strap, three attachment points:
1 dorsal steel D-ring and 2 textile sternal loops.
EC standard EN361 1. Polyamide work positioning lanyard measuring 2 m long and 14 mm in diameter, supplied with two steel carabiners with zinc-plated screws.
EC standards EN 358 and EN 362
1 temporary 1 m polyester anchor strap with 2 steel D-buckles (horizontal work)
EC standard EN 795. Weight: 2,320 g.
Capacity: 100 kg user

ADVANTAGES

Complete kit packed in a carry bag.



Carabiner

Sku **71 22 10**

Steel carabiner.
Automatic 1/4 turn closure.
EC type 1503. Issue 5
Extension 1.
Standard EN 362:2004.

ADVANTAGES

Robustness.
Easy opening and closing.



A COMPLETE MERCHANDISING RANGE


FOR YOUR SALES OUTLET

We provide you with
various tools to optimise the
presentation of Dulary products
in your sales outlets and
promote their resale.

Our team is here to listen to you
and help you promote your sales outlet.

Different media for different content:
information, advice on use, display, etc.





SITE



A
**Biosourced back panel
for pallet of rolls**

Sku **FRONTONPALDULYBIO**

L81 cm – P37 cm – H160 cm



B
**Back panel for pallet
of rolls**

Sku **FRONTONBOBINEAU**

L81 cm – P37 cm – H160 cm

ADVANTAGES DULARY

DULARY can help you in implementing merchandising solutions adapted to your points sales outlets.

**Discover all our
POS solutions
for high
impact product
displays.**

For further POS support,
please contact our sales team.

E.P.I.



C
**Modular PPE
furniture**

Sku **MEUBLEEPI**

L60 cm – P60 cm – H161 cm



D
**Floor presentation
box 6 shoes**

Sku **PRESSOL6CHAUS**

L. 54,3 cm – H. 171,7 cm – P. 30,3 cm
6 shoes



E
**Counter presentation
box 2 shoes**

Sku **PRESCPTOIR2CHAUS**

L. 26 cm – H. 46,5 cm – P. 32 cm
2 shoes

MERCHANDISING FURNITURE / POS DISPLAY

COUNTER



Un comptoir fonctionnel et bien présenté vous fera sans nul doute remarquer !

F Multi-product counter presentation box

Sku **PRESENTOIRMULTI**

L 23 cm - P 34 cm - H 35 cm



G Counter stand

Sku **CHEVALETDULARY**

L 25 cm - H 40 cm

CLOTHING



H Shop mannequin

Sku **BUSTE**



I Rack

Sku **PORTANTDULARY**

L 60 cm - P 60 cm - H 161cm
Capacité : holds around 20 garments on hangers



2 configurations with pags or with a rail



J Metal gondola 1m

Sku **40 10 11**

L. 100 cm - H. 215 cm - P. 50 cm
Capacity: approx. 100 garments

Sku **BARRE1M** | Display rail

Hooks to a 1 m wide gondola

SITE PROTECTION

PROFESSIONAL CLOTHING

PERSONAL PROTECTION

MERCHANDISING



DULARY accompanies you in France and throughout Europe

2 LOCATIONS IN FRANCE



SUCY-EN-BRIE

ZAC de la Sablière
11 avenue de la Sablière
94370 SUCY-EN-BRIE
dulary-idf@dulary.com

SAINTE-SIGOLÈNE

ZI Les Taillas
Allée Louis Pasteur
43600 SAINTE-SIGOLÈNE
dulary-sud@dulary.com

YOUR CONTACTS

Ile de France Sales :	+33 06 24 38 38 46
North sales:	+33 06 60 18 18 92
South-West sales :	+33 07 71 72 99 98
South-East sales :	+33 06 21 84 32 31
Direction Dulary :	+33 01 49 82 04 04
Outside France :	international@multiplast-dulary.com

ORDER SERVICE

SUCY-EN-BRIE

Tél. +33 01 49 82 04 04
Fax : +33 01 49 82 04 05
appro-idf@dulary.com

SAINTE-SIGOLÈNE

Tél. +33 04 71 75 14 39
Fax : +33 04 71 75 68 10
appro-sud@dulary.com

dulary.fr

**Follow us
on social networks**

